






THE LIBRARY  
OF  
THE UNIVERSITY  
OF CALIFORNIA  
DAVIS







---

STATE OF CALIFORNIA  
DEPARTMENT OF PUBLIC WORKS  
DIVISION OF WATER RESOURCES

---

EARL WARREN, Governor  
CHARLES H. PURCELL, Director of Public Works  
EDWARD HYATT, State Engineer

---

BULLETIN NO. 39-J

SOUTH COASTAL BASIN INVESTIGATION

RECORDS OF  
GROUND WATER LEVELS AT WELLS  
FOR THE YEAR 1941  
AND  
SAN JACINTO AND ANTELOPE VALLEY WELLS  
THROUGH YEAR 1941

PRECIPITATION RECORDS  
FOR THE SEASON 1940-41

Department  
Seal

Sacramento, 1944

---

LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS



## CONTENTS

	Page
FOREWORD .....	1
RECORDS OF GROUND WATER LEVELS AT WELLS	
District A .....	3
District B .....	15
District C .....	25
District D .....	61
District E .....	75
San Jacinto Valley .....	97
Antelope Valley .....	375
PRECIPITATION RECORDS	
Monthly, from U. S. Weather Bureau .....	471
Season, 1940-41 .....	472



## FOREWORD

The well records here given are a continuation of those published in Bulletins 39 to 39-I, inclusive. Descriptive data for most of the wells and maps showing their locations are given in Bulletin 39. Descriptive data for wells not included in Bulletin 39 are given in Bulletins 39-A to 39-I, inclusive. Some of these latter wells are not shown on the maps in Bulletin 39.

Records of ground water levels at wells in San Jacinto and Antelope Valleys are included in this bulletin. The locations are shown on Maps 9, 10, and 11. The wells in these valleys are numbered by Township, Range and Section, i.e.; Well Number 5S2W1A is located in Township, 5 South, Range 2 West, S.B.B. & M. in section 1. The letter "A" denotes that it is the first well numbered in that section. The letter "B" would be the second well, etc.

The San Jacinto Valley wells are shown on Maps 9 and 10. The tabulation begins in the northwest corner of Map 9 and progresses east and south. The townships are all south of the meridian so they are in numerical order but the ranges are both east and west and are not in numerical order.

The Antelope Valley wells are shown on Map 11. They are tabulated by Township and Range so both are in numerical order. The tabulation begins in the southeast corner of Map 11 and progresses west and north.

The precipitation records here given are a continuation of those published in Bulletins 39-A to 39-I, inclusive. In the former bulletin is a map showing locations of stations listed in 1932. Stations not

shown on the map in Bulletin 39-A are described as to location in the bulletins following that publication. The totals are for the period July 1st to June 30th. There is a tendency on the part of the observers to neglect the minor storms, particularly those occurring at the beginning and at the end of the season. Through inspection of the records at nearby stations, the amount of precipitation so neglected has been estimated. This amount has been added to the recorded precipitation and an asterisk indicates where such an addition has been made.

Monthly totals for several precipitation stations are included to show the distribution of rainfall in various localities.

Records of daily precipitation for most of the stations included herein are available in the office of the Division of Water Resources.

Cooperation of the agencies through which the records have been made available is appreciated. Proper credit is given in the tabulation of data for each well and in the table showing precipitation station data.

SOUTH COASTAL BASIN INVESTIGATION  
Records of Ground Water Levels at Wells  
in District "A"





Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
A-2-B-5 1426.	Oct. 28	a 113.5	A-9-D-3 Cont.	June 18	78.6
				July 17	78.2
				Nov. 6	75.4
A-3b-B-6 1245.	May 13	a 114.8			
	Oct. 29	a 116.	A-10-E-3 792.7	Feb. 25	a 12.6
				Mar. 17	a 10.5
A-4c-B-6 *1226.8	Jan. 23	17.3		Mar. 26	a 10.4
	Feb. 25	7.7		Apr. 17	a 9.5
	Mar. 21	4.7		May 13	a 9.6
	Apr. 22	4.7		June 16	a 10.2
	May 22	4.8		July 17	a 10.6
	June 24	4.9		Sep. 12	a 11.0
	July 23	5.3		Oct. 10	a 10.9
	Aug. 28	5.8		Oct. 28	a 10.9
	Oct. 23	6.8			
	Nov. 25	6.4	A-12-D-3 830.6	Jan. 23	40.0
	Dec. 26	7.5		Feb. 27	39.4
				Mar. 19	38.8
A-4e-B-6 1281.8	Jan. 23	41.2		Apr. 15	37.7
	Feb. 25	35.2		May 12	a 36.6
	Mar. 21	31.2		May 22	36.4
	Apr. 27	29.7		June 18	36.6
	May 22	28.7		July 17	37.3
	June 24	26.6		Oct. 28	a 34.0
	July 23	27.3			
	Aug. 28	27.9	A-13-D-3 825.9	Feb. 27	a 39.4
	Oct. 23	28.5		Mar. 19	a 38.3
	Nov. 25	28.3		Mar. 26	a 37.8
	Dec. 26	29.4		Apr. 17	a 36.3
				May 12	a 35.6
A-5a-C-2 955.	Mar. 26	a 6.4		June 16	a 35.3
	Apr. 17	a 5.9		July 17	a 36.0
	May 13	a 7.3		Sep. 12	a 34.7
	June 16	a 8.0		Oct. 10	a 34.3
	July 17	a 8.2		Oct. 28	a 34.0
	Sep. 12	a 10.8			
	Sep. 22	a 12.8	A-14-D-4 897.0	Jan. 23	103.0
	Oct. 10	a 10.2		Feb. 27	102.8
	Oct. 28	a 9.6		Mar. 18	102.7
				Apr. 15	102.3
A-9-D-3 880.0	Jan. 23	82.7		May 22	101.0
	Feb. 27	82.6		June 17	100.8
	Mar. 19	81.8		July 17	100.1
	Apr. 15	80.9		Nov. 6	98.0
	May 22	79.3			

\* New elevation; R.P. changed.

a Measurement from Los Angeles County Flood Control District.

Measurements from Los Angeles Bureau of Water Works & Supply except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
A-15-D-4 791.2	Jan. 23	21.5	A-24a-C-5 1120.	Apr. 17	a 9.4
	Feb. 27	18.7		May 12	a 5.2
	Mar. 19	13.9		June 16	a 6.6
	Apr. 15	11.6		Sep. 12	a 6.5
	May 22	10.4		Oct. 10	a 6.2
	June 18	12.9		Oct. 28	a 5.5
	July 17	13.7			
	Nov. 7	16.0	A-24b-C-5 1033.8	Jan. 22	24.0
A-18a-D-4 869.1	Jan. 23	143.0		Feb. 25	23.3
	Feb. 27	142.9		Mar. 20	14.0
	Mar. 18	142.7		Apr. 23	14.4
	Apr. 15	142.4		May 22	16.3
	May 22	142.0		June 20	17.4
	June 17	141.1		July 28	16.0
	July 17	140.4		Aug. 28	16.8
				Oct. 16	17.0
A-18c-D-4 786.0	Jan. 23	58.2		Nov. 13	19.2
	Feb. 26	58.1		Dec. 31	18.4
	Mar. 17	57.9	A-26-D-5 879.0	Jan. 6	197.8
	Apr. 14	57.3		Feb. 1	198.1
	May 19	57.0		Mar. 1	197.9
	June 17	56.6		Apr. 1	192.6
	July 17	56.4		May 1	185.6
	Nov. 7	55.9		June 1	179.3
				July 1	175.6
A-22-D-5 862.5	Jan. 22	176.9		Aug. 1	175.9
	Feb. 26	177.2		Sep. 1	176.7
	Mar. 18	177.7		Oct. 6	177.6
	Apr. 14	175.0		Nov. 3	178.1
	May 19	172.2		Dec. 1	178.4
	June 17	169.3			
	July 15	168.0	A-26a-D-5 814.5	Jan. 22	138.2
	Nov. 7	163.3		Feb. 25	138.1
				Mar. 18	135.2
A-24-B-5 1158.4	Jan. 22	26.9		Apr. 14	130.2
	Feb. 25	24.9		May 19	126.7
	Mar. 20	24.6		June 17	122.6
	Apr. 22	25.4		July 15	121.7
	May 22	26.0		Nov. 7	121.5
	June 20	23.9			
	June 24	24.0	A-27-D-5 798.0	Jan. 22	118.5
	July 23	29.8		Feb. 25	118.2
	Aug. 28	28.1		Mar. 18	116.6
	Oct. 16	25.8		Apr. 14	114.1
	Nov. 18	24.6		May 19	111.1

a Measurement from Los Angeles County Flood Control District.  
Measurements from Los Angeles Bureau of Water Works & Supply except as  
noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
A-27-D-5 Cont.	June 17	109.5	A-35-D-6 Cont.	July 23	189.1
	July 15	108.8		Aug. 28	188.4
	Nov. 7	107.6		Sep. 10	188.2
A-27a-D-5 793.1				Oct. 16	189.0
	Jan. 22	115.0		Nov. 14	189.8
	Feb. 25	115.6		Dec. 19	189.5
	Mar. 18	115.0	A-37-C-7 1203.8	Jan. 23	183.9
	Apr. 14	113.4		Feb. 25	182.5
	May 19	111.7		Mar. 21	167.5
	June 17	110.2		Apr. 22	154.8
	July 15	109.0		May 21	153.0
	Nov. 7	105.0		June 24	155.1
A-28b-B-6 1130.7	Jan. 22	11.4		July 23	157.9
	Feb. 25	5.5		Aug. 29	162.0
	Mar. 21	4.5		Nov. 26	169.1
	Apr. 23	3.0	A-39-D-7 898.2	Jan. 28	234.3
	June 20	4.6		Feb. 22	233.8
	Oct. 16	5.8		Mar. 20	216.0
	Dec. 26	5.7		Apr. 17	195.6
A-31-D-6 903.0	Jan. 22	227.5		May 17	189.8
	Feb. 25	226.4		June 24	188.8
	Mar. 20	224.2		July 24	187.3
	Apr. 21	213.7		Aug. 28	191.3
	June 3	202.2		Sep. 10	191.4
	June 20	199.2		Oct. 16	193.8
	Aug. 29	200.8		Nov. 14	195.4
	Sep. 10	201.6		Dec. 19	196.0
	Oct. 16	202.3	A-40-E-7 760.2	Jan. 16	121.2
	Nov. 13	203.1		Feb. 18	120.6
	Dec. 19	204.3		Mar. 18	114.6
A-31a-D-6 820.2	Jan. 22	151.2		Apr. 17	101.5
	Feb. 26	150.2		May 17	91.5
	Mar. 20	144.1		June 18	89.6
	Apr. 16	137.2		July 28	91.8
	June 30	129.2		Aug. 26	93.6
	Aug. 28	128.5		Sep. 10	94.3
	Nov. 14	128.9		Oct. 10	95.4
	Dec. 19	128.5		Nov. 14	96.4
				Dec. 18	96.7
A-35-D-6 886.6	Jan. 22	217.6	A-41-C-7 1099.1	Jan. 23	34.1
	Feb. 25	217.1		Feb. 26	31.1
	Mar. 30	212.6		Mar. 21	26.0
	Apr. 21	201.8		Apr. 23	23.0
	May 17	197.0		May 21	23.4
	June 6	192.8		June 28	25.1
	June 24	191.2			

Measurements from Los Angeles Bureau of Water Works & Supply.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
A-41-C-7	Oct. 23	29.7	A-49-C-8	June 24	101.2
Cont.	Nov. 26	30.1	Cont.	July 28	102.2
	Dec. 24	31.1		Aug. 29	101.4
				Nov. 26	97.3
A-44-C-7	Jan. 23	a 45.0	A-51-D-9	May 6	a 245.0
1164.1	Feb. 26	a 37.1	1868.	Oct. 28	a 227.6
	Mar. 22	a 18.9			
	Apr. 17	a 27.0	A-51d-D-9	May 6	a 105.1
	May 14	a 30.4	1692.	Oct. 28	a 95.7
	June 16	a 35.2		Nov. 18	a 95.4
	July 17	a 37.4			
	Sep. 12	a 39.3	A-52-D-9	Jan. 5	b 54.
	Oct. 10	a 39.5	1435.	Feb. 2	b 52.
	Oct. 29	a 39.8		Mar. 2	b 36.
A-45-C-8	Feb. 26	13.0		Mar. 23	b 30.
1159.8	Mar. 22	12.6		May 4	b 24.
	Apr. 23	10.7			
	June 24	16.7		1940	
	Nov. 26	20.2			
A-46b-E-7	Jan. 17	116.7	A-53-D-10	Oct. 29	a 94.0
725.0	Feb. 18	116.4	2022.		
	Apr. 17	114.0		1941	
	June 19	108.3		May 7	a 90.4
	July 24	105.1		Oct. 28	a 79.0
	Aug. 27	103.3			
	Sep. 11	102.8	A-54c-D-10	May 7	a 164.8
	Oct. 15	100.2	1441.6	Oct. 28	a 132.8
	Nov. 18	99.9			
A-48-C-7	Jan. 23	53.4	A-55-E-10	Mar. 24	a 40.0
1286.1	Feb. 26	52.8	1145.9	Apr. 19	a 35.5
	Mar. 22	45.5		May 6	a 36.2
	Apr. 23	41.0		June 12	a 42.8
	May 21	40.3		July 24	a 46.8
	June 24	42.5		Sep. 8	a 51.2
	July 28	44.8		Oct. 16	a 53.0
	Aug. 29	47.2		Nov. 12	a 53.1
	Nov. 26	47.5		Dec. 22	a 52.0
A-49-C-8	Jan. 23	105.8	A-56-E-2	Jan. 27	c 30.2
1448.5	Feb. 26	104.3	836.9	Apr. 15	13.4
	Mar. 22	103.5		July 16	26.0
	Apr. 23	102.2		Nov. 6	27.3
	May 21	101.3		Dec. 18	26.6

a Measurement from Los Angeles County Flood Control District.

b Measurement from owner.

c Rain water running into well.

Measurements from Los Angeles Bureau of Water Works & Supply except as noted.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface Feet	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface Feet
	1941			1941	
A-56d-E-2 882.7	Jan. 27	27.6	A-64-E-4	Apr. 15	1.2
	Feb. 25	25.5	Cont.	May 21	3.5
	Mar. 17	20.4		June 18	3.8
	Apr. 15	17.7		July 16	4.6
	May 21	16.2		Nov. 7	6.4
	June 19	17.0			
	July 16	18.6	A-66b-E-4	Mar. 18	a 4.1
	Nov. 6	23.3	729.5	Apr. 15	a 4.2
				May 13	a 5.2
A-58d-E-3 798.6	Jan. 23	11.8		June 19	a 5.6
	Mar. 17	9.0		July 31	a 6.7
	Apr. 15	9.1		Sep. 11	a 7.6
	May 21	7.2		Oct. 16	a 8.4
	June 19	8.5		Dec. 31	a 8.0
	July 16	8.6			
	Nov. 5	a 8.5	A-70-E-5	Jan. 21	26.8
			719.1	Feb. 26	26.6
A-60-E-3 793.6	Jan. 23	11.9		Mar. 18	25.4
	Feb. 25	9.5		Apr. 16	24.6
	Mar. 17	9.0		May 16	24.5
	Apr. 15	9.2		June 16	24.6
	May 21	7.6		July 15	24.5
	June 19	8.8			
	July 16	9.4	A-71a-E-5	Jan. 21	11.3
	Nov. 6	10.7	723.9	Feb. 25	7.2
				Mar. 17	6.0
A-62-E-3 753.9	Jan. 23	4.2		Apr. 16	5.3
	Feb. 28	0.5		May 21	5.4
	Mar. 18	0.6		June 18	5.7
	May 21	b		Oct. 8	6.9
				Nov. 6	6.6
A-62a-E-3 770.0	Jan. 23	9.4		Dec. 8	6.7
	Feb. 25	3.4			
	Feb. 28	4.0	A-72-E-5	Jan. 22	51.3
	Mar. 18	4.4	732.5	Feb. 26	51.1
	Apr. 15	7.7		Mar. 18	50.9
	May 21	6.5		Apr. 15	50.5
	June 18	6.8		May 21	49.7
	July 16	7.4		June 20	49.3
	Nov. 6	8.6		July 15	48.9
				Nov. 5	a 47.8
A-64-E-4 733.1	Jan. 23	5.4			
	Feb. 25	0.3	A-73-E-5	Mar. 17	a 17.1
	Feb. 28	0.9	*	May 12	a 15.1
	Mar. 18	0.9		Oct. 29	a 17.4

\* R.P. elevation 690. to and including March 17, 1941; then 690.1  
a Measurement from Los Angeles County Flood Control District.

b Destroyed.

Measurements from Los Angeles Bureau of Water Works & Supply except as  
noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
A-74-E-5 732.6	Jan. 15	65.5	A-78-E-6 715.0	Jan. 16	66.6
	Feb. 13	65.3		Feb. 13	66.1
	Mar. 14	61.1		Mar. 14	54.6
	Apr. 16	54.6		Apr. 16	41.9
	May 14	51.1		May 14	37.2
	June 18	49.1		June 20	37.6
	July 23	49.1		July 22	41.0
	Aug. 26	49.2		Aug. 29	43.1
	Sep. 9	49.3		Sep. 9	43.4
	Nov. 12	49.1		Nov. 12	44.8
	Dec. 17	48.7		Dec. 17	44.9
A-75-F-6 654.3	Jan. 14	8.5	A-78d-E-6 699.2	Jan. 16	58.7
	Feb. 13	5.5		Feb. 13	59.2
	Mar. 11	0.1		Mar. 14	36.0
	Apr. 14	1.2		Apr. 16	21.1
	May 13	5.4		May 14	25.0
	June 17	7.2		June 19	28.4
	July 23	8.1		July 22	30.8
	Aug. 22	8.5		Sep. 9	34.6
	Sep. 9	8.8		Oct. 9	35.8
	Oct. 2	9.0		Nov. 12	36.8
	Nov. 5	9.2		Dec. 17	38.0
	Dec. 12	9.0			
A-76-E-6 707.2	Jan. 15	49.5	A-80-E-6 697.8	Jan. 16	60.0
	Feb. 13	49.2		Feb. 13	59.6
	Mar. 14	49.9		May 14	30.6
	Apr. 16	34.6		June 18	30.7
	May 14	30.7		July 22	33.2
	June 19	29.2		Aug. 26	35.7
	Aug. 28	30.1		Sep. 9	36.2
	Oct. 9	30.5		Oct. 10	37.3
	Nov. 23	30.8		Nov. 12	37.9
	Dec. 17	30.6		Dec. 17	38.4
A-77b-E-6 681.3	Jan. 15	30.0	A-80c-E-7 713.7	Jan. 16	86.7
	Feb. 13	29.6		Feb. 18	86.0
	Mar. 14	22.9		Apr. 16	79.4
	Apr. 16	14.5		Apr. 22	74.6
	May 14	10.7		May 15	66.1
	June 19	9.4		June 18	62.2
	Sep. 9	11.8		July 22	61.8
	Oct. 9	11.5		Aug. 26	63.2
	Nov. 23	11.9		Sep. 11	63.8
	Dec. 17	11.6		Oct. 11	64.6
				Nov. 14	65.1
				Dec. 18	66.0

a Water 2.5 above R.P. after storm.

Measurements from Los Angeles Bureau of Water Works & Supply.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
A-81d-E-6 656.8	May 13	a 13.1	A-85e-F-7 Cont.	May 20	14.5
	Oct. 29	a 11.6		June 17	14.6
A-81h-E-7 658.6	Jan. 15	41.9		July 22	15.1
	Feb. 19	41.9		Aug. 22	14.8
	Apr. 15	29.5		Sep. 12	14.8
	May 14	26.0		Oct. 15	14.6
	June 18	24.4		Nov. 23	14.6
	July 22	23.5			
	Aug. 26	23.5		1940	
	Sep. 9	23.5	A-86-E-7 652.3	June 5	b 51.4
	Oct. 9	23.8		July 31	b 47.0
	Nov. 12	24.0		Oct. 2	b 55.2
	Dec. 17	24.3		Oct. 30	b 57.5
A-82-F-6 633.9	Jan. 15	22.7		Nov. 20	b 57.6
	Feb. 13	22.6		Dec. 31	b 56.7
	Mar. 11	19.5			
	Apr. 14	17.5		1941	
	May 14	16.8		Feb. 25	b 56.0
	June 17	16.7		Apr. 3	b 56.4
	July 22	16.9		May 6	b 51.8
	Aug. 22	17.2		June 24	b 47.8
	Sep. 9	17.3		Aug. 5	b 45.4
	Oct. 9	17.4		Sep. 30	b 44.0
	Nov. 13	17.4		Nov. 18	b 43.2
	Dec. 16	17.4			
A-84-E-7 627.7	Jan. 17	33.5		1940	
	Feb. 19	33.5	A-86f-E-7 689.6	June 5	b 84.4
	May 16	29.6		July 31	b 86.0
	June 19	27.5		Oct. 2	b 88.2
	July 19	25.2		Oct. 30	b 89.8
	Aug. 30	24.0		Nov. 20	b 90.3
	Sep. 11	23.4		Dec. 31	b 90.3
	Oct. 10	22.8			
	Nov. 21	22.1		1941	
	Dec. 18	21.3		Feb. 25	b 90.0
A-85c-F-7 596.1	Flowing all year			Apr. 3	b 88.4
				May 6	b 85.9
A-85e-F-7 575.1	Jan. 14	17.9		June 24	b 81.8
	Feb. 20	16.5		Aug. 5	b 79.1
	Mar. 13	13.4		Sep. 30	b 77.2
	Apr. 15	13.6		Nov. 18	b 76.3

a Measurement from Los Angeles County Flood Control District.

b Measurement by City of Burbank from Los Angeles County Flood Control District.

Measurements from Los Angeles Bureau of Water Works & Supply except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
A-87-E-7 .600.3	Jan. 17	22.2	A-89d-E-8 520.9	Jan. 17	37.9
	Feb. 26	21.3		Feb. 19	37.6
	Mar. 19	18.9		May 13	33.7
	Apr. 18	18.2		June 19	32.4
	May 16	17.7		July 24	31.1
	June 19	17.1		Aug. 28	30.0
	July 24	16.2		Sep. 11	29.6
	Aug. 27	15.5		Oct. 10	29.1
	Sep. 11	15.2		Nov. 19	28.4
	Oct. 15	14.8		Dec. 18	27.8
	Nov. 19	14.4			
	Dec. 19	14.0		1940	
A-87c-E-7 592.7	Jan. 17	22.1	A-93-E-8 566.6	Oct. 16 b	23.4
	Feb. 19	22.0		Nov. 13 b	21.2
	Mar. 18	18.5		Dec. 31 b	21.0
	Apr. 18	18.0			
	May 16	17.8		1941	
	June 19	17.4			
	July 24	16.7		Jan. 21 b	21.0
	Aug. 27	16.1		Feb. 18 b	24.0
	Sep. 11	15.8		Mar. 11 b	23.0
	Oct. 15	15.4		Apr. 15 b	20.5
	Nov. 19	14.9		May 20 b	22.5
	Dec. 19	14.6		June 10 b	22.5
A-88-F-8 *	Jan. 14	20.1		July 1 b	19.1
	Feb. 20	18.9		Aug. 5 b	22.5
	Mar. 11	17.8		Sep. 3 b	23.0
	Apr. 16	16.4		Oct. 7 b	23.0
	May 20	16.8		Nov. 18 b	22.0
	June 19	17.0		Dec. 2 b	26.4
	July 22	17.0	A-93g-F-8 520.7	Jan. 22	28.0
	Aug. 27	17.0		Mar. 20	25.0
	Sep. 12	17.0		Apr. 18	25.1
	Oct. 15	17.2		May 20	25.6
	Nov. 19	16.9		June 17	26.5
	Dec. 19	16.5		July 22 a	
A-88b-F-7 .562.5	Feb. 19	7.3	A-93L-E-8 509.3	Jan. 22	31.9
	Mar. 19	4.4		Feb. 20	32.0
	Apr. 18	4.4		Mar. 19	28.0
	May 16 a			Apr. 18	29.3

\* R.P. elevation 547.7 to and including March 11, 1942; then 546.3.

a Well destroyed.

b Measurement by City of Burbank from Los Angeles County Flood Control District.

Measurements from Los Angeles Bureau of Water Works & Supply except as noted.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
A-93L-E-8	May 20	30.3	A-98-E-10	Jan. 24	a 36.
Cont.	June 17	31.2	Cont.	Feb. 14	a 36.
	July 27	30.2		May 29	a 25.
	Aug. 27	30.4		July 3	a 28.
	Sep. 12	30.2		Aug. 29	a 29.2
	Oct. 15	30.4		Sep. 5	a 28.2
	Nov. 19	30.4		Sep. 12	a 30.2
	Dec. 19	30.3		Nov. 7	a 31.
A-95-E-8	Jan. 21	31.3	A-98a-F-10	Jan. 11	38.8
437.0	Mar. 19	28.4	573.0	Feb. 7	38.9
	Apr. 18	27.5		Mar. 6	33.7
	June 30	30.3		Apr. 4	28.8
	July 22	30.3		Apr. 16	27.9
	Sep. 12	30.7		May 22	26.5
	Oct. 15	30.8		June 21	26.3
	Nov. 19	30.0		July 21	26.4
	Dec. 18	29.6		Aug. 22	26.7
				Sep. 30	27.3
	1940			Oct. 23	27.8
				Nov. 21	28.5
A-98-E-10	June 28	a 35.1			
964.7	Oct. 4	a 33.			
	Oct. 26	a 33.			
	Nov. 15	a 33.			

---

a Measurement by Glendale Water Department from Los Angeles County Flood Control District.

Measurements from Los Angeles Bureau of Water Works & Supply except as noted.



SOUTH COASTAL BASIN INVESTIGATION  
Records of Ground Water Levels at Wells  
in District "B"



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
B-1a-H-5 341.7	May 13	58.3	B-10p-I-6 84.6	Jan. 8	68.7
	Oct. 29	a 65.9		Feb. 5	68.9
B-2-H-5 156.	May 13	54.0		Mar. 10	69.0
	Oct. 29	52.4		Apr. 8	67.8
B-3-I-5 107.	May 13	100.8		May 13	66.6
	Oct. 29	99.7		June 3	66.1
B-5c-I-5 27.3	May 13	26.9		July 8	65.7
				Aug. 5	65.6
B-6c-H-6 274.	Nov. 12	51.0		Sep. 16	65.7
				Oct. 7	66.0
				Nov. 4	66.1
				Dec. 2	66.4
	1939		B-11b-G-7 292.	May 14	104.2
B-6d-H-6 195.8	Dec. 5	b 107.3		Oct. 29	99.7
	1940		B-12-H-7 *100.	May 12	74.0
	Jan. 8	b 107.6		Nov. 12	62.7
	Feb. 7	b 106.5	B-13-I-6 68.0	May 12	19.0
	Mar. 4	b 105.6		Oct. 28	18.6
	Apr. 9	b 106.1	B-14-G-8 **290.0	Jan. 8	26.4
	June 24	b 106.8		Feb. 5	26.1
	Oct. 7	b 107.6		Mar. 10	22.9
	1941			Apr. 8	22.0
	May 5	b 88.1		May 14	22.9
	Oct. 14	b 103.3		June 3	25.0
	1940			July 10	23.7
B-9a-I-6 180.	Oct. 1	c 132.0	B-14d-G-1 335.5	Aug. 5	24.0
	Nov. 1	c 126.0		Sep. 16	24.9
	Dec. 1	c 128.0		Oct. 7	24.2
	1941			Dec. 2	24.1
	Apr. 13	c 124.0	B-15-I-8 105.0	May 14	40.6
	Nov. 1	c 126.0		Oct. 29	39.7
				Jan. 7	61.8
				Feb. 5	67.6
				Mar. 10	59.4
				Apr. 8	53.3
				May 9	51.0
				June 3	62.0
				July 8	68.1

\* Correction to previous bulletins: R.P. elevation should be 100.

\*\* New elevation; R.P. changed.

a No adjoining wells pumping.

b Measurement from Los Angeles Bureau of Water Works & Supply.

c Measurement by owner.

Measurements from Los Angeles County Flood Control District except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
B-15-I-8	Aug. 5	70.0	B-28c-J-6	May 6 b	130.2
Cont.	Sep. 16	70.8	131.3	May 14	130.1
	Oct. 7	71.0		Oct. 14 b	130.9
	Nov. 5 a	42.2		Nov. 4	129.6
	Dec. 2	57.5			
B-18-H-9	May 6	124.6	B-29b-I-6	May 7 b	26.7
225.	Nov. 3	124.6	28.9		
B-18a-H-9	May 6	124.0	B-36b-K-6	May 12	151.7
232.	Nov. 3	120.9	140.	Nov. 6	152.5
B-23-I-5	Jan. 7	27.5	B-37-L-7	May 6 b	154.4
*22.2	Feb. 5	27.6	154.4	May 12	155.7
	Mar. 10	26.2		Oct. 15 b	154.6
	Apr. 8	24.6		Nov. 6	154.2
	May 13	24.0	B-44-K-8	May 9	90.5
	June 3	24.1	83.1	Nov. 5	91.3
	July 8	24.6			
	Aug. 5	24.8		1940	
	Sep. 16	24.8			
	Oct. 7	24.8	B-44a-K-8	Feb. 9 b	91.1
	Oct. 30	25.3	77.8	Apr. 10 b	91.8
	Dec. 2	24.8			
	1940			1941	
B-25a-I-6	Feb. 8 b	50.6		May 7 b	96.4
47.8.			B-44c-K-8	Jan. 7	67.7
	1941		50.	Feb. 5	67.6
	May 7 b	47.8		Mar. 10	67.1
B-28-J-6	Jan. 1 c	81.1		Apr. 8	67.1
83.9	Feb. c	80.8		May 6	67.2
	Mar. c	80.6		June 3	67.8
	Apr. 30 c	80.6		July 8	67.6
	June 1 c	80.6		Aug. 5	68.4
	July 1 c	80.4		Sep. 16 d	
	Aug. 1 c	80.2	B-45d-K-8	Sep. 16	71.6
	Sep. 1 c	80.2	50.		
	Oct. 1 c	80.1			
	Nov. 1 c	80.1			

\* New elevation; R.P. changed.

a Measurement was checked.

b Measurement from Los Angeles Bureau of Water Works & Supply.

c Measurement by owner.

d Dry at 70-feet.

Measurements from Los Angeles County Flood Control District except as noted.

Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date		Dist.R.P. to water surface, <u>Feet</u>
	1941				1941		
B-46c-J-8 136.7	Apr. 21	a	86.0	B-57-J-9	May 1	c	86.
	Oct. 16	a	87.8	Cont.	Nov. 1	c	93.
	Nov. 3	a	87.5				
					1940		
B-49-K-8 85.	May 6		105.5	B-58d-K-9	July 7	c	104.
	Nov. 3		110.9	120.	Aug. 7	c	104.
B-51b-J-9 140.6	Apr. 22	a	90.4		Sep. 7	c	100.
	May 6		89.2		Oct. 7	c	100.
	Oct. 17	a	91.1		Nov. 7	c	100.
	Nov. 3		88.4		Dec. 7	c	100.
	1940				1941		
B-54-K-8 136.	Sep. 7	b	172.		May 1	c	99.
	Sep. 21	b	164.		Nov. 1	c	101.
	Oct. 21	b	164.				
	Oct. 31	b	162.	B-60-J-9	Jan. 3	c	86.4
	Nov. 30	b	162.	159.5	Dec. 12	c	86.0
	1941				1940		
	May 1	b	164.	B-60c-I-9	Jan. 12	a	106.6
	Nov. 1	b	160.	177.5	Feb. 13	a	106.6
B-54b-K-8 88.3	May 14		115.9				
	Nov. 3		123.8		1941		
B-54g-L-9 92.	May 6		105.5		Apr. 21		107.8
	Oct. 27		107.6		Oct. 21		108.4
B-56-J-9 137.1	Apr. 22	a	62.3	B-61f-J-10	May 14		64.5
	Oct. 21	a	62.9	136.6	Nov. 3		66.0
	1940			B-62c-K-9	Apr. 21	a	74.1
				118.8	Oct. 21	a	79.8
B-57-J-9 125.	June 7	c	92.	B-64d-L-9	Jan. 10	d	55.3
	July 7	c	92.	92.8	Feb. 21	d	53.4
	Aug. 7	c	94.		Mar. 14	d	52.3
	Sep. 7	c	94.		Apr. 4	d	51.5
	Oct. 7	c	93.		May 19	d	57.0
	Nov. 7	c	91.		June 6	d	62.6
	Dec. 7	c	90.		July 18	d	67.2

a Measurement from Los Angeles Bureau of Water Works & Supply.

b Measurement by operator.

c Measurement by owner.

d Measurement from San Gabriel Valley Protective Association.

Measurements from Los Angeles County Flood Control District except as noted.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
B-64d-L-9	Aug. 8	64.3	B-69d-L-10	Mar. 14	35.0
Cont.	Sep. 19	63.5	Cont.	Apr. 4	34.1
	Oct. 11	62.8		May 19	39.1
	Nov. 3	58.9		June 6	42.8
	Dec. 12	52.9		July 18	45.5
				Aug. 8	45.2
	1940			Sep. 19	43.2
B-66-J-10	Jan. 25	a 109.4		Oct. 11	42.5
159.7	Feb. 20	a 108.8		Nov. 3	35.3
				Dec. 12	34.8
	1941		B-70b-J-10	May 16	b 112.2
	Apr. 29	a 112.1	178.7	Nov. 5	b 112.0
B-66b-J-10	Jan. 9	82.9	B-72e-K-10	Jan. 6	b 27.6
158.5	Jan. 30	82.8	107.	Feb. 3	b 28.0
	Feb. 20	82.6		Mar. 18	b 25.8
	Mar. 13	82.5		Apr. 8	b 25.6
	Apr. 3	82.3		May 5	b 25.9
	June 5	82.2		June 3	b 29.7
	July 17	82.4		July 1	b 29.8
	Aug. 7	82.3		Aug. 4	b 30.7
	Oct. 9	82.4		Sep. 2	b 30.2
	Nov. 21	81.7		Oct. 7	b 29.9
	Dec. 11	81.7		Nov. 3	b 27.1
				Dec. 2	b 27.4
B-69-K-9	Jan. 10	41.7	B-73-K-10	Apr. 29	a 15.8
86.5	Jan. 31	40.7	*	Oct. 22	a 20.4
	Feb. 21	39.9			
	Mar. 14	38.6	B-78b-J-11	May 7	b 28.1
	Apr. 4	37.7	108.	Oct. 28	b 30.2
	May 16	43.2			
	June 6	47.1	B-79-K-10	Jan. 7	b 34.1
	July 18	50.2	94.1	Mar. 25	b 29.8
	Aug. 8	49.3		Apr. 15	b 29.0
	Sep. 19	47.9		May 16	b 34.4
	Oct. 11	47.0		June 9	b 36.0
	Nov. 22	39.8		July 2	b 37.3
	Dec. 12	38.6		Aug. 5	b 37.8
				Oct. 1	b 37.9
B-69d-L-10	Jan. 10	37.7		Nov. 3	b 29.9
77.5	Jan. 31	36.9		Nov. 21	b 29.6
	Feb. 21	36.0		Dec. 8	bc

\* R.P. elevation 84.0 to and including April 29, 1941; then 83.5.

a Measurement from Los Angeles Bureau of Water Works & Supply.

b Measurement from Los Angeles County Flood Control District.

c Cemented off; no opening.

Measurements from San Gabriel Valley Protective Association except as noted.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
B-81d-K-11	May 7	11.8	B-110b-N-9	Apr. 23 a	78.4
84.	Oct. 28	13.6	44.8		
B-92d-L-8	May 9	89.5	B-111-L-9	Apr. 23 a	62.2
75.5	Nov. 5	89.5	56.2	Oct. 21 a	63.4
B-100-N-8	Jan. 7	96.3	B-113-M-9	Nov. 3	41.5
82.	Feb. 5	97.4	11.8		
	Mar. 10	96.8		1940	
	Apr. 8	96.9			
	May 7	96.9			
	June 3	98.8	B-115g-N-9	Jan. 1 b	69.8
	July 8	98.0	35.	Feb. 1 b	65.0
	Aug. 5	98.2		Mar. 1 b	66.5
	Sep. 16	98.5		Apr. 1 b	66.0
	Oct. 7	99.1		May 1 b	69.3
	Nov. 3	97.1		June 1 b	72.9
	Dec. 2	97.0		July 1 b	76.5
B-101b-L-8	May 6	59.8		Aug. 1 b	76.4
46.	Nov. 5	62.1		Sep. 1 b	76.3
				Oct. 1 b	79.4
	1940			Nov. 1 b	73.2
				Dec. 1 b	71.0
B-106-L-8	Aug. 28	89.		1941	
53.	Sep. 21	90.			
	Oct. 14	90.		Jan. 1 b	68.5
	Oct. 31	88.		Feb. 1 b	67.8
	Nov. 30	86.		Mar. 1 b	63.8
				Apr. 1 b	67.0
	1941			May 1 b	69.8
	May 1	68.		June 1 b	71.2
	Oct. 21	88.		July 1 b	74.1
	Nov. 7	85.		Aug. 1 b	75.8
B-106a-L-9	Apr. 23 a	89.2		Sep. 1 b	78.8
78.9	Oct. 17 a	93.2		Oct. 1 b	80.6
B-108-M-8	Apr. 24 a	50.5		Nov. 1 b	67.4
36.1	May 7	50.5	B-116-L-10	Jan. 10 c	50.3
	Oct. 17 a	53.1	81.3	Jan. 31 c	49.5
	Oct. 27	52.5		Feb. 21 c	48.4
B-109c-M-9	May 9	25.0		Mar. 14 c	46.9
29.1	Nov. 3	25.8		Apr. 4 c	46.1
				May 16 c	47.1
				June 6 c	49.0
				July 18 c	50.6

a Measurement from Los Angeles Bureau of Water Works & Supply.

b Measurement by operator.

c Measurement from San Gabriel Valley Protective Association.

Measurements from Los Angeles County Flood Control District except as noted.

Well Number and R.P. Elev.	Date		Dist.R.P. to water surface, <u>Feet</u>	Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>
	1941				1941		
B-116-L-10	Aug. 8	a	50.8	B-121b-L-10	Jan. 7		40.1
Cont.	Sep. 19	a	50.1	56.6	Mar. 25		35.3
	Oct. 11	a	50.2		May 2	c	33.9
	Nov. 22	a	47.2		May 13		34.3
	Dec. 12	a	46.8		Oct. 22	c	41.2
					Nov. 3		39.7
	1940			B-122-L-10	Jan. 8	d	18.9
B-116c-L-10	June 1	b	43.3	57.0	Mar. 25		14.9
68.5	Aug. 1	b	57.0		Apr. 28		14.5
	Sep. 1	b	58.0		May 19		16.4
	Oct. 1	b	52.0		July 2		21.0
	Nov. 1	b	54.0		Aug. 1		22.1
	Dec. 1	b	40.0		Oct. 1		20.1
					Oct. 31		16.8
	1941				Dec. 8		16.8
	Jan. 6	b	50.0	B-122f-L-10	Jan. 10	a	17.4
	Feb. 3	b	41.	62.5	Jan. 31	a	16.3
	Mar.	b	39.		Feb. 21	a	15.1
	Apr.	b	37.		Mar. 14	a	13.2
	June 9	b	37.		Apr. 4	a	12.5
	Aug. 4	b	33.		May 16	a	13.7
	Sep. 11	b	33.		June 6	a	17.8
	Oct. 6	b	32.		July 18	a	20.9
	Nov.	b	23.		Aug. 8	a	20.7
B-117-L-10	May 1	c	79.0		Sep. 19	a	20.5
98.8	Oct. 21	c	82.2		Oct. 11	a	18.9
					Nov. 22	a	14.3
					Dec. 12	a	13.4
	1940			B-129-L-10	Mar. 25		20.8
B-118-M-10	Jan. 26	c	26.2	58.1	Apr. 14		19.7
34.0	Feb. 16	c	25.8		Apr. 28		19.0
					May 19		16.0
	1941				June 9		22.2
	May 1	c	23.7		July 2		24.2
B-119-M-9	May 9	d	37.5		Aug. 1		25.0
24.	Nov. 3		38.5		Oct. 1		26.3
					Oct. 31		23.3
B-119q-M-10	May 9	d	26.2	B-132-N-8	May 13		90.9
24.9	Nov. 3		25.2	71.	Nov. 4		90.5

a Measurement from San Gabriel Valley Protective Association.

b Measurement by owner.

c Measurement from Los Angeles Bureau of Water Works & Supply.

d Stopped windmill to measure.

Measurements from Los Angeles County Flood Control District except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface, Feet	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface, <u>Feet</u>
	1941			1941	
B-134-N-9 39.0	Jan. 6	56.7	B-136-N-10 8.0	Jan. 6	8.0
	Feb. 3	56.8		Feb. 3	7.9
	Mar. 18	57.1		Mar. 17	6.2
	Apr. 8	56.5		Apr. 8	5.8
	May 5	56.3		May 5	6.0
	June 4	56.4		June 4	7.2
	July 1	56.2		July 1	8.0
	Aug. 4	56.1		July 24	11.5
	Sep. 2	56.0		Aug. 1	12.6
	Oct. 7	55.9		Aug. 21	14.0
	Nov. 4	55.7		Sep. 2	14.5
	Dec. 2	55.8		Oct. 7	15.7
B-134c-N-9 31.6	Apr. 21 a	46.0		Nov. 4	13.5
	Oct. 22 a	51.7		Dec. 2	13.3
	1940		B-136d-N-10 10.	July 25	17.8
B-135b-0-9 5.	Feb. 13	0.9		Aug. 1	19.6
	1941			Sep. 4	21.5
	Apr. 21	1.1			
	Apr. 21 a	1.1			
	July 25	14.5			
	Aug. 1	17.8			
	Sep. 4	28.9			
	Oct. 7	29.9			
	Oct. 22 a	29.1			
	Nov. 4	27.8			
	Dec. 2	26.2			

---

a Measurement from Los Angeles Bureau of Water Works & Supply.  
Measurements from Los Angeles County Flood Control District except as  
noted.



SOUTH COASTAL BASIN INVESTIGATION  
Records of Ground Water Levels at Wells  
in District "C"



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface. <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-1c-E-11 1172.4	Jan. 7	188.0	C-7-E-11 1109.7	Feb. 4	135.2
	Jan. 29	178.5		Mar. 5	129.4
	Mar. 5	172.5		Apr. 1	117.0
	Apr. 3	164.4		May 1	109.3
	July 3	155.7		June 3	102.4
	July 28	155.0		July 3	100.9
	Sep. 1	157.3		July 16	105.0
	Oct. 3	161.7		Dec. 15	122.1
	Nov. 12	161.6			
	Dec. 2	162.7	C-10-E-11 ***	Feb. 4	82.1
	Dec. 31 a	164.7		Mar. 5	81.2
				Apr. 1	75.7
C-1k-D-11 1273.1	Jan. 7	266.6		May 1	70.2
	Jan. 29	266.2		June 3	64.8
	July 28	253.9		July 3	62.0
	Sep. 1	252.7		July 16	62.1
	Nov. 12	253.6		Dec. 15	72.5
	Dec. 2	254.1			
C-3-E-11 *	Jan. 3	234.2	C-11-F-11 1188.5	Jan. 3	258.3
	Jan. 31	230.1		Jan. 31	258.0
	Feb. 28	213.7		Feb. 28	257.6
	Apr. 2	195.0		Apr. 2	257.0
	July 2	185.		June 29	260.4
	July 28	187.4		July 27	259.9
	Sep. 2	204.4		Aug. 31	258.7
	Sep. 30	212.2		Oct. 5	253.5
	Nov. 12	217.8		Nov. 2	251.8
	Nov. 12	218.1		Dec. 8	250.5
	Nov. 12	215.			
	Dec. 2	218.6	C-12-E-11 1129.2	Jan. 3	209.4
	Dec. 31	213.9		Jan. 31	209.0
				Feb. 28	208.4
				July 2	210.9
				July 28	206.9
C-5-E-11 **	Feb. 4	89.1			
	Mar. 5	57.3	C-16-F-11 916.2	Jan. 3	235.
	Apr. 1	48.2		Feb. 4	232.
	May 1	47.2		Mar. 4	235.
	June 3	46.0		Apr. 1	234.
	July 3	50.0		May 1	232.
	July 16	51.3		June 3	228.
	Dec. 15	80.3		July 1	229.
				Aug. 1	229.
				Nov. 3	229.
				Dec. 1	224.3

\* R.P. elevation 1201.7 to and including April 2, 1941; then 1202.1.

\*\* R.P. elevation 1069.7 to and including July 16, 1941; then 1070.6.

\*\*\* R.P. elevation 1046.2 to and including July 16, 1941; then 1046.6.

a Pumping nearby.

Measurements from Pasadena Water Department.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-22-F-11 *	Jan. 3	232.	C-42-E-12	July 28	327.5
	Feb. 4	231.	Cont.	Aug. 31	328.7
	Mar. 4	230.		Oct. 5	328.5
	Apr. 1	229.		Nov. 2	327.6
	May 1	228.		Dec. 8	325.8
	June 3	226.			
	July 1	226.	C-43-F-12	Jan. 7	260.6
	Oct. 1	226.	800.5	Feb. 2	260.1
	Nov. 3	225.		Mar. 2	259.7
	Dec. 1	220.6		June 29	a
				July 29	255.0
C-23-F-11 694.7	Apr. 28	12.6		Dec. 2	247.4
	July 2	16.8			
	Sep. 30	17.8	C-44-F-12	Jan. 3	b 342.
	Dec. 5	18.3	879.0	Feb. 5	b 341.
				Mar. 4	b 341.
C-27-F-11 753.6	Jan. 3	121.6		Apr. 2	b 341.
	Feb. 4	121.4		May 2	b 338.
	Mar. 4	121.8		June 3	b 341.
	Apr. 2	121.4		July 2	b 341.
	May 1	119.7		Nov. 4	b 344.
				Dec. 2	b 343.
C-31a-F-11 774.4	Apr. 27	136.4			
	June 29	135.1	C-47-F-12	July 1	177.2
	Oct. 5	132.8	698.8	Oct. 6	187.6
				Dec. 4	174.9
C-38a-E-12 1160.6	June 29	378.0			
	July 27	377.9	C-49-F-12	Jan. 7	c 191.5
	Aug. 31	377.7	720.0	Feb. 10	c 191.5
	Dec. 8	374.9		Mar. 3	c 189.8
				Apr. 7	c 189.2
C-41-E-12 890.3	Feb. 2	154.6		May 1	c 189.2
	Mar. 2	150.1		June 11	c 190.4
	Apr. 4	151.1		July 14	c 191.5
	July 29	145.8		Aug. 4	c 191.0
	Aug. 31	141.2		Sep. 8	c 193.8
	Oct. 5	139.2		Oct. 2	c 196.2
	Nov. 2	139.2		Nov. 4	c 193.8
	Dec. 8	138.2		Dec. 1	c 191.5
C-42-E-12 865.	Jan. 7	328.6	C-52a-E-12	Jan. 3	257.6
	Feb. 2	325.9	791.2	Feb. 5	256.4
	Mar. 2	327.2		Mar. 4	255.5
	Apr. 4	325.8		Apr. 2	254.9

\* R.P. elevation 899.8 to and including November 3, 1941; then 900.4.

a Underflow from Eaton Wash running into well at 168'±.

b Air gage.

c Measurement from owner.

Measurements from Pasadena Water Department except as noted.



Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>
	1941				1941		
C-52a-E-12 Cont.	May 2	a	254.4	C-62-F-12 673.6	Jan. 1		194.
	June 3	a	255.3		Feb. 1		191.
	July 2	a	256.0		Mar. 1		192.
	July 17	a	256.6		Apr. 1		195.
	Nov. 4	a	255.3		May 1		192.
	Dec. 2	a	259.3		June 1		194.
					July 1		189.
C-55-F-12 736.3	Jan. 7	a	202.7		Aug. 1		187.
	Jan. 29	a	202.0		Oct. 1		185.
	Mar. 3	a	201.2		Nov. 1		189.
	Mar. 28	a	200.8		Dec. 1		184.
	Apr. 28	a	200.2				
	July 1	a	202.1	C-65-F-12 599.6	Jan. 1		154.
	July 29	a	202.5		Feb. 1		154.
	Aug. 29	a	202.8		Mar. 1		155.
	Oct. 7	a	205.2		Apr. 1		154.
	Nov. 7	a	203.8		May 1		153.
	Dec. 1	a	203.4		June 1		146.
	Dec. 30	a	202.1		July 1		145.
					Sep. 1		145.
C-56-F-12 714.9	Jan. 1		157.		Oct. 1		145.
	Feb. 1		156.		Nov. 1		144.5
	Mar. 1		156.		Dec. 1		147.
	Apr. 1		154.				
	May 1		152.	C-74-F-12 676.5	July 1	a	152.0
	June 1		156.		Oct. 6	a	155.1
	July 1		157.		Dec. 4	a	152.5
	Aug. 1		158.				
	Sep. 1		157.	C-76-F-12 665.8	Jan. 6	a	147.7
	Oct. 1		155.		Jan. 29	a	146.6
	Nov. 1		156.5		Mar. 5	a	145.3
	Dec. 1		156.		Apr. 3	a	144.6
					July 1	a	148.4
C-58-F-12 710.4	Jan. 1		154.		July 30	a	149.2
	Feb. 1		155.		Sep. 2	a	149.1
	Mar. 1		154.		Oct. 6	a	150.9
	Apr. 1		147.		Nov. 7	a	147.3
	May 1		151.		Dec. 4	a	145.4
	June 1		151.				
	July 1		151.	C-82a-F-13 592.1	Jan. 3	a	78.7
	Aug. 1		152.		Feb. 5	a	78.5
	Sep. 1		151.5		Mar. 4	a	76.0
	Oct. 1		150.		Apr. 2	a	75.1
	Nov. 1		142.5		May 2	a	74.3
	Dec. 1		142.		June 3	a	79.7
					Nov. 4	a	78.2
					Dec. 2	a	78.0

a Measurement from Pasadena Water Department.  
Measurements from owner except as noted.

Well Number and R.P. Elev.	Date			Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date			Dist.R.P. to water surface <u>Feet</u>
	1941					1941			
C-86-F-13 621.0	Jan.	3	a	101.4	C-119-F-12 662.8	Jan.	7		132.6
	Feb.	5	a	100.3		Feb.	10		131.4
	Mar.	4	a	99.5		Mar.	3		129.6
	Apr.	2	a	98.6		Apr.	7		130.3
	May	2	a	98.4		May	1		129.1
	June	3	a	100.6		June	11		133.8
	July	2	a	100.8		July	14		134.9
	Nov.	4	a	96.4		Aug.	4		134.9
	Dec.	2	a	96.7		Sep.	8		138.4
C-101-F-13 603.0	Jan.	7		95.5	C-120-F-12 645.9	Oct.	2		140.7
	Mar.	3		87.5		Nov.	4		136.1
	Apr.	7		77.4		Dec.	1		133.8
	May	1		67.8		Jan.	7		198.0
	June	5		80.9		Feb.	10		206.2
	July	3		80.3		Mar.	3		200.8
	Aug.	6		78.9		Apr.	7		192.6
	Sep.	3		85.4		May	1		194.0
	Oct.	9		81.2		June	11		204.4
	Nov.	6		86.5		July	14		209.4
C-102-F-14 594.1	Dec.	4		73.5		Aug.	4		213.0
	July	3	a	15.6		Sep.	8		214.0
	Oct.	3	a	19.3		Oct.	2		214.6
C-108-F-12 708.4	Dec.	4	a	18.6	C-130-F-13 677.0	Nov.	4		208.0
	Jan.	7	a	150.0		Dec.	1		206.0
	Jan.	31	a	149.4		Jan.	1	b	171.9
	July	1	a	144.1		Feb.	1		168.0
	Aug.	29	a	140.6		Mar.	1		164.9
	Nov.	7	a	140.9		Apr.	1		146.7
	Dec.	5	a	139.8		May	1		128.7
	Dec.	30	a	139.0		May	6		126.8
C-111-F-11 776.3	Jan.	5	a	199.2	C-199b-G-12 404.6	June	1		131.5
	Jan.	31	a	198.4		July	1		138.2
	Mar.	5	a	197.5		Aug.	1		146.7
	Apr.	2	a	196.7		Sep.	1		150.1
	Apr.	27	a	196.2		Oct.	1		156.2
	June	29	a	195.9		Oct.	8		157.2
	July	27	a	195.8		Nov.	1		147.8
	Aug.	29	a	195.4		Dec.	1		146.6
	Oct.	1	a	194.8		May	9	c	146.7
	Nov.	2	a	194.0		Oct.	28	c	151.4
	Dec.	5	a	193.2					
	Dec.	30	a	192.4					

a Measurement from Pasadena Water Department.

b Tape measurement.

c Measurement from Los Angeles County Flood Control District.

Measurements from owner except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-200-F-13 481.9	Jan. 17	187.2	C-206-G-12	May 2	273.9
	Feb. 6	187.1	Cont.	June 13	274.9
	Mar. 21	186.5		July 4	275.7
	Apr. 11	185.2		Sep. 5	276.2
	May 2	184.5		Dec. 19	271.7
	June 13	182.9			
	July 4	182.1	C-212-H-12	Jan. 17	27.6
	Aug. 15	180.6	283.6	Feb. 6	27.4
	Sep. 5	179.9		Feb. 28	26.5
	Oct. 17	178.6		Mar. 21	23.4
	Nov. 7	178.2		Apr. 10	22.2
	Dec. 19	177.3		May 5	21.6
				May 22	21.6
C-201-G-12 503.8	Jan. 17	242.6		June 13	21.7
	Mar. 21	240.7		July 4	21.9
	Apr. 11	239.1		July 25	22.2
	May 2	238.8		Aug. 15	22.4
	July 4	239.5		Sep. 5	22.6
	Aug. 15	241.0		Oct. 17	23.1
	Sep. 5	239.5		Nov. 7	23.3
	Oct. 17	238.8		Dec. 19	23.8
C-202-G-12 560.9	Jan. 16	303.5	C-214-G-13	Jan. 16	84.3
	Feb. 28	301.0	370.8	Feb. 7	84.7
	Mar. 21	301.0		Mar. 20	79.8
	Apr. 11	301.0		Apr. 10	77.0
	May 2	300.0		May 1	74.6
	Aug. 11 a	304.0		July 24	69.7
	Dec. 19	297.2		Sep. 4	68.0
				Oct. 16	69.7
C-204-G-12 478.9	Jan. 17	219.0		Nov. 6	67.7
	Feb. 6	218.3		Dec. 18	68.3
	Mar. 20	217.3			
	Apr. 10	216.9	C-219-G-13	Jan. 20	123.4
	May 1	216.4	385.0	Feb. 6	123.1
	June 12	216.6		Mar. 21	121.0
	July 3	216.8		Apr. 11	119.6
	Sep. 5	217.3		May 5	119.0
	Oct. 17	217.4		June 13	120.9
	Nov. 6	216.8		July 4	121.5
	Dec. 18	215.9		Aug. 15	121.2
				Sep. 5	120.6
C-206-G-12 534.6	Jan. 17	276.8		Oct. 17	121.7
	Feb. 6	276.1		Nov. 7	118.5
	Mar. 21	274.8		Dec. 19	116.7
	Apr. 11	274.0			

a Down 7 hours.

Measurements from San Gabriel Valley Protective Association.

Well Number and R.P. Elev.	Date		Dist.R.P. to water surface. <u>Feet</u>	Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>
	1941				1941		
C-220a-G-14 325.5	May 7	a	27.0	C-224f-G-13 Cont.	Apr. 7	b	38.4
	Oct. 29	a	22.2		May 1	b	37.2
C-223-G-13 307.7	Jan. 16		28.5		June 11	b	36.8
	Feb. 7		28.5		July 14	b	36.7
	Mar. 20		24.0		Aug. 4	b	36.2
	Apr. 10		22.4		Sep. 8	b	37.5
	May 1		21.1		Oct. 2	b	37.5
	June 12		19.6		Nov. 4	b	36.8
	July 3		18.9		Dec. 1	b	36.4
	Aug. 14		18.1	C-230e-H-13 278.3	Jan. 17		18.3
	Sep. 4		18.1		Feb. 6		17.9
	Oct. 16		17.6		Mar. 21		13.0
	Nov. 6		16.9		Apr. 11		12.8
	Dec. 18		16.7		June 13		15.0
	1939				July 4		15.5
C-224f-G-13 314.2	Jan. 10	b	43.7		Aug. 15		15.8
	Feb. 7	b	43.4		Sep. 5		15.7
	Mar. 2	b	42.8		Oct. 17		16.2
	Apr. 1	b	41.2		Nov. 7		16.1
	May 6	b	42.9		Dec. 19		16.2
	Sep. 1	b	44.8	C-234-H-13 242.6	Jan. 17		5.0
	Oct. 5	b	43.5		Feb. 6		4.4
	Nov. 1	b	42.4		Mar. 21		2.3
	Dec. 7	b	42.8		Apr. 11		1.8
	1940				May 2		2.8
	Jan. 2	b	43.8		June 13		4.2
	Feb. 2	b	44.2		July 4		4.4
	Mar. 18	b	42.0		Aug. 15		5.0
	Apr. 19	b	40.6		Sep. 5		5.0
	May 1	b	41.3		Oct. 17		5.2
	June 10	b	41.8		Nov. 7		4.9
	July 1	b	42.5		Dec. 19		4.5
	Aug. 3	b	43.6	C-237w-H-13 240.	Jan. 17		4.3
	Sep. 17	b	43.1		Feb. 10		4.0
	Oct. 1	b	44.1		Mar. 21		2.3
	Nov. 5	b	43.5		Apr. 1		1.5
	Dec. 5	b	43.6		May 2		2.2
	1941				June 13		2.8
	Jan. 7	b	43.3		July 4		3.2
	Feb. 10	b	43.4		Aug. 15		3.6
	Mar. 3	b	42.5		Sep. 5		3.0
					Oct. 17		2.9
					Nov. 7		2.6
					Dec. 19		2.1

a Measurement from Los Angeles County Flood Control District.

b Measurement from California Water & Telephone Company.

Measurements from San Gabriel Valley Protective Association except as noted.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-239-H-13 228.	Jan. 17	11.0	C-243-F-14 414.5	Jan. 16	127.8
	Feb. 10	11.2		Feb. 7	127.9
	Mar. 21	10.2		Mar. 20	112.1
	Apr. 11	10.0		Apr. 11	101.2
	May 2	10.4		May 1	97.4
	June 13	11.1		July 3	89.8
	July 4	11.1		Aug. 14	87.8
	Aug. 15	11.1		Sep. 4	88.0
	Sep. 5	11.1		Oct. 16	93.6
	Oct. 17	11.1		Nov. 6	95.8
	Nov. 7	11.2		Dec. 18	99.5
	Dec. 19	10.5			
C-240q-I-13 211.2	Jan. 6	2.2	C-243a-G-14 395.3	May 7 a	74.0
	Feb. 3	2.8		Oct. 28 a	78.0
	Mar. 3	1.7	C-243b-F-14 785.	May 9 a	29.4
	Apr. 7	2.1		Oct. 29 a	38.9
	May 5	1.8			
	June 2	1.3	C-243d-F-14 699.5	Jan. 16	107.9
	July 7	3.0		Feb. 7	108.0
	Aug. 4	2.0		Mar. 20	88.4
	Sep. 1	2.5		Apr. 11	70.5
	Oct. 1	2.6		May 1	69.9
	Nov. 5	2.3		June 12	77.2
	Dec. 3	2.1		July 3	80.5
C-241-F-14 *416.6	May 1	115.9		Sep. 4	84.9
	June 12	110.6		Nov. 6	87.4
	July 3	108.6		Dec. 18	88.9
	Aug. 14	105.8	C-249-G-14 335.4	Jan. 6	54.9
	Sep. 4	104.9		Feb. 3	54.9
	Oct. 16	104.2		Mar. 3	48.7
	Nov. 6	104.5		Apr. 7	29.7
	Dec. 18	104.6		May 5	25.6
C-242-F-14 404.3	Jan. 16	117.6		June 2	24.4
	Feb. 7	117.6		July 7	23.1
	Mar. 20	101.8		Aug. 4	22.2
	Apr. 11	95.0		Sep. 1	22.7
	May 1	90.9		Oct. 1	25.8
	July 3	85.6		Nov. 5	28.5
	Oct. 16	88.4		Dec. 3	30.2
	Nov. 6	91.6			
	Dec. 18	92.4			

\* New elevation; R.P. changed.

a Measurement from Los Angeles County Flood Control District.  
Measurements from San Gabriel Valley Protective Association except as  
noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-251h-G-18 314.	Jan. 16	40.6	C-264-H-14	May 6 a	16.5
	Feb. 7	40.3	Cont.	Oct. 28 a	12.2
	Mar. 20	33.5			
	Apr. 10	26.4	C-266-H-14	Jan. 16	13.6
	May 1	22.4	294.5	Feb. 7	13.1
	June 12	19.5		Mar. 20	7.8
	July 3	19.2		Apr. 10	6.0
	Aug. 14	18.6		May 1	5.0
	Sep. 4	18.7		June 12	8.6
	Oct. 16	19.8		July 3	8.9
	Nov. 6	20.2		Aug. 14	9.5
	Dec. 18	21.0		Sep. 4	7.4
				Oct. 16	5.9
C-259-H-14 292.0	Jan. 16	19.6		Nov. 6	3.1
	Feb. 7	19.2		Dec. 18	2.4
	Mar. 20	13.5			
	Apr. 10	11.8	C-278-F-14	Jan. 16	19.0
	May 1	10.7	636.3	Feb. 7	15.3
	June 12	11.0		Mar. 20	12.5
	July 3	12.3		Apr. 10	13.3
	Aug. 14	12.4		May 1	13.7
	Sep. 4	10.1		July 3	14.7
	Oct. 16	9.9		Sep. 4	14.6
	Nov. 6	8.7		Oct. 16	24.2
	Dec. 18	8.1		Nov. 6	24.8
				Dec. 18	21.9
C-262-H-14 320.1	Jan. 16	39.6			
	Feb. 7	39.1	C-280-F-15	Jan. 16	48.9
	Mar. 20	33.7	591.2	Feb. 7	39.8
	Apr. 10	30.2		Mar. 20	36.4
	May 1	26.7		Apr. 10	38.7
	June 12	23.4		May 1	39.2
	July 3	22.7		June 12	41.3
	Aug. 14	22.2		July 3	41.7
	Sep. 4	21.8		Aug. 14	45.0
	Oct. 16	21.3		Sep. 4	42.9
	Nov. 6	20.2		Oct. 16	47.2
	Dec. 18	19.9		Nov. 6	48.5
				Dec. 18	46.1
	1940				
C-264-H-14 306.0	Apr. 2 a	21.7	C-282-F-14	Jan. 16	177.3
	Nov. 4 a	25.8	465.1	Feb. 7	176.3
				Mar. 20	165.4
				Apr. 11	150.2
				May 1	145.5

a Measurement from Los Angeles County Flood Control District.  
Measurements from San Gabriel Valley Protective Association except as  
noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-282-F-14	June 12	139.1	C-294a-G-15	Jan. 6	101.2
Cont.	July 3	137.1	387.8	Feb. 3	101.0
	Aug. 14	134.2		Mar. 3	98.9
	Sep. 4	137.0		Apr. 7	81.9
	Oct. 16	140.6		May 5	75.3
	Nov. 6	143.5		June 2	71.0
	Dec. 18	147.8		July 7	68.6
				Aug. 11	67.2
	1940			Sep. 1	67.5
C-283-G-15	Oct. 29	a 156.5		Oct. 1	69.1
*				Nov. 5	71.7
	1941			Dec. 3	73.6
				Dec. 31	74.9
	May 5	a 123.9	C-295-G-15	Jan. 16	103.7
	Oct. 28	a 124.8	392.7	Feb. 7	103.5
C-284-G-15	May 5	ab 174.5		Mar. 20	96.9
480.1	Oct. 28	a 152.5		Apr. 10	88.0
C-285-F-16	Jan. 16	32.4		May 1	82.4
685.	Feb. 7	24.9		July 23	73.8
	Mar. 20	24.3		Aug. 14	72.1
	Apr. 10	24.6		Sep. 4	71.7
	May 1	24.3		Oct. 16	73.3
	June 12	25.3		Nov. 6	74.0
	July 3	25.9		Dec. 18	76.4
	Aug. 14	28.2			
	Sep. 4	27.1		1940	
	Nov. 6	48.8	C-296-G-15	May 1	124.5
	Dec. 18	43.4	422.7	June 14	124.3
C-291-G-14	Jan. 16	87.7		July 3	124.3
371.5	Feb. 7	86.5		Aug. 2	126.5
	Mar. 20	67.3		Sep. 12	128.6
	Apr. 10	60.0		Oct. 24	132.2
	May 1	56.1		Nov. 14	131.6
	June 12	52.2		Dec. 5	131.8
	July 3	50.5			
	Aug. 14	48.9		1941	
	Sep. 4	49.0		Jan. 4	132.1
	Oct. 16	55.8		Feb. 7	131.1
	Nov. 6	58.0		Mar. 20	127.5
	Dec. 18	61.0		Apr. 10	120.7
				May 1	114.6

\* R.P. elevation 442.7 to and including October 29, 1940; then 443.0, from levels by D.W.R.

a Measurement from Los Angeles County Flood Control District.

b Pumping part time.

Measurements from San Gabriel Valley Protective Association except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-296-G-15 Cont.	June 12	106.2	C-312-H-15 342.3	Feb. 27	51.8
	July 3	104.4		Mar. 20	48.7
	Aug. 14	102.2		Apr. 10	44.5
	Sep. 4	101.4		May 1	41.1
	Oct. 15	101.8		May 22	42.0
	Nov. 6	102.3		July 3	39.1
	Dec. 18	104.3		July 28	41.6
C-300-H-15 407.2	Jan. 6	112.4	C-313-H-15 371.2	Aug. 14	44.6
	Feb. 3	112.4		Sep. 4	39.9
	Mar. 3	112.1		Nov. 6	33.7
	Apr. 7	108.1		Dec. 18	33.8
	May 5	102.6	C-316-I-15 308.7	May 6 a	55.9
	June 2	97.7		Oct. 2 a	52.7
	July 14	93.0		Jan. 16	9.9
	Aug. 11	91.4		Feb. 7	8.7
	Sep. 1	89.9	C-317-I-15 331.0	Mar. 20	3.4
	Oct. 1	89.3		Apr. 10	3.3
	Nov. 5	87.6		May 1	3.7
	Dec. 3	87.5		June 12	7.0
C-307-H-15 357.4	Jan. 16	70.3		July 3	6.9
	Feb. 7	70.1		Aug. 14	8.9
	Mar. 20	68.1		Sep. 4	7.1
	Apr. 10	67.2		Oct. 16	6.5
	May 1	62.2		Nov. 6	5.5
	June 12	57.3		Dec. 18	4.6
	July 3	56.0		Jan. 16	21.3
	Aug. 14	54.5		Feb. 7	20.6
	Sep. 4	53.1		Feb. 27	16.7
	Oct. 16	51.3		Mar. 20	14.6
	Nov. 6	50.4		Apr. 10	14.2
	Dec. 18	49.9		May 1	14.0
C-309-H-15 320.3	Jan. 16	36.4		May 22	14.0
	Feb. 7	36.1		June 12	14.4
	Mar. 20	33.7		July 3	14.7
	Apr. 10	31.5		July 24	15.1
	May 1	29.5		Aug. 14	16.0
	June 12	29.6		Sep. 4	17.6
	July 3	28.9		Oct. 16	16.8
	Aug. 14	29.3		Nov. 6	16.5
	Sep. 4	28.2		Dec. 18	16.5
	Oct. 16	26.4			
	Nov. 6	23.4			
	Dec. 18	22.1			

a Measurement from Los Angeles County Flood Control District.

Measurements from San Gabriel Valley Protective Association except as noted.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-320-F-16 754.7	May 15 a	7.5	C-334-F-16 Cont.	Apr. 1	15.8
	Oct. 29 a	16.2		May 1	14.7
C-322-F-16 694.6	Jan. 16	22.5		June 2	12.4
	Feb. 7	11.6		July 3	17.5
	Mar. 20	16.2		Aug. 14	20.5
	Apr. 10	13.3		Sep. 4	22.0
	May 1	10.7		Oct. 15	32.0
	June 12	12.1		Nov. 1	40.3
	July 3	14.7		Dec. 18	44.6
	Aug. 14	19.3	C-335-G-16 538.2	Jan. 16	239.6
	Sep. 4	15.0		Feb. 7	239.3
	Oct. 16	61.6		Mar. 20	229.4
	Nov. 6	44.0		Apr. 10	220.6
	Dec. 18	36.8		May 1	211.0
C-323-F-16 693.3	Jan. 16	18.8		June 12	197.4
	Feb. 7	6.4		July 3	197.2
	Mar. 20	14.7		Aug. 14	196.7
	Apr. 10	13.1		Sep. 4	196.7
	May 1	4.6		Oct. 16	199.4
	June 12	10.4		Nov. 6	202.4
	July 3	15.0		Dec. 18	206.7
	Aug. 14	19.1	C-337-C-16 657.	Jan. 16	259.9
	Sep. 4	17.3		Feb. 7	260.4
	Oct. 16	65.6		Mar. 20	261.2
	Nov. 6	43.5		Apr. 10	262.3
	Dec. 18	35.6		May 1	261.2
C-328-F-16 671.4	Jan. 16	39.8		June 12	260.6
	Feb. 7	25.4		July 3	260.2
	Mar. 20	21.9		Aug. 14	258.8
	Apr. 10	23.7		Sep. 4	258.1
	May 1	15.6		Oct. 16	256.4
	June 12	22.8		Nov. 6	255.5
	July 3	25.0		Dec. 18	254.4
	Aug. 14	26.0	C-338-G-16 534.4	Jan. 16	214.2
	Sep. 4	27.0		Feb. 7	214.7
				Mar. 20	212.7
				Apr. 10	211.2
				May 1	207.0
				June 12	203.7
				July 3	202.0
				Aug. 14	202.2
				Sep. 4	201.3
				Oct. 16	198.9
				Nov. 6	195.7
				Dec. 18	194.4
	1942				
	Jan. 8	28.5			
	1941				
C-334-F-16 630.0	Jan. 3	78.9			
	Feb. 7	56.5			
	Mar. 11	19.0			

a Measurement from Los Angeles County Flood Control District.

Measurements from San Gabriel Valley Protective Association except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-343-H-16 477.9	Jan. 6	162.2	C-367-F-15 549.0	Jan. 16	259.6
	Feb. 3	161.8		Feb. 7	257.7
	Mar. 3	161.2		Mar. 20	239.8
	Apr. 7	157.7		Apr. 10	225.2
	May 5	154.5		May 1	219.9
	June 2	152.0		June 12	209.0
	July 7	154.9		July 3	207.8
	Aug. 4	155.1		Aug. 14	205.7
	Sep. 1	151.8		Sep. 4	207.8
	Oct. 1	151.6		Oct. 16	214.2
	Nov. 5	145.6		Nov. 5	221.4
	Dec. 3	146.1		Dec. 18	225.7
C-354-H-16 483.4	May 16 a	140.4	C-376-G-11 532.0	Jan. 17	257.4
	Oct. 31 a	134.5		Feb. 6	256.8
C-360-G-16 462.4	Jan. 6	164.7		Mar. 21	256.6
	Feb. 3	164.5		Apr. 11	256.3
	Mar. 3	163.3		May 2	256.4
	Apr. 7	155.8		June 13	256.1
	May 5	147.8		July 4	256.2
	June 2	140.9		Aug. 15	256.3
	July 7	136.6		Sep. 5	256.3
	Aug. 4	135.0		Oct. 17	255.8
	Sep. 1	133.7		Nov. 7	255.4
	Oct. 1	133.0		Dec. 19	254.1
	Nov. 5	133.9	C-383c-I-13 219.4	May 6 a	10.2
	Dec. 3	135.4		Oct. 27 a	10.1
C-362-G-15 499.3	Jan. 16	207.8	C-399-G-16 625.	May 12 a	269.9
	Feb. 7	207.4		Oct. 31 a	265.6
	Mar. 20	198.5	C-401-F-16 882.	May 13 a	125.8
	Apr. 10	188.2		Nov. 4 a	138.5
	May 1	181.2	C-401c-F-16 704.	Jan. 16	238.0
	June 12	170.3		Feb. 7	239.0
	July 3	168.9		Mar. 20	240.0
	Aug. 14	167.2		Apr. 10	241.6
	Sep. 4	167.4		May 1	240.7
	Oct. 16	170.7		June 12	239.5
	Nov. 6	173.2		July 3	238.7
	Dec. 18	177.0		Aug. 14	236.5
C-364-I-15 330.5	May 6 a	13.0		Sep. 4	235.4
	Oct. 27 a	14.2		Oct. 16	232.8
				Nov. 6	231.5
				Dec. 18	229.2

a Measurement from Los Angeles County Flood Control District.

Measurements from San Gabriel Valley Protective Association except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>		Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>		
	1941				1941			
C-404a-F-17 1115.0	Jan. 14		127.2	C-452c-G-17 672.2	May 16		170.0	
	Feb. 18		95.6		Oct. 31		171.8	
	Mar. 26		22.5	C-453-G-17 531.1	May 16		76.5	
	May 5		30.8		Oct. 31		71.7	
	Oct. 29		120.6					
C-405-F-17 950.	Jan. 1	a	397.9	C-498-G-18 1046.1	May 13		148.2	
	Sep. 1	a	363.0		Nov. 3		140.8	
	Dec. 1	a	363.2					
C-415-F-17 870.	Apr. 29		137.6	C-500-G-18 1029.0	May 13		99.0	
	May 13		131.2		Sep. 10		109.0	
	Nov. 4		131.7	Nov. 4		102.2		
C-426a-F-17 896.	May 12		56.4	C-512b-G-18 983.	May 12		65.2	
	Nov. 4		92.0		Nov. 7		63.3	
C-430b-F-17 715.	May 13		83.2	C-514-G-18 975.0	May 12		63.3	
	Nov. 4		97.6		Nov. 4		72.6	
C-432-G-17 739.9	May 12		71.7	C-522-G-18 930.	May 5		40.2	
	Nov. 7		93.6		Nov. 7		45.1	
C-437-G-17 795.6	May 12		101.2	C-522a-G-17 906.6	May 12		80.1	
	Nov. 7		110.2		Nov. 7		81.2	
C-446a-G-17 880.6	Jan. 14		93.6	C-534-G-18 1002.5	May 20		143.8	
	Feb. 18		94.1		Nov. 10		142.4	
	Mar. 24		90.9	C-595-G-19 1134.3	May 20		178.0	
	Apr. 29		80.4		Nov. 7		166.0	
	May 12		78.9	C-611-G-19 1044.0	May 20		315.2	
	June 17		76.9		Nov. 3		328.4	
	Oct. 28		80.8					
C-446c-G-17 869.7	Jan. 14		227.8	C-627-G-19 1230.	Jan. 15		192.8	
	Feb. 18		224.2		Mar. 18		178.5	
	Mar. 20		221.7		Apr. 28		166.0	
	Apr. 28		221.8		May 13		162.2	
	May 12		222.2		June 17		180.8	
	Oct. 22		228.5		July 23		188.9	
	Nov. 7		225.8		July 30		193.6	
	Dec. 17		224.1		Aug. 27		196.7	
C-446e-G-18 934.4	May 12		206.6		Sep. 17		198.0	
	Oct. 29		204.3		Oct. 15		200.4	
					Nov. 12		170.5	

a Measurement by operator.

Measurements from Los Angeles County Flood Control District.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface, <u>Feet</u>
	1941			1941	
C-649-G-19 1030.6	Jan. 14	330.7	C-659c-G-20 1423.3	May 14	77.5
	Mar. 18	321.1		Nov. 5	41.8
	Apr. 29	317.5			
	May 20	315.4	C-659i-G-20 1511.8	May 17	78.5
	June 17	315.9		Nov. 5	93.3
	July 30	317.5			
	Aug. 6	319.0	C-660-G-19 1311.	May 20	62.2
	Sep. 10	319.8		Nov. 10	61.3
	Oct. 15	318.7			
	Nov. 3	316.8	C-660c-G-19 1319.4	Mar. 18	85.9
	Dec. 23	315.7		Apr. 21	71.8
				May 20	58.5
C-655d-F-19 1374.7	Nov. 12	57.5		Nov. 10	27.6
C-655q-F-19 1530.9	May 5	3.5	C-664-G-20 *	May 7	293.7
	Nov. 5	41.2		Nov. 10	296.2
C-656-F-20 1545.	Nov. 5	124.8	C-666-G-19 1114.	Nov. 3	267.8
C-656a-F-20 1532.7	May 14	116.3	C-670h-H-19 950.3	Jan. 14	170.1
	Oct. 29	201.6		Mar. 18	155.8
				Apr. 29	152.0
C-656h-F-20 1831.0	Apr. 28	5.0		May 20	155.2
	May 7	5.6		June 17	169.1
	Oct. 29	25.3		July 23	175.4
				Aug. 6	177.8
C-656i-F-20 2067.	May 7	15.4		Sep. 10	181.5
	Oct. 29	34.9		Oct. 15	178.2
				Nov. 3	168.5
				Dec. 23	161.8
C-658-G-20 1482.5	Jan. 13	162.7			
	Feb. 2	160.7	C-678k-H-19 807.5	May 23	104.1
	Mar. 23	154.1		Nov. 3	103.5
	Apr. 20	139.1			
	May 4	114.5			
	June 23	45.6			
	July 6	38.2			
	Aug. 10	44.8			
	Sep. 21	63.0			
	Oct. 12 a	109.1			
	Nov. 2	74.3			
	Dec. 7	79.9			

\* R.P. elevation 1301. to and including May 7, 1942; then 1301.5.  
a Pumping.

Measurements from Los Angeles County Flood Control District.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-701c-I-17 512.5	Jan. 14	a 23.5	C-803g-I-12	Apr. 7	22.5
	Feb. 25	a 20.6	Cont.	May 5	20.8
	Mar. 18	a 17.1		June 2	20.6
	Apr. 29	a 12.8		July 7	19.8
	May 19	a 12.4		Aug. 4	19.4
	June 17	a 15.3		Sep. 1	19.6
	July 30	a 17.1		Oct. 1	19.9
	Aug. 6	a 18.8		Nov. 5	20.1
	Sep. 10	a 19.9		Dec. 3	20.3
	Oct. 15	a 19.8	C-803r-I-12	Apr. 3	51.5
	Oct. 27	a 19.6	211.	May 15	56.6
	Dec. 23	a 15.8		June 5	49.8
C-703-H-18 774.	May 19	a 111.7		1942	
	Oct. 31	a 111.8		Jan. 22	50.9
C-703c-H-18 765.	May 19	a 95.8		1941	
	Oct. 31	a 90.7			
C-704-H-18 704.0	May 19	a 60.9	C-808-I-11	Jan. 9	77.0
	Oct. 27	a 60.0	191.	Jan. 30	75.5
	1939			Feb. 20	73.5
C-705a-I-17 606.5	Oct. 9	a 25.9		Mar. 13	70.8
	1940			Apr. 3	67.4
	Apr. 9	a 23.8		May 15	62.2
	Nov. 15	a 28.5		June 5	62.0
	1941			July 17	61.1
	May 19	a 17.4		Aug. 7	60.2
	Oct. 28	a 19.9		Sep. 18	59.8
C-707-I-17 455.	Oct. 27	a 13.1		Oct. 9	60.3
				Nov. 21	59.3
C-708-I-15 374.	May 6	a 27.6		Dec. 11	59.2
	Oct. 27	a 29.5	C-811a-I-11	Jan. 9	71.9
C-712-J-16 480.5	May 16	a 22.1	152.1	Jan. 30	71.2
	Oct. 27	a 22.8		Feb. 20	69.9
C-803g-I-12 183.	Jan. 6	33.0		Mar. 13	67.4
	Feb. 3	30.7		Apr. 3	65.6
	Mar. 3	27.8		May 15	65.5
				June 5	68.7
				July 17	69.1
				Aug. 7	68.7
				Sep. 18	67.0
				Oct. 9	67.1
				Nov. 21	62.5
				Dec. 11	60.9

a Measurement from Los Angeles County Flood Control District.  
Measurements from San Gabriel Valley Protective Association except as  
noted.

Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>
	1941				1941		
C-812-I-11 143.4	Mar. 26	a	53.2	C-827-J-12	Oct. 9		22.9
	Apr. 12	a	50.7	Cont.	Nov. 21		22.2
	May 7	a	48.5		Dec. 11		21.8
	June 10	a	52.8				
	July 2	a	54.4	C-829j-J-11	Jan. 11	a	41.5
	Aug. 5	a	53.6	127.7	Feb. 8	a	40.9
	Sep. 3	a	52.4		Mar. 7	a	39.2
	Oct. 14	a	51.3		Apr. 5	a	35.0
	Nov. 4	a	48.8		May 7	a	30.8
	Dec. 11		46.9		June 3	a	30.2
					July 5	a	30.4
C-814-I-13 175.7	Jan. 9		37.7		Aug. 2	a	29.8
	Feb. 20		32.8		Sep. 6	a	29.7
	Apr. 24		22.0		Oct. 1	a	29.7
	May 15		21.4		Nov. 1	a	29.1
	June 5		21.4		Dec. 4	a	28.4
	July 17		19.8				
	Aug. 7		20.7	C-829p-J-11	Jan. 9		45.0
	Sep. 18		20.9	129.4	Jan. 30		44.5
	Oct. 9		21.0		Feb. 20		43.9
	Nov. 21		20.8		Mar. 13		41.6
	Dec. 11		20.7		Apr. 3		38.5
					May 15		32.9
C-819z-J-13 139.4	Jan. 9		+0.1		June 5		32.8
	Jan. 30		+0.8		July 17		32.4
	Feb. 20		+2.4		Aug. 7		32.1
	Mar. 13		+10.6		Sep. 18		32.1
	Apr. 3		+10.6		Oct. 9		32.5
	May 15		+8.9		Nov. 21		31.3
	June 5		+7.0		Dec. 11		30.8
	July 17		+6.1				
	Aug. 7		+5.6	C-832-J-11	May 7	a	51.0
	Sep. 18		+4.7	152.4	Oct. 28	a	53.0
	Oct. 9		+4.6				
	Nov. 21		+5.1	C-833a-J-11	Jan. 9		52.0
	Dec. 11		+5.4	132.5	Jan. 30		51.3
					Feb. 20		50.8
C-825g-J-12 135.5	May 6	a	22.2		Mar. 13		49.6
	Oct. 27	a	23.5		Apr. 3		47.9
					May 15		44.6
C-827-J-12 140.8	Jan. 9		42.1		June 5		44.2
	Jan. 30		41.5		July 17		43.8
	Feb. 20		40.9		Aug. 7		43.5
	Mar. 13		38.2		Sep. 18		43.2
	Apr. 3		34.1		Oct. 9		43.2
	June 15		26.0		Nov. 21		41.8
	July 17		22.8		Dec. 11		41.2
	Aug. 7		22.4				
	Sep. 18		22.6				

2 Measurement from Los Angeles County Flood Control District.

Measurements from San Gabriel Valley Protective Association except as noted.

Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>
	1941				1941		
C-848-K-12 111.1	Jan. 8		35.8	C-853k-K-13 130.8	Jan. 9		47.7
	Feb. 5		34.3		Jan. 30		47.2
	Mar. 5		32.2		Feb. 20		46.5
	Apr. 2		28.4		Mar. 13		44.2
	Apr. 23		25.2		Apr. 3		41.8
	May 7		23.6		May 15		37.8
	June 4		24.8		June 5		36.9
	July 2		26.8		July 17		36.1
	Aug. 6		27.7		Aug. 7		36.3
	Sep. 3		28.6		Sep. 18		36.4
	Oct. 6		28.2		Oct. 9		36.5
	Nov. 3		25.5		Nov. 21		34.7
	Dec. 1		23.1		Dec. 11		33.7
C-850v-K-12 120.	Feb. 3	a	39.8	C-858-L-13 76.	Jan. 8	b	24.5
	May 3	a	26.0		Feb. 13	b	22.2
	June 4	a	26.1		Mar. 7	b	20.0
	July 17	a	30.0		Apr. 17	b	16.4
	Sep. 2	a	28.8		May 13	b	19.2
	Oct. 7	a	29.6		June 3	b	24.2
					July 7	b	29.8
C-853-K-13 110.	Jan. 9		45.4		Aug. 4	b	29.6
	Jan. 30		44.1		Sep. 8	b	31.6
	Feb. 20		43.1		Oct. 6	b	29.0
	Mar. 13		41.2		Nov. 10	b	20.5
	Apr. 3		39.6		Dec. 8	b	20.0
	May 15		38.3				
	June 27		40.9	C-860a-L-12 86.6	Jan. 9		27.6
	July 17		42.1		Jan. 30		25.0
	Aug. 7		43.3		Feb. 20		23.6
	Oct. 9		43.7		Mar. 13		21.0
	Nov. 21		36.0		Apr. 3		19.4
	Dec. 11		34.8		May 15		21.4
					June 5		27.2
C-853a-K-13 126.3	Jan. 9		66.3		July 17		31.8
	Jan. 30		65.5		Oct. 9		31.0
	Feb. 20		64.7		Dec. 11		18.4
	Mar. 13		63.5				
	Apr. 3		62.4	C-861-L-12 85.3	Jan. 9		23.0
	May 15		61.6		Jan. 30		21.7
	June 5		61.0		Feb. 20		20.4
	July 17		62.0		Mar. 13		17.0
	Aug. 7		61.8		Apr. 3		15.5
	Sep. 18		60.7		June 5		24.9
	Oct. 9		61.1		July 17		30.3
	Nov. 21		58.2		Aug. 7		28.7
	Dec. 11		57.5		Sep. 18		26.9

a Measurement from Los Angeles County Flood Control District.

b Measurement from Orange County Flood Control District.

Measurements from San Gabriel Valley Protective Association except as noted.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-861-L-12	Oct. 9	25.9	C-877d-L-11	May 16	11.3
Cont.	Nov. 21	18.7	Cont.	June 6	13.9
	Dec. 11	16.3		July 18	20.0
				Aug. 8	19.8
C-872-K-11	Jan. 9	26.9		Sep. 19	18.1
96.4	Jan. 30	25.9		Oct. 31	11.2
	Feb. 20	24.8		Nov. 22	11.5
	Mar. 13	22.7		Dec. 12	8.8
	Apr. 3	21.6			
	May 15	25.7	C-885c-L-11	Jan. 10	6.8
	June 5	28.2	**	Jan. 31	5.7
	July 17	30.3		Feb. 21	4.2
	Aug. 7	31.2		Mar. 14	1.6
	Sep. 18	29.3		Apr. 4	1.1
	Oct. 9	30.0		May 16	5.2
	Nov. 21	23.1		June 6	9.3
	Dec. 11	21.4		July 18	13.1
				Aug. 8	14.4
C-872a-K-11	Jan. 8	19.3		Sep. 19	13.1
87.	Feb. 5	18.6		Oct. 11	11.9
	Mar. 5	15.6		Nov. 22	6.4
	Apr. 2	13.8		Dec. 12	3.8
	May 7	14.5			
	June 4	19.4	C-886a-L-11	Jan. 7 a	12.7
	July 2	21.5	71.	Mar. 25 a	7.9
	Aug. 6	23.0		Apr. 14 a	4.6
	Sep. 3	22.6		Apr. 28 a	8.2
	Oct. 6	21.8		May 19 a	7.2
	Nov. 3	15.8		June 9 a	13.4
	Dec. 1	16.0		Aug. 5 a	18.5
				Oct. 1 a	9.2
C-874-K-11	July 17	34.0		Dec. 8 a	5.1
*	Aug. 7	34.8			
	Sep. 18	34.0	C-887-L-12	Jan. 8 a	12.8
	Oct. 9	33.0	64.4	Mar. 25 a	6.8
	Nov. 21	27.4		Apr. 14 a	5.2
	Dec. 11	25.6		May 19 a	9.7
				June 9 a	14.0
C-877d-L-11	Jan. 10	12.8		July 2 a	18.2
70.	Jan. 31	11.4		Aug. 5 a	23.1
	Feb. 21	10.1		Oct. 1 a	21.3
	Mar. 14	7.9		Oct. 31 a	12.4
	Apr. 4	7.0		Dec. 8 a	10.4

\* R.P. elevation 101. to and including October 9, 1941, then 100.

\*\* R.P. elevation 58.6 to and including May 16, 1941, then 58.0.

a Measurement from Los Angeles County Flood Control District.

Measurements from San Gabriel Valley Protective Association except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-891-L-13 60.	Jan. 10	15.9	C-897k-M-13	June 3 b	13.8
	Jan. 31	14.2	Cont.	July 7 b	23.0
	Feb. 21	12.8		Aug. 5 b	35.5
	Mar. 14	10.5		Sep. 8 b	26.4
	Apr. 4	9.1		Oct. 6 b	27.0
	May 16	10.4		Nov. 10 b	16.2
	July 18	29.2		Dec. 8 b	12.6
	Aug. 8	27.8			
	Sep. 19	27.8	C-900-M-13	Jan. 9	16.4
	Oct. 11	27.8	35.3	Jan. 30	14.5
	Nov. 22	15.7		Feb. 20	13.1
	Dec. 12	12.2		Mar. 13	11.6
C-894-L-13 61.7	Jan. 9	24.1		Apr. 3	10.0
	Jan. 30	22.4		May 15	8.3
	Feb. 20	20.7		June 5	14.7
	Mar. 13	18.1		July 17	25.7
	Apr. 3	16.7		Aug. 7	31.2
	May 15	16.3		Sep. 18	25.6
	June 5	20.4		Oct. 9	27.9
	July 17	29.2		Nov. 21	12.6
	Aug. 7	31.2		Dec. 11	11.0
	Sep. 18	31.2	C-908b-M-12	Jan. 10	28.7
	Oct. 9	30.7	46.4	Jan. 31	27.6
	Nov. 21	21.7		Feb. 21	26.3
	Dec. 11	20.2		Mar. 14	24.8
C-895-L-14 57.2	May 14 a	16.4		Apr. 4	25.1
	Oct. 29 a	25.9		May 16	19.4
C-896e-M-13 53.6	Jan. 7 b	20.6		June 6	24.2
	Feb. 13 b	17.8		July 18	28.5
	Apr. 17 b	12.1		Aug. 8	37.6
	May 13 b	12.3		Sep. 19	38.6
	June 3 b	16.1		Oct. 11	37.1
	July 7 b	23.9		Nov. 22	24.5
	Aug. 4 b	29.4		Dec. 12	22.7
	Sep. 8 b	33.4	C-909-N-13	Jan. 8 b	7.6
	Nov. 10 b	20.5	22.8	Mar. 6 b	3.2
	Dec. 8 b	16.6		Apr. 29 b	+0.2
C-897k-M-13 45.2	Jan. 7 b	16.2		May 23 b	1.2
	Feb. 13 b	11.2		June 17 b	6.0
	Mar. 7 b	9.1		July 15 b	11.8
	Apr. 17 b	4.2		Aug. 18 b	19.2
	May 13 b	8.3		Sep. 22 b	16.2
				Nov. 24 b	4.2

a Measurement from Los Angeles County Flood Control District.

b Measurement from Orange County Flood Control District.

Measurements from San Gabriel Valley Protective Association except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-910b-0-13 8.1	Jan. 8	3.3	C-911-0-13 12.0	Jan. 9	a 6.0
	Mar. 6	0.4		Feb. 20	a 4.0
	Apr. 18	+1.1		Mar. 13	a 2.3
	Apr. 29	+1.2		Apr. 3	a 1.4
	May 23	Flowing		May 15	a 0.4
	June 17	0.3		June 5	a 1.5
	July 15	1.5		July 17	a 4.4
	Aug. 19	4.6		Aug. 7	e 6.6
	Sep. 22	5.2		Sep. 18	a 9.0
	Nov. 4	2.6		Oct. 9	a 8.7
	Nov. 24	1.0		Nov. 21	a 3.1
	Dec. 22	Flowing		Dec. 11	a 2.5
C-910d-C-12 36.	Jan. 9	35.9	C-911b-N-13 14.	Jan. 8	9.1
	Mar. 6	30.0		Mar. 6	4.0
	Apr. 29	24.1		Apr. 18	0.1
	May 23	23.3		Apr. 29	+0.5
	June 17	24.2		May 23	+0.3
	July 15	25.3		June 17	0.3
	Aug. 19	31.0		July 15	2.0
	Sep. 22	38.9		Aug. 19	8.3
	Nov. 4	33.2		Sep. 22	10.2
	Nov. 24	33.4		Nov. 4	8.2
	Dec. 22	26.9		Nov. 24	5.8
				Dec. 22	2.3
C-910j-0-12 16.9	Jan. 4	12.9	C-911f-0-12 8.5	Jan. 4	5.7
	Feb. 1	11.9		Feb. 1	3.3
	Mar. 8	10.4		Mar. 8	1.8
	Apr. 5	8.9		Apr. 12	1.9
	May 24	9.3		May 3	1.9
	June 14	9.9		June 7	1.7
	July 12	10.5		July 12	2.1
	Aug. 23	13.9		Aug. 2	2.6
	Sep. 20	15.2		Sep. 6	5.9
	Nov. 15	11.0		Oct. 4	7.7
	Dec. 13	9.5		Nov. 1	6.4
				Dec. 6	3.4
C-910n-0-12 8.4	Jan. 9	9.1		1939	
	Mar. 6	2.4			
	Apr. 29	3.9			
	May 23	5.2			
	June 17	5.7	C-912b-0-13 32.0	Jan. 7	17.9
	July 15	6.9		Jan. 13	17.3
	Aug. 22	8.7		Feb. 7	15.3
	Sep. 22	10.1		Mar. 7	14.7
	Nov. 4	9.8		Apr. 7	15.5
	Nov. 24	6.8		May 6	18.5
	Dec. 22	5.5		June 3	25.8

a Measurement from San Gabriel Valley Protective Association.

Measurements from Orange County Flood Control District except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1939			1941	
C-912b-0-13	July 7	30.4	C-912c-0-13	June 5 a	8.1
Cont.	Aug. 5	33.6	Cont.	July 17 a	13.7
	Sep. 12	33.7		Aug. 7 a	17.4
	Oct. 9	28.3		Sep. 18 a	17.9
	Nov. 4	26.1		Oct. 9 a	17.3
	Dec. 4	23.3		Nov. 21 a	7.6
	Dec. 16	21.9		Dec. 11 a	6.1
	1940		C-912h-N-13	Jan. 8	13.3
	Jan. 6	19.1	25.4	Mar. 6	9.6
	Feb. 9	17.0		Apr. 29	6.0
	Mar. 14	19.3		May 23	7.4
	Apr. 8	19.4		June 17	11.8
	May 9	18.3		July 15	16.2
	June 6	26.1		Aug. 19	21.7
	July 6	30.4		Sep. 22	20.8
	Aug. 3	35.0		Nov. 4	11.9
	Aug. 10	36.0		Nov. 24	9.7
	Sep. 7	34.8		Dec. 22	5.2
	Oct. 5	33.9	C-914b-N-12	Jan. 9	24.4
	Nov. 2	28.1	*31.4	Mar. 6	20.8
	Dec. 7	23.3		Apr. 29	19.1
	Dec. 19	21.7		May 23	19.0
	1941			June 17	19.7
	Jan. 4	19.4		Aug. 22	27.1
	Jan. 25	17.8		Sep. 22	27.6
	Feb. 15	16.8		Nov. 4	22.9
	Mar. 15	14.4		Nov. 24	21.7
	Apr. 19	11.8	C-926-M-11	Dec. 22	17.9
	May 10	10.5	68.9	Jan. 8 a	86.7
	June 10	14.8		Feb. 5 a	82.3
	July 11	19.3		Mar. 5 a	78.6
	Aug. 16	24.6		Apr. 2 a	76.5
	Sep. 6	24.3		May 7 a	75.2
	Sep. 20	23.8		June 4 a	81.7
	Oct. 4	25.4		July 2 a	85.4
	Nov. 8	15.7		Aug. 6 a	93.6
	Dec. 13	12.2		Sep. 3 a	98.5
C-912c-0-13	Jan. 9 a	11.2		Oct. 6 a	100.1
21.4	Jan. 30 a	9.9		Nov. 3 a	94.7
	Feb. 20 a	8.8	C-927c-N-14	Dec. 1 a	93.0
	Mar. 13 a	7.4	48.3	Jan. 23	32.4
	Apr. 3 a	5.8		Feb. 25	30.4
	May 15 a	4.3		Mar. 18	28.5
				May 12	25.1

\* New elevation; R.P. changed.

a Measurement from San Gabriel Valley Protective Association.

Measurements from Orange County Flood Control District except as noted.



Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>
	1941				1941		
C-927c-N-14	June 10	a	32.2	C-942a-K-14	Sep. 18		70.5
Cont.	July 11	a	38.5	Cont.	Oct. 30		67.7
	Aug. 12	a	44.8		Nov. 21		65.6
	Sep. 15	a	45.3		Dec. 11		64.9
	Oct. 10	a	40.6				
	Nov. 14	a	29.0		1942		
	Dec. 4	a	28.8				
C-929f-L-11	Jan. 8		48.1	C-944-K-15	Jan. 30	c	127.1
57.	Feb. 5		45.9	365.			
	Mar. 5		42.4		1941		
	Apr. 2		41.4	C-950a-M-14	Jan. 9		49.5
	May 7		40.8	*	Jan. 30		47.8
	June 4		46.5		Feb. 20		46.5
	July 2		50.2		Mar. 13		44.8
	Aug. 6		55.0		Apr. 3		42.6
	Sep. 3		55.8		May 15		40.8
	Oct. 6		56.3		June 5		51.3
	Nov. 3		51.0		July 17		62.2
	Dec. 1		47.0		Aug. 7		69.0
C-935f-M-10	Dec. 5	b	14.8		Sep. 18	d	
43.				C-950e-M-13	Jan. 7	a	19.7
C-938c-N-11	Jan. 8		18.4	49.2	Feb. 13	a	16.5
26.1	Feb. 5		17.3		Mar. 7	a	14.6
	Mar. 5		14.9		Apr. 17	a	11.1
	Apr. 2		14.1		May 13	a	11.3
	May 7		14.6		June 3	a	17.4
	June 4		15.7		July 7	a	24.9
	July 2		16.6		Aug. 4	a	26.4
	Aug. 6		19.4		Sep. 8	a	32.1
	Sep. 3		20.6		Oct. 6	a	31.9
	Oct. 6		20.6		Nov. 10	a	19.9
	Nov. 3		17.4		Dec. 8	a	16.9
	Dec. 1		15.7	C-950n-M-14	Jan. 23	a	45.5
C-942a-K-14	Jan. 9		72.4	63.7	Feb. 25	a	40.9
144.	Jan. 30		71.4		Mar. 17	a	39.2
	Feb. 20		70.4		May 12	a	36.2
	Mar. 13		69.0		June 10	a	46.9
	Apr. 3		68.0		July 11	a	67.2
	May 15		66.9		Sep. 15	a	61.9
	June 5		67.6		Oct. 10	a	62.0
	Aug. 7		71.2		Nov. 14	a	42.4
					Dec. 4	a	41.0

\* R.P. elevation 70.3 to and including June 5, 1942; then 69.0.

a Measurement from Orange County Flood Control District.

b Measurement from Los Angeles County Flood Control District.

c Measurement from Division of Water Resources.

d Pump set in concrete; cannot measure.

Measurements from San Gabriel Valley Protective Association except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface
		Feet			Feet
	1941			1941	
C-957-H-11 303.0	Jan. 30	92.0	C-962-I-11 Cont.	Apr. 30	130.5
	Feb. 28	92.0		May 31	134.
	Mar. 31	92.0		June 30	135.
	Apr. 30	90.5		July 31	135.5
	May 31	93.8		Aug. 31	133.5
	June 30	94.		Sep. 30	134.
	July 31	94.		Oct. 31	132.
	Aug. 31	93.		Nov. 30	134.
	Sep. 30	93.		Dec. 31	133.
	Oct. 31	93.			
	Nov. 30	93.5	C-962c-I-11 192.3	Jan. 30	116.5
	Dec. 31	90.		Feb. 28	115.5
C-958-I-11 223.1	Jan. 30	157.0		Mar. 31	114.8
	Feb. 28	157.		Apr. 30	110.
	Mar. 31	157.		May 31	114.
	Apr. 30	157.		June 30	113.
C-960-I-11 192.9	Jan. 30	134.0		July 31	114.
	Feb. 28	132.5		Aug. 31	113.
	Mar. 31	132.5		Sep. 30	113.
	Apr. 30	132.		Oct. 31	110.
	May 31	134.		Nov. 30	112.
	June 30	136.	C-963-I-11 228.4	Jan. 30	165.8
	July 31	137.5		Feb. 28	165.6
	Aug. 31	139.		Mar. 31	163.2
	Sep. 30	139.6		Apr. 30	160.9
	Oct. 31	140.		May 31	158.6
	Nov. 30	136.		June 30	157.5
	Dec. 31	135.		July 31	158.6
C-961-I-11 197.1	Jan. 30	135.0		Aug. 31	159.6
	Feb. 28	134.		Sep. 30	159.6
	Mar. 31	137.5		Oct. 31	158.6
	Apr. 30	136.		Nov. 30	160.9
	May 31	138.		Dec. 31	156.1
	June 30	141.	C-965-I-11 *	Jan. 30	86.0
	July 31	141.5		Feb. 28	84.8
	Aug. 31	143.		Mar. 31	84.
	Sep. 30	141.5		Apr. 30	83.8
	Oct. 31	145.		May 31	87.5
	Nov. 30	149.		June 30	87.
	Dec. 31	138.		July 31	93.
C-962-I-11 196.0	Jan. 30	132.5		Aug. 31	95.
	Feb. 28	131.5		Sep. 30	95.
	Mar. 31	131.5		Oct. 31	88.
				Nov. 30	93.
				Dec. 31	95.

\* R.P. elevation 160.4 to and including June 3, 1941; then 159.5.  
Measurements from California Water Service Company.

Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>
	1941				1941		
C-966-I-11 145.7	Jan. 30	a	76.8	C-974n-M-16	Sep. 11		150.6
	Feb. 28	a	75.	Cont.	Oct. 3		148.8
	Mar. 31	a	73.2		Nov. 18		146.7
	Apr. 30	a	73.		Dec. 18		146.5
	May 31	a	80.2				
	June 30	a	87.	C-975-L-16	Jan. 13		125.9
	July 31	a	83.	155.6	Feb. 10		125.6
	Aug. 31	a	79.		Mar. 10		124.7
	Sep. 30	a	79.		May 1		122.8
	Oct. 31	a	73.		June 6		121.2
	Nov. 30	a	73.		July 8		120.4
	Dec. 31	a	67.		Aug. 11		120.0
					Sep. 12		118.8
C-968-K-15 350.9	Apr. 29		51.0		Oct. 7		119.6
	Sep. 25		46.3		Nov. 7		117.8
	Dec. 9		45.4		Dec. 1		116.9
C-969a-K-16 386.9	Apr. 29		100.8	C-975k-L-16	Jan. 13		114.8
	Dec. 9		103.4	141.4	Feb. 10		112.3
					Mar. 10		110.5
	1942				May 1		105.6
C-971-K-16 308.3	Jan. 30	b	19.7		June 6		105.5
	1941				Aug. 11		114.0
					Sep. 12		112.2
					Nov. 7		106.4
C-973b-L-16 249.	Sep. 25		90.7	C-975w-M-15	Jan. 4		121.2
				148.3	Feb. 1		120.1
C-974n-L-16 173.4	Jan. 13		155.9		Mar. 8		119.5
	Feb. 10		154.0		Apr. 5		118.2
	Mar. 10		150.7		May 3		116.2
	May 1		136.1		June 6		114.6
	Aug. 11	c	138.5		July 26		115.2
	Nov. 7		138.3		Aug. 9		115.3
	Dec. 1		137.5		Sep. 20		114.6
					Nov. 1		113.7
C-974n-M-16 197.8	Jan. 16		170.6		Dec. 1		111.5
	Feb. 7		169.3		Dec. 27		110.4
	Mar. 4		166.6	C-977b-M-16	Jan. 9		144.1
	Mar. 20		161.2	167.9	Feb. 10		142.2
	May 2		144.5		Mar. 10		136.4
	June 2		137.8		May 1		117.5
	July 3		139.8		June 6		120.1
	Aug. 7		143.7		July 8		125.9

a Measurement from California Water Service Company.

b Measurement from Division of Water Resources.

c Idle.

Measurements from Orange County Flood Control District except as noted.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface
		<u>Feet</u>			<u>Feet</u>
	1941			1941	
C-977b-M-16 Cont.	Aug. 11	128.3	C-983-M-14 92.6	Jan. 23	50.0
	Sep. 12	129.4		Feb. 25	49.3
	Oct. 7	130.7		Mar. 17	48.4
	Nov. 7	126.4		Apr. 2	47.5
	Dec. 1	125.8		May 12	45.8
C-978-M-16 174.0	Jan. 31	149.4		June 10	47.0
	Mar. 4	143.6		July 11	47.9
	May 6	115.2		Aug. 12	48.0
	July 11	128.7		Sep. 15	48.4
	Aug. 14	137.3		Oct. 10	49.4
	Oct. 20	137.0		Nov. 14	47.0
	Nov. 18	131.8		Dec. 2	46.7
	Dec. 18	134.9	C-983e-M-15 108.5	Jan. 13	86.1
C-978a-M-16 150.2	Jan. 4	128.9		Feb. 10	84.7
	Feb. 8	127.1		Mar. 10	83.0
	Mar. 11	123.4		Apr. 2	80.4
	Apr. 5	117.9		May 1	77.2
	May 3	112.2		June 6	86.4
	June 16	115.6		July 8	87.1
	Sep. 19	121.7		Aug. 11	91.2
	Nov. 8	117.0		Sep. 12	89.6
	Dec. 27	113.1		Oct. 7	90.7
C-980-L-15 113.3	Feb. 13	84.5		Nov. 7	79.8
	Mar. 7	82.9	C-984b-N-14 58.9	Jan. 2	39.6
	Apr. 17	78.3		Feb. 5	38.0
	May 13	75.9		Mar. 5	36.3
	June 3	81.1		Apr. 2	34.5
	July 7	86.9		May 7	33.5
	Oct. 6	88.8		Nov. 5	37.6
C-982L-M-14 91.1	Nov. 10	79.4	C-985-N-14 60.6	Jan. 23	35.6
	Dec. 8	78.4		Feb. 25	34.1
	Jan. 23	48.4		Mar. 18	32.6
	Feb. 25	47.1		May 12	31.1
	Mar. 17	46.0		June 10	37.0
	Apr. 2	45.2	C-986-N-14 79.5	July 11	40.1
	May 12	43.9		Sep. 15	42.8
	June 10	45.8		Oct. 10	40.2
	July 11	48.9		Nov. 14	33.0
	Aug. 12	46.0		Dec. 4	34.7
	Sep. 15	48.1		Jan. 23	51.2
	Oct. 10	49.2		Feb. 25	50.4
	Nov. 14	45.0		Mar. 18	49.8
	Dec. 2	47.9		May 12	48.0

Measurements from Orange County Flood Control District.

Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>
	1941				1941		
C-986-N-14 79.5	June 10	a	48.9	C-992b-P-14	May 15		8.7
	July 11	a	50.0	Cont.	June 12		12.4
	Aug. 12	a	50.0		July 10		14.4
	Sep. 15	a	49.2		Aug. 8		16.3
	Oct. 10	a	49.4		Sep. 16		16.8
	Dec. 4	a	50.3		Oct. 9		16.1
C-986e-N-15 111.7	Jan. 14		94.1		Nov. 13		11.0
	Feb. 10		93.7		Nov. 15		9.3
	Mar. 11		92.2	C-992e-P-13	Jan. 4		8.7
	Apr. 22		90.1	15.4	Feb. 1		7.9
	May 20		89.4		Mar. 8		5.7
	June 16		92.8		Apr. 5		4.3
	July 14		93.0		May 3		3.5
	Aug. 18		99.6		June 7		5.8
	Sep. 19		94.4		July 12		8.5
	Oct. 14		94.5		Aug. 2		10.5
	Nov. 17		89.8		Sep. 6		13.3
	Dec. 16		88.5		Sep. 13		13.8
C-989j-0-14 37.0	Jan. 27		21.9		Oct. 4		12.4
	Feb. 25		19.4		Nov. 1		7.9
	Mar. 18		17.6		Dec. 6		5.7
	May 12		17.0	C-993-P-14	Jan. 7		18.6
	June 10		23.4	27.9	Feb. 18		16.7
	July 11		28.8		Mar. 21		14.0
	Aug. 13		30.3		Apr. 25		12.0
	Sep. 15		28.2		May 15		11.8
	Oct. 10		26.9		July 10		17.8
	Nov. 14		19.0		Aug. 8		21.3
C-991e-0-13 18.2	Jan. 2		11.4		Sep. 16		20.2
	Feb. 5		9.9		Oct. 9		19.8
	Mar. 5		8.2		Nov. 13		14.2
	Apr. 2		6.8		Dec. 15		12.4
	May 7		5.4	C-997-P-14	Jan. 6		54.0
	June 4		7.6	57.1	Feb. 18		52.3
	July 2		10.2		Mar. 21		40.9
	Aug. 6		16.0		Apr. 25		45.0
	Sep. 3		18.3		May 15		48.2
	Oct. 1		16.6		June 12		49.9
	Nov. 5		10.4		July 10		50.6
	Dec. 3		8.6		Aug. 8		51.5
C-992b-P-14 22.2	Jan. 6		13.8		Sep. 16		55.0
	Feb. 18		12.2		Oct. 9		53.1
	Mar. 21		9.6		Nov. 13		47.4
	Apr. 25		8.7		Dec. 15		28.0

a Pumping moderately.

Measurements from Orange County Flood Control District.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-997c-Q-14 32.6	Jan. 6	29.0	C-1058-M-17 203.8	Jan. 16	a 180.8
	Feb. 18	28.6		Feb. 14	a 178.5
	Mar. 21	28.1		Mar. 7	a 120.4
	Apr. 25	28.0		Apr. 3	a 93.4
	May 15	27.9		May 8	a 82.5
	June 12	28.1		June 19	a 142.4
	July 10	28.4		July 17	a 161.8
	Aug. 8	28.6		Aug. 6	a 172.2
	Sep. 16	29.6		Sep. 5	a 169.1
	Oct. 9	29.9		Oct. 25	a 161.8
	Nov. 13	29.8		Nov. 15	a 157.4
	Dec. 15	29.2		Dec. 5	a 157.1
C-997d-Q-14 52.8	Jan. 6	50.8	C-1059-M-17 207.5	Jan. 2	188.9
	Feb. 18	49.5		Feb. 5	184.8
	Mar. 21	48.1		Mar. 5	165.4
	Apr. 25	46.6		Apr. 2	132.2
	May 15	46.0		May 6	116.0
	June 12	46.4		May 14	111.7
	July 10	45.6		June 4	128.1
	Aug. 8	46.2		July 2	142.8
	Sep. 16	47.2		Aug. 6	152.0
	Oct. 9	47.4		Sep. 3	155.6
	Nov. 13	47.1		Oct. 1	158.4
	Dec. 15	46.4		Nov. 5	160.2
				Dec. 3	161.8
C-999f-P-14 49.1	Jan. 6	41.6	C-1065-M-16 202.0	Jan. 31	172.7
	Feb. 18	40.0		Mar. 4	167.6
	Mar. 21	57.7		Apr. 3	146.6
	Apr. 25	36.2		May 6	132.2
	June 12	38.8		June 9	133.7
	July 10	41.2		July 11	140.3
	Aug. 22	43.2		Aug. 22	146.8
	Sep. 16	44.1		Sep. 18	148.5
	Oct. 9	41.7		Oct. 20	150.6
	Nov. 13	38.0		Nov. 18	148.9
	Dec. 15	36.5		Dec. 18	150.3
C-1056-M-16 194.2	Jan. 31	169.7	C-1068-M-17 229.5	Jan. 17	19.9
	Mar. 4	154.2		Feb. 27	11.4
	Mar. 27	132.1		Mar. 28	8.5
	Apr. 3	129.5		Apr. 24	8.3
	Apr. 8	126.1		May 22	8.6
	Apr. 15	122.3		June 20	21.2
	May 6	116.9		July 18	24.4
	May 29	116.0		Aug. 21	25.7
	Aug. 14	139.0		Sep. 23	26.4
	Oct. 20	149.0		Oct. 21	26.0
	Dec. 18	153.4			

a Measurement from owner.

Measurements from Orange County Flood Control District except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-1068-M-17 Cont.	Nov. 25	27.0	C-1089-L-16 228.8	Jan. 31 Mar. 4 May 6 June 9 July 11 Aug. 15 Sep. 18 Oct. 20 Nov. 18 Dec. 18	195.4 190.4 162.9 155.0 157.2 161.6 166.4 169.6 170.6 170.9
C-1073-M-17 211.5	Jan. 31 Mar. 4 Apr. 3 May 6 Sep. 18 Nov. 18 Dec. 18	185.5 180.8 162.8 141.9 152.6 155.3 156.6			
C-1078d-M-17 238.4	Jan. 31 Mar. 4 Mar. 27 Apr. 3 May 6 July 11 Nov. 18 Dec. 18	174.1 135.7 100.2 97.0 85.0 121.8 158.6 158.6	C-1096j-K-16 381.	Feb. 2 a	97.0
				1941	
C-1079a-M-17 248.3	Jan. 31 Mar. 4 Apr. 3 May 6 Sep. 18 Nov. 18 Dec. 18	151.3 110.7 79.6 70.5 135.6 142.9 143.8	C-1097-L-17 336.2	Feb. 4 a Apr. 29 Sep. 25 Dec. 9	182.0 176.7 173.9 177.3
C-1082-L-18 260.5	Jan. 2 Feb. 5 Mar. 5 Apr. 2 May 7 June 4 July 16 Aug. 7 Sep. 3 Oct. 1 Nov. 5 Dec. 3	70.6 50.4 35.4 22.7 16.6 16.2 27.9 34.3 41.2 46.2 51.3 50.6	C-1105a-N-17 246.2	Jan. 17 Feb. 27 Mar. 28 Apr. 24 May 22 June 20 July 17 Aug. 21 Sep. 23 Oct. 21 Nov. 25 Dec. 26	224.8 221.9 212.6 202.8 195.0 194.4 196.4 199.5 200.6 202.9 199.5 198.8
C-1085-L-17 245.	Jan. 31 May 6 June 9 July 11 Sep. 18 Nov. 18 Dec. 18	188.4 126.8 109.5 111.4 133.0 146.6 151.2	C-1105b-M-17 273.5	Jan. 17 Feb. 27 Mar. 28 Apr. 24 May 22 June 20 July 17 Aug. 21 Sep. 23 Oct. 21 Nov. 25 Dec. 26	254.6 251.5 243.2 233.7 225.2 223.2 224.5 227.8 229.2 230.1 228.6 227.3

a Measurement from Division of Water Resources.

Measurements from Orange County Flood Control District except as noted.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-1109g-N-18 331.5	Feb. 27	306.9	C-1121b-M-17 179.	Jan. 17	155.5
	Mar. 28	302.5		Feb. 27	152.2
	Apr. 24	295.1		Mar. 28	135.5
	May 22	281.4		Apr. 24	123.0
	June 20	273.8		May 22	118.3
	July 17	272.6		July 17	132.1
	Nov. 25	279.1		Aug. 19	138.4
	Dec. 26	278.4		Oct. 21	144.9
				Nov. 25	132.9
				Dec. 26	132.0
C-1109i-N-18 427.	Feb. 27	56.1			
	Mar. 28	27.1			
	Aug. 22	63.9	C-1122b-N-16 162.7	Jan. 31	139.3
	Sep. 23	64.3		Mar. 4	138.3
	Oct. 21	64.6		May 6	121.4
	Nov. 25	65.4		June 9	115.4
	Dec. 26	64.3		July 11	116.8
				Aug. 14	119.6
C-1112-N-18 290.4	Jan. 16	a 271.8		Sep. 18	121.2
	Feb. 14	a 268.1		Oct. 20	122.3
	Mar. 7	a 265.4		Nov. 18	121.8
	Apr. 3	a 259.9		Dec. 18	122.2
	May 8	a 247.0			
	June 19	a 237.9	C-1123b-N-16 145.	Jan. 4	121.8
	July 17	a 251.8		Feb. 8	120.4
	Sep. 5	a 240.2		Mar. 8	116.1
	Oct. 25	a 241.2		Apr. 12	102.4
	Nov. 15	a 240.3		May 20	96.7
	Dec. 5	a 241.0		June 28	101.1
				July 19	103.1
C-1113-N-17 251.7	Jan. 16	230.6		Aug. 15	106.0
	Mar. 21	223.1		Sep. 6	105.6
	July 15	205.4		Sep. 27	106.4
	Aug. 22	213.2		Oct. 11	106.8
	Sep. 25	214.0		Nov. 17	104.9
	Oct. 30	211.6		Dec. 27	104.2
C-1120-N-16 151.4	Jan. 17	130.9	C-1126b-M-16 175.3	Jan. 4	149.6
	Feb. 27	129.2		Jan. 25	149.7
	Mar. 28	123.6		Mar. 8	145.4
	Apr. 24	117.4		Apr. 5	138.3
	May 22	113.3		May 3	131.5
	June 20	112.9		June 28	132.8
	July 17	113.5		Aug. 9	142.0
	Aug. 21	114.4		Aug. 30	143.6
	Sep. 23	114.4		Sep. 27	136.8
	Oct. 21	114.8		Oct. 25	133.1
	Nov. 25	113.0		Nov. 22	131.8
	Dec. 26	111.9		Dec. 1	133.3
				Dec. 27	129.8

a Measurement from owner.

Measurements from Orange County Flood Control District except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-1128a-N-16 140.1	Jan. 13	123.9	C-1140e-N-16 119.	Jan. 13	103.8
	Feb. 10	122.6		Feb. 10	102.5
	Mar. 11	121.1		Mar. 11	100.8
	Apr. 22	114.8		Apr. 22	97.0
	May 20	111.5		May 20	95.7
	June 16	111.2		Aug. 18	101.0
	July 14	111.2		Oct. 14	100.8
	Aug. 15	113.1		Nov. 17	95.8
	Sep. 19	114.9		Dec. 16	94.9
	Oct. 14	114.5			
	Nov. 17	111.8	C-1150b-N-17 206.3	Jan. 16 b	187.6
	Dec. 16	110.7		Feb. 14 b	185.3
C-1129m-N-16 136.1	Jan. 9 a	117.9		Mar. 7 b	183.1
	Jan. 30 a	116.7		Apr. 3 b	177.2
	Feb. 20 a	115.7		May 8 b	167.8
	Apr. 24 a	107.9		June 19 b	169.4
	May 20 a	105.9		July 17 b	165.3
	June 5 a	108.1		Sep. 5 b	170.9
	Aug. 15 a	111.9		Oct. 25 b	168.0
	Sep. 18 a	111.7		Nov. 15 b	166.0
	Oct. 9 a	112.5		Dec. 5 b	166.0
	Nov. 21 a	107.3	C-1153b-O-15 91.9	Jan. 14	74.1
	Dec. 11 a	106.5		Feb. 10	73.0
C-1130a-N-15 107.3	Feb. 10	88.9		Mar. 11	71.3
	Mar. 11	87.3		Apr. 22	69.0
	Apr. 22	85.1		May 20	69.3
	June 16	86.7		June 16	73.8
	July 14	87.9		Oct. 14	75.1
	Aug. 18	89.1		Nov. 17	70.9
	Sep. 19	89.2		Dec. 16	67.8
	Oct. 14	88.9	C-1157a-N-15 84.9	Jan. 4	68.2
	Dec. 16	83.6		Feb. 1	66.8
C-1131-N-17 162.1	Jan. 17	137.0		Mar. 8	65.1
	Feb. 27	135.0		Apr. 5	63.4
	Mar. 28	127.7		May 3	61.7
	Apr. 24	119.7		June 7	68.3
	May 22	114.5		July 12	70.0
	June 20	114.6		Aug. 23	81.2
	July 17	117.8		Sep. 6	71.4
	Aug. 21	117.0		Sep. 27	69.8
	Sep. 23	118.9		Nov. 1	64.8
	Oct. 21	118.2		Dec. 6	64.0
	Nov. 25	116.8			
	Dec. 26	115.8			

a Measurement from San Gabriel Valley Protective Association.

b Measurement from owner.

Measurements from Orange County Flood Control District except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-1160a-0-16 88.1	Jan. 14	66.9	C-1193a-0-17 172.5	Jan. 17	145.6
	Mar. 11	64.4		Feb. 27	143.3
	May 20	62.8		Mar. 28	141.4
	June 16	68.8		Apr. 24	139.0
	July 14	69.2		May 22	136.4
	Aug. 18	71.7		June 20	134.7
	Sep. 19	69.2		July 17	135.3
	Oct. 14	69.1		Aug. 21	144.0
	Nov. 17	62.2		Sep. 23	138.8
	Dec. 16	60.8		Oct. 21	135.7
				Nov. 25	131.6
				Dec. 26	129.7
C-1162-0-16 96.8	Jan. 14	74.0	C-1195b-0-18 180.8	Jan. 2	159.1
	Feb. 10	72.9		Feb. 5	155.4
	Mar. 11	71.5		Mar. 5	153.4
	Apr. 20	71.0		Apr. 2	151.2
	May 20	68.4		May 7	147.8
	June 16	70.5		June 4	147.2
	July 17	72.1		July 2	154.8
	Aug. 18	73.2		Aug. 6	153.6
	Sep. 19	72.4		Sep. 3	155.8
	Oct. 14	72.4		Oct. 1	155.3
	Dec. 16	68.2		Nov. 5	147.3
				Dec. 3	145.2
C-1168-0-15 75.5	Jan. 14	57.7	C-1197-0-17 151.6	Jan. 17	116.0
	Feb. 6	56.7		Feb. 27	114.4
	Mar. 11	54.9		Mar. 28	112.9
	Apr. 22	52.9		Apr. 24	111.2
	May 20	54.4		May 22	109.3
	June 16	60.0		June 20	108.4
	July 14	62.4		July 17	109.2
	Aug. 18	63.5		Aug. 21	111.5
	Sep. 18	62.8		Sep. 23	111.6
	Oct. 14	61.2		Oct. 21	109.7
	Nov. 17	53.5		Nov. 25	106.5
	Dec. 16	52.0		Dec. 26	104.2
C-1180-P-17 38.3	Jan. 15	25.1	C-1198-0-17 148.7	Jan. 16	128.8
	Mar. 5	22.8		Mar. 21	126.1
	May 8	18.0		July 15	120.1
	June 19	19.2		Aug. 22	121.4
	July 21	42.4		Sep. 23	120.6
	Aug. 25	30.0		Oct. 30	118.8
	Sep. 26	27.6			
	Oct. 24	24.4			
	Nov. 28	20.0			
	Dec. 23	17.2			

Measurements from Orange County Flood Control District.



Well Number. and R.P. Elev.	Date	Dist.R.P. to water surface Feet	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface Feet
	1941			1941	
C-1201-P-15	Jan. 7	31.3	C-1217a-Q-19	Jan. 15	248.4
*	Feb. 18	29.6	283.4	Mar. 6	246.1
	Mar. 21	26.9		May 8	243.2
	Apr. 25	25.7		June 19	243.6
	June 12	34.4		July 24	267.9
	July 10	38.9		Aug. 26	266.6
	Aug. 8	38.6		Sep. 26	251.4
	Oct. 9	35.8		Oct. 24	250.0
	Nov. 13	26.6		Nov. 28	245.7
	Dec. 15	25.7		Dec. 23	244.2
C-1206b-P-17	Jan. 15	69.0	C-1220a-Q-18	Mar. 6	98.7
85.	Mar. 5	65.5	155.2	Aug. 26	96.6
	May 8	56.7		Oct. 24	95.2
	June 19	58.1		Nov. 28	93.9
	July 21	77.3		Dec. 23	93.4
	Nov. 28	56.2			
	Dec. 23	54.0	C-1222-Q-18	Jan. 15	74.6
C-1207-O-18	Jan. 15	59.1	125.	Mar. 6	74.1
97.5	Mar. 5	55.2		May 6	72.6
	May 8	50.3		June 19	72.0
	June 19	59.8		July 24	73.2
	July 24	63.6		Aug. 26	75.2
	Aug. 26	75.6		Sep. 26	75.2
	Sep. 26	64.4		Oct. 24	72.8
	Oct. 24	61.8		Nov. 28	72.8
	Nov. 28	58.1		Dec. 23	72.6
	Dec. 22	51.2	C-1224-Q-18	Jan. 15	57.2
C-1211a-P-18	Jan. 15	83.7	96.	Mar. 6	55.7
105.9	Mar. 5	71.1		May 8	54.1
	June 19	71.4		Aug. 26	59.5
	Oct. 24	86.0		Oct. 24	57.6
	Dec. 23	70.6		Nov. 28	55.3
				Dec. 23	54.7
C-1212-P-19	Jan. 15	141.9	C-1225-Q-18	Jan. 15	9.2
224.0	Mar. 6	141.4	101.0	Mar. 6	4.2
	May 8	139.8		May 8	5.7
	June 19	139.5		June 19	5.9
	July 24	140.3		July 24	7.0
	Aug. 26	140.8		Aug. 26	7.0
	Sep. 26	140.2		Sep. 26	6.9
	Oct. 24	140.0		Oct. 24	6.8
	Nov. 28	139.2		Nov. 28	6.8
	Dec. 22	139.3		Dec. 23	6.9

\* Correction to Bulletins 39G, H and I: Beginning March 24, 1938, R.P. elevation should be 46.6.

Measurements from Orange County Flood Control District.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface Feet	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface Feet
	1941			1941	
C-1230-P-17 54.2	Jan. 15	26.2	C-1243-Q-16 Cont.	July 21	16.0
	Mar. 5	20.4		Aug. 28	16.6
	May 8	17.4		Sep. 2	17.2
	June 19	20.1		Oct. 24	17.4
	July 21	25.0		Nov. 22	17.3
	Aug. 25	21.6		Dec. 23	17.4
	Sep. 26	23.2	C-1249-Q-16 40.2	Jan. 15	33.4
	Oct. 23	25.7		Mar. 5	30.8
	Nov. 28	20.2		May 8	25.5
	Dec. 23	19.3		June 19	28.4
C-1231b-H-13 40.9	Jan. 15	27.0		June 25	29.4
	Mar. 5	23.0		July 21	39.8
	June 19	21.2		Aug. 25	38.2
	Aug. 25	30.6		Sep. 26	35.4
	Sep. 26	28.6		Oct. 24	33.0
	Oct. 24	28.4		Nov. 28	28.4
	Nov. 28	21.9		Dec. 23	26.2
	Dec. 23	17.6	C-1250-P-15 37.6	June 21	22.6
C-1232-P-17 *	Jan. 15	37.0		July 12	24.4
	Mar. 5	33.4		July 26	26.0
	May 8	25.5		Aug. 2	25.5
	June 19	26.7		Aug. 30	26.0
	July 21	30.4		Sep. 13	25.9
	Aug. 25	30.0		Oct. 11	25.6
	Sep. 26	29.2		Nov. 15	24.0
	Nov. 28	28.8		Dec. 13	23.3
	Dec. 23	28.3	C-1255-P-15 28.0	Jan. 6	16.6
C-1237L-P-17 35.2	Jan. 15	19.9		Feb. 18	14.9
	Mar. 5	16.8		Mar. 21	11.9
	May 8	11.7		Apr. 25	10.6
	June 19	14.3		May 15	10.8
	July 21	24.3		June 12	12.1
	Aug. 25	19.4		July 10	15.5
	Oct. 24	17.7		Aug. 8	19.7
	Nov. 28	12.9		Sep. 16	21.5
	Dec. 23	10.8		Oct. 9	20.2
C-1243-Q-16 40.1	Jan. 15	20.2		Nov. 13	12.8
	Mar. 5	15.7		Dec. 15	11.0
	May 8	14.8	C-1256a-P-15 23.9	Jan. 20 a	15.8
	June 19	15.5		Feb. 17 a	15.8
	June 24	15.6		Mar. 13 a	11.4
	July 2	15.7		Apr. 17 a	10.6

\* R.P. elevation 75.2 to and including March 5, 1941, then 75.7.

a Measurement from W. W. Hoy.

Measurements from Orange County Flood Control District except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
C-1256a-P-15 Cont.	May 15	a 10.4	C-1263-Q-14 Cont.	Aug. 6	5.1
	June 21	a 17.4		Sep. 3	5.4
	July 16	a 14.8		Oct. 1	5.7
	Aug. 20	a 23.0		Nov. 3	5.8
	Sep. 18	a 19.0		Dec. 3	5.8
	Oct. 16	a 16.4			
	Nov. 22	a 12.2	C-1263a-Q-14	Jan. 2	6.0
	Dec. 26	a 16.8	6.8	Feb. 5	7.4
				Apr. 17	2.0
C-1257-Q-15 12.7	Jan. 6	7.4		May 8	2.6
	Feb. 18	6.1		June 4	5.5
	Mar. 21	3.9		July 2	7.5
	Apr. 25	2.5		Aug. 6	9.0
	May 15	4.4		Sep. 3	9.2
	June 12	6.7		Oct. 1	8.1
	July 10	10.8		Nov. 5	4.9
	Aug. 8	13.2		Dec. 3	4.2
	Sep. 16	10.2			
	Oct. 9	9.0	C-1264-Q-14	Jan. 6	6.5
	Nov. 13	4.5	3.8	Feb. 18	4.0
	Dec. 15	2.7		Mar. 21	2.4
				Apr. 25	2.9
C-1261-Q-14 7.5	Jan. 6	4.8		May 15	3.5
	Feb. 18	4.0		June 12	6.0
	Mar. 21	3.0		Aug. 8	9.7
	Apr. 25	2.9		Sep. 16	7.9
	May 15	3.2		Oct. 9	7.4
	June 12	4.3		Nov. 13	4.4
	July 6	5.3		Dec. 15	3.5
	Aug. 22	6.3			
	Sep. 16	7.6	C-1265-Q-15	Jan. 6	8.0
	Oct. 9	5.3	6.6	Feb. 18	6.4
	Nov. 13	4.1		Mar. 21	4.4
	Dec. 15	3.6		Apr. 25	5.7
				May 15	6.4
C-1263-Q-14 4.9	Jan. 2	5.0		June 12	9.5
	Feb. 5	4.2		July 10	12.4
	Feb. 26	1.9		Aug. 22	14.2
	Apr. 17	0.8		Sep. 16	11.0
	May 8	1.1		Oct. 9	10.7
	June 4	3.2		Nov. 13	b
	July 2	4.5			

a Measurement from W. W. Hoy.

b Casing sealed.

Measurements from Orange County Flood Control District except as noted.

SOUTH COASTAL BASIN INVESTIGATION  
Records of Ground Water Levels at Wells  
in District "D"



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	
1941			1938			
D-705-F-20 1831.7	Jan. 22	156.0	D-711d-F-20 Cont.	June 17	b 116.0	
	Feb. 5	154.3		July 20	b 126.0	
	Mar. 11	150.4		Aug. 14	b 135.5	
	Apr. 2	143.6		Sep. 21	b 151.0	
	May 1	99.1		Oct. 20	b 160.0	
	June 4	74.0		Nov. 21	b 171.5	
	July 2	77.7		Dec. 15	b 172.0	
	Aug. 13	86.9	1939			
	Sep. 10	104.2	Jan. 14	b 172.3		
	Sep. 24	102.8	Feb. 21	b 175.5		
	Oct. 29	111.9	Mar. 21	b 176.5		
	Nov. 12	108.9	Apr. 21	b 178.3		
	Dec. 11	113.1	May 21	b 186.5		
D-705g-F-20 1840.	Jan. 6	173.0	June 21	b 196.3		
	Feb. 3	168.8	1941			
	Mar. 3	165.7	Apr. 7	b 220.		
	Apr. 7	155.9	May 7	b 139.		
	May 5	101.8	June 7	b 100.		
	June 2	80.8	Oct. 21	b 155.0		
	July 7	87.6	Nov. 6	b 144.0		
	Aug. 4	96.2	Dec. 14	b 153.0		
	Sep. 2	106.0	D-713b-G-20 1545.	Jan. 5	284.7	
	Oct. 7	120.0		Feb. 2	285.9	
	Nov. 3	122.8		Mar. 2	286.4	
	Dec. 1	124.8		Apr. 14	287.4	
	D-707-F-21 1838.0	Jan. 22		326.6	May 4	287.5
Feb. 5		327.6		June 1	285.7	
Mar. 11		325.2		July 6	266.7	
Apr. 2		318.3	Aug. 3	244.0		
May 1		279.0	Sep. 7	215.5		
June 4		257.3	Oct. 5	212.8		
July 2		246.2	Nov. 2	214.7		
Aug. 13		244.4	Dec. 7	219.5		
Sep. 10		248.6	D-716-G-21 1215.	Jan. 6	501.6	
Oct. 2		254.1		Feb. 3	501.6	
Nov. 12		258.3		Mar. 3	501.6	
Dec. 11		260.1		Apr. 7	501.6	
D-711b-F-20 1692.	Oct. 29	a 258.9		May 5	501.6	
				June 2	501.6	
1938				July 7	501.6	
D-711d-F-20 1574.4	Apr. 29	b 131.0				
	May 17	b 120.0				

a Measurement from San Bernardino County Flood Control District.

b Measurement from Los Angeles County Flood Control District.

Measurements from owner except as noted.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
D-716-G-21	Aug. 4	501.6	D-725a-G-21	Apr. 2	400.1
Cont.	Sep. 2	501.6	Cont.	May 1	399.6
	Oct. 13	486.6		June 4	398.3
	Nov. 3	486.6		July 2	398.7
	Dec. 1	486.6		Aug. 13	400.6
				Sep. 10	401.5
D-718a-G-20	Jan. 5	485.3		Oct. 2	401.0
1215.	Feb. 2	483.5		Nov. 12	400.6
	Mar. 2	484.2		Dec. 11	400.1
	Apr. 14	482.6			
	May 4	482.3	D-727-H-21	Jan. 22	368.8
	June 1	482.6	1093.	Feb. 5	368.1
	July 6	485.3		Mar. 11	367.5
	Aug. 3	485.8		Apr. 2	367.0
	Sep. 7	488.8		May 1	366.1
	Oct. 5	490.0		May 15	365.6
	Nov. 2	488.8		June 4	366.0
	Dec. 7	486.5		July 2	367.3
				Aug. 13	369.0
	1939			Sep. 10	370.3
D-721b-G-20	Jan. 10	a 338.2		Oct. 2	372.0
1049.4	Jan. 17	a 338.1		Nov. 12	370.1
	Feb. 15	a 335.2		Dec. 11	369.7
	Mar. 6	a 333.9	D-728-H-20	Oct. 28	b 341.9
	Apr. 4	a 331.7	1032.	Dec. 1	b 319.8
	July 25	a 338.5			
	Oct. 10	a 339.6	D-733-H-20	Oct. 28	b 231.6
			940.6		
	1940				
	Apr. 23	a 328.9	D-734b-H-20	Oct. 29	b 266.0
	Nov. 22	a 337.2	972.9		
	1941		D-735-H-21	Nov. 3	b 225.0
			922.0		
	May 23	a 329.3			
	Nov. 10	a 335.5	D-740-H-20	Nov. 3	b 163.1
			844.		
				1938	
D-723-G-20	Dec. 1	b 391.0			
1115.2			D-740a-H-20	Apr. 10	b 180.8
			881.		
D-725a-G-21	Jan. 22	400.6		1939	
1128.4	Feb. 5	400.1			
	Mar. 11	399.6		Mar. 31	cd

a Measurement from Los Angeles County Flood Control District.

b Measurement from San Bernardino County Flood Control District.

c Can't measure on account of oil.

d Measurement from Chino Basin Protective Association.

Measurements from owner except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1938	
D-740a-H-20	Oct. 24	a 199.0	D-745-I-20	Apr. 10	b 124.9
Cont.	Nov. 3	a 180.0	818.		
	Nov. 3	a 186.0		1939	
	1938			Apr. 5	b 132.0
D-743h-I-19	Apr. 10	b 74.8		1941	
771.				Nov. 4	a 125.0
	1940			Nov. 17	a 116.4
	Feb. 4	b 70.6	D-747a-I-21		
			790.		
	1941				
	Jan. 20	b 72.0	D-750a-I-21	Jan. 20	bc 68.3
	Nov. 4	a 72.2	743.5	Nov. 12	a 66.1
	1940		D-751-I-20	Nov. 4	a 81.7
			765.		
D-743z-I-19	Jan. 24	49.9	D-752-I-20	Nov. 12	a 36.5
746.	Feb. 20	47.5	712.5		
	Mar. 20	47.7			
	Apr. 3	46.4	D-753a-I-20	Nov. 4	a 54.7
	May 22	55.9	741.		
	June 26	72.8			
	July 17	77.3	D-753b-I-20	Nov. 12	a 26.2
	Aug. 6	68.6	695.		
	Sep. 24	62.4			
	Oct. 16	60.3	D-754a-I-19	Nov. 10	a 34.9
	Oct. 30	55.9	727.8		
	Dec. 10	53.8			
	1941		D-757a-I-19	Nov. 13	a 37.3
			659.4		
	Jan. 14	49.8	D-759b-I-20	Nov. 13	a 9.8
	Feb. 25	47.9	668.1		
	Mar. 18	46.5			
	Apr. 29	44.7	D-762a-I-21	Nov. 13	a 41.8
	May 23	50.5	692.6		
	June 17	57.5			
	July 23	74.6	D-763-J-21	Nov. 13	a 19.8
	Aug. 6	70.9	653.		
	Sep. 10	60.1			
	Oct. 15	54.4	D-764-J-21	Nov. 14	a 7.8
	Nov. 3	50.0	631.8		
	Dec. 23	47.1			

a Measurement from San Bernardino County Flood Control District.

b Measurement from Chino Basin Protective Association.

c Correction to Bulletin 39-I.

Measurements from Los Angeles County Flood Control District except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
D-766-J-20 603.7	Jan. 2 a Jan. 21 a Feb. 2 a Nov. 14	10.8 11.2 9.2 10.5	D-783-K-21 540.3	Nov. 17	23.8
D-771e-J-20 *	Jan. 22 a Nov. 14	3.2 4.3	D-784-K-21 509.2	Nov. 14	16.7
D-772-J-20 570.6	Nov. 14	3.5	D-784d-K-21 **502.1	Jan. 22 Nov. 14	1.0 0.6
D-773-J-21 587.0	Nov. 13	4.5	D-788-K-21 479.3	Nov. 14	5.2
D-775-J-21 571.0	Nov. 17	7.9	D-801-K-21 564.2	Nov. 17	18.5
D-776c-J-20 555.5	Nov. 17	5.7	D-811a-K-22 592.7	Nov. 17	60.1
D-776e-J-21 573.7	Nov. 17	5.8	D-812-K-22 ***	Nov. 17	31.9
D-777-J-20 550.8	Nov. 14	6.2	D-813-K-22 x	Nov. 17	7.4
D-777a-J-20 535.9	Nov. 14	5.2	D-902a-I-21 751.5	Nov. 12	90.8
D-780-K-20 523.1	Nov. 14	14.4	D-904b-J-21 656.6	Nov. 13	29.6
D-780b-K-20 536.5	Nov. 14	13.7	D-905-J-21 631.4	Nov. 13	14.2
D-781a-K-21 **510.3	Nov. 14	4.2	D-905a-J-21 624.	Nov. 13	13.6
			D-906b-J-21 594.6	Nov. 18	4.5

\* R.P. elevation 583.7 to and including January 22, 1941; then 583.8, from levels by San Bernardino County Flood Control District.

\*\* New elevation; R.P. changed, from levels by San Bernardino County Flood Control District.

\*\*\* Correction to Bulletin 39-I: R.P. elevation should be 564.9, then 562.8 beginning November 17, 1941, from levels by San Bernardino County Flood Control District.

x Correction to Bulletin No. 39-D and following bulletins: R.P. elevation should be 547.4.

a Measurement from Chino Basin Protective Association.

Measurements from San Bernardino County Flood Control District except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
D-906g-J-21 573.	Nov. 17	9.0	D-922-I-22 726.6	Nov. 21	80.1
D-906i-J-21 565.1	Nov. 17	4.5	D-922c-I-22 712.4	Nov. 21	62.1
D-907a-J-22 606.6	Nov. 18	7.2	D-923-I-22 *753.1	Nov. 21	93.4
D-908a-J-22 626.0	Nov. 18	15.0	D-928-I-23 703.0	Nov. 19	55.0
D-909-J-22 659.5	Nov. 18	28.8	D-928a-J-23 681.3	Nov. 19	39.1
D-910-I-22 725.3	Nov. 13	71.9	D-929-J-23 646.6	Nov. 18	43.4
D-913-I-22 *828.6	Nov. 12	150.3	D-929a-J-23 *351.4	Nov. 18	46.2
D-913b-I-22 801.8	Nov. 12	130.2	D-934-I-23 715.2	Nov. 19	59.4
D-914-I-22 779.1	Nov. 12	123.0	D-935-I-23 785.3	Nov. 21	110.5
D-915-I-22 718.3	Nov. 12	68.1	D-936a-I-23 845.4	Nov. 21	137.0
D-918b-J-22 612.1	Nov. 18	10.8	D-940b-J-23 701.5	Nov. 19	63.9
D-918d-J-22 599.8	Nov. 18	28.0	D-968-J-25 719.4	Nov. 26	8.1
D-919c-J-22 627.9	Nov. 18	42.2	D-969-J-25 759.1	Nov. 26	22.0
D-920-J-22 654.7	Nov. 18	29.2	D-975c-I-25 817.6	Mar. 15 a	44.6
				May 17 a	44.2
				July 14 a	44.8
D-921a-J-22 663.4	Nov. 19	27.2		Sep. 20 a	45.7
				Nov. 14 a	46.0

\* New elevation; R.P. changed.

a Measurement from Riverside Cement Company.

Measurements from San Bernardino County Flood Control District except as noted.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
D-975d-I-25 770.7	Mar. 15	12.8	D-986-I-26 *	Jan. 18	58.9
	May 17	14.1		Feb. 17	57.7
	July 14	14.1		Mar. 15	57.1
	Sep. 20	13.9		Apr. 14	56.9
	Nov. 14	13.6		May 17	57.2
				July 14	58.8
D-976a-J-25 760.8	Jan. 18	3.9		Aug. 23	60.2
	Feb. 17	3.0		Sep. 20	60.5
	Mar. 15	2.2		Oct. 15	60.6
	Apr. 14	3.0		Nov. 14	59.2
	May 17	3.7		Dec. 14	58.2
	June 17	4.2			
	July 14	4.6	D-1001b-G-21 1420.3	Feb. 1 b	117.0
	Aug. 23	4.8		Mar. 1 b	106.0
	Sep. 20	4.7		Apr. 1 b	97.0
	Oct. 15	4.6		May 3 b	87.0
	Nov. 14 a	5.2		June 11 b	90.0
	Dec. 14	4.0		July 8 b	98.0
				Aug. 8 b	100.5
D-983c-I-26 851.0	Jan. 18	57.9		Oct. 13 b	110.5
	Feb. 17	57.5		Dec. 4 b	75.0
	Mar. 15	56.7			
	Apr. 14	55.9	D-1001g-G-21 1350.6	Jan. 2 b	76.0
	May 17	55.7		Feb. 1 b	70.0
	June 17	55.5		Mar. 1 bc	63.0
	July 14	55.9		Apr. 1 bc	62.0
	Aug. 23	56.4		May 3 b	62.0
	Sep. 20	56.7		June 11 bc	62.0
	Oct. 15	56.7		July 8 b	62.0
	Nov. 14	57.1		Aug. 8 bc	62.0
	Dec. 14	57.1		Sep. 6 bc	62.0
				Oct. 13 bc	62.0
D-984-I-26 930.9	Jan. 18	92.2			
	Feb. 17	91.7	D-1001i-G-21 1396.1	Jan. 2 b	100.0
	Mar. 15	91.8		Feb. 1 b	93.0
	Apr. 14	90.9		Mar. 1 bc	82.0
	May 17	90.8		Apr. 1 b	74.0
	June 17	91.6		May 3 b	63.5
	Aug. 23	91.6		June 11 bc	69.0
	Sep. 20	91.5		July 8 b	78.0
	Oct. 15	91.6		Aug. 8 bc	85.0
	Nov. 14	91.0		Sep. 6 bc	89.0
	Dec. 14	90.9		Oct. 13 bc	95.0
				Dec. 4 b	52.5

\* R.P. elevation 876.5 to and including July 14, 1941, then 876.8.

a Recently pumped.

b Measurement from owner.

c Tunnel flowing.

Measurements from Riverside Cement Company except as noted.

Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>
	1939				1941		
D-1002-G-21 1269.0	Jan. 11	a	202.9	D-1029-H-23 974.6	Nov. 25	c	226.6
	Mar. 28	b	197.8				
	Apr. 19	b	196.8	D-1030-H-23 862.6	Nov. 25	c	169.2
	May 17	b	195.0				
	1940			D-1031-H-23 902.0	Nov. 25	c	167.0
	July 10	b	165.4		Nov. 25	c	166.5
	Aug. 14	b	163.8	D-1033-H-23 1049.	Nov. 25	c	284.1
	Sep. 18	b	161.2				
	Oct. 16	b	159.7	D-1037-G-23 1194.6	Oct. 30	c	415.2
	Nov. 20	b	158.1				
	Dec. 11	b	156.9	D-1043-H-24 882.9	Nov. 25	c	124.8
	1941			D-1043b-H-24 937.0	Nov. 25	c	170.4
	Jan. 22	b	156.5	D-1044-H-24 959.0	Mar. 25		188.9
	Feb. 5	b	155.9		June 9		188.9
	Mar. 11	b	154.4		Sep. 3		189.3
	Apr. 2	b	153.1		Dec. 8		188.9
	May 1	b	151.1	D-1050-G-24 1165.7	Jan. 13		371.9
	June 4	b	148.8		Mar. 25		371.9
	July 2	b	146.3		June 9		373.1
	Aug. 13	b	146.0		Sep. 3		372.1
	Sep. 10	b	137.1		Dec. 8		372.1
	Oct. 2	b	132.0	D-1050a-G-24 1246.1	Jan. 13		450.5
	Nov. 12	b	119.6		Mar. 25		450.5
	Dec. 11	b	112.7		June 9		449.9
D-1005a-H-21 906.2	Nov. 25	c	191.9		Sep. 3		450.5
					Dec. 8		449.9
D-1007b-H-22 870.8	Oct. 28	c	148.9	D-1052-H-24 1085.5	Jan. 13		294.7
					Mar. 25		295.6
D-1014-G-22 1203.6	Oct. 31	c	422.6		June 9		295.6
					Sep. 3		295.6
D-1022-G-22 *1078.3	Dec. 1	c	330.4		Dec. 8		295.3
D-1024-G-22 1331.3	Oct. 31	c	500.				

\* New elevation; R.P. changed.

a Measurement from Division of Water Resources

b Measurement from owner.

c Measurement from San Bernardino County Flood Control District.

Measurements from Fontana Union Water Company except as noted.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
D-1053-H-24 1025.5	Jan. 13 Mar. 25 June 9 Sep. 3 Dec. 8	239.6 239.1 239.1 239.1 238.7	D-1054-H-25 1110.3	Jan. 13 Mar. 25 June 9 Sep. 3 Dec. 8	303.7 303.1 303.1 303.1 303.1
D-1054c-H-24 961.8	Nov. 25	a 172.7	D-1064a-H-25 1156.9	Jan. 13 Mar. 25 June 9 Sep. 3 Dec. 8	352.3 351.7 351.7 351.7 351.1
D-1055-H-24 979.9	Jan. 13 Mar. 25 June 9 Sep. 3 Nov. 21 Dec. 8	188.2 188.2 188.2 187.8 a 188.1 187.6	D-1064b-H-25 1142.5	Jan. 13 Mar. 25 June 9 Sep. 3 Dec. 8	341.8 341.8 341.8 341.8 341.3
D-1059-G-24 1210.5	Jan. 13 Mar. 25 June 9 Sep. 3 Dec. 8	410.3 410.3 410.9 410.3 409.9	D-1065-H-25 1050.0	Jan. 13 Mar. 25 June 9 Sep. 3 Dec. 8	248.2 248.2 248.0 248.1 247.9
D-1061-G-25 1397.2	Jan. 27 Feb. 14 Mar. 18 Apr. 15 May 15 June 10 July 15 Aug. 15 Sep. 15 Oct. 15 Nov. 13 Dec. 12	574.9 574.9 574.9 574.5 574.3 576.6 574.9 574.7 574.3 574.3 574.7 574.7	D-1066-H-25 1024.5	Nov. 21	a 219.4
			D-1068-H-25 1082.4	Feb. 1 Mar. 1 May 1 July 1 Aug. 2 Sep. 6 Oct. 2 Nov. 11 Dec. 31	b 255. b 251.7 b 251.5 b 251.5 b 250.9 b 254.5 b 251.6 b 251.4 b 251.3
D-1062-G-25 1248.8	Jan. 13 Mar. 25 June 9 Sep. 3 Dec. 8	436.0 435.5 436.0 436.0 435.7	D-1072-G-25 1406.7	Feb. 14 Mar. 18 Apr. 15 May 15 June 16 July 15 Aug. 15 Sep. 15 Oct. 15 Nov. 13 Dec. 12	253.4 251.6 250.3 249.0 247.9 246.9 245.9 244.9 244.3 243.5 242.7
D-1062a-G-25 1236.4	Jan. 13 Mar. 25 June 10 Sep. 3 Dec. 8	430.5 430.5 431.1 431.1 430.5			

a Measurement from San Bernardino County Flood Control District.

b Measurement from owner.

Measurements from Fontana Union Water Company except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
D-1072a-G-25 1409.6	Feb. 14	253.5	D-1088-H-26 1037.6	Jan. 2	b 182.0
	Mar. 18	251.2		Feb. 1	b 181.1
	Apr. 15	250.6		Mar. 1	b 179.7
	May 15	248.8		May 1	b 179.0
	June 16	246.9		July 1	b 200.0
	July 15	246.6		Sep. 6	b 201.1
	Aug. 15	246.0		Oct. 2	b 182.0
	Sep. 15	244.8		Nov. 11	b 180.0
	Oct. 15	243.7		Dec. 31	b 178.3
	Nov. 13	243.2			
	Dec. 12	243.7	D-1091-H-26 869.2	Apr. 14	a 13.2
D-1075-G-25 1180.8	Jan. 13	335.0		June 17	a 13.8
	Mar. 25	335.0		July 14	a 15.8
	June 9	334.6		Aug. 23	a 17.6
	Sep. 3	334.3		Oct. 15	a 18.4
	Dec. 8	333.9	*D-1095-G-26		
D-1075a-G-25 1228.4	Jan. 13	386.1	D-1105-F-21 1684.4	Jan. 22	b 353.1
	Mar. 25	386.1		Feb. 26	b 340.6
	June 9	386.1		Mar. 11	b 337.4
	Sep. 3	385.6		May 1	b 311.5
	Dec. 8	385.2		May 28	b 304.1
				June 4	b 305.5
D-1081-H-26 1105.7	Jan. 18	a 253.4	D-1105e-F-21 1635.	Oct. 29	c 365.5
	Feb. 17	a 253.2			
	Mar. 15	a 253.0	D-1106-F-21 1469.4	Jan. 22	b 170.3
	Apr. 14	a 252.9		Feb. 5	b 166.8
	May 17	a 252.6		Mar. 11	b 159.0
	June 17	a 252.6		Apr. 2	b 150.9
	Aug. 23	a 252.8		May 1	b 142.3
	Sep. 20	a 252.7		May 28	b 135.9
	Oct. 15	a 252.7		June 4	b 138.9
	Nov. 14	a 252.6		July 2	b 140.5
	Dec. 14	a 252.4		Aug. 13	b 143.5
D-1084-G-26 1352.1	Jan. 13	316.5		Sep. 10	b 139.8
	Mar. 25	315.6		Oct. 2	b 139.5
D-1085a-G-26 1346.6	Jan. 13	319.1		Nov. 12	b 130.2
	Mar. 25	317.1		Dec. 11	b 123.1
	June 9	316.1			
	Sep. 3	316.1			
	Dec. 8	314.1			

\* Measurements published in Bulletins 39-H and 39-I do not belong to this well.

a Measurement from Riverside Cement Company.

b Measurement from owner.

c Measurement from San Bernardino County Flood Control District.

Measurements from Fontana Union Water Company except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1940			1941	
D-1107L-F-22 1521.1	May 10	ab 250.0	D-1170b-E-25 1852.9	Jan. 27	56.7
	1941			Feb. 14	55.5
	Jan. 15	ab 250.8		Mar. 18	40.0
	Oct. 30	b 235.4		Apr. 15	33.1
D-1108-F-22 1594.	Oct. 30	b 291.7		May 15	34.6
D-1116a-F-22 1900.	Nov. 30	b 257.1		June 16	38.6
				July 15	42.6
				Aug. 15	43.0
				Sep. 15	43.9
				Oct. 15	45.3
				Nov. 13	46.3
				Dec. 12	47.4
D-1161-E-25 2242.2	Feb. 14	63.4	D-1181-F-26 1591.1	Feb. 14	152.9
	Mar. 18	36.8		Mar. 18	135.7
	Apr. 15	37.9		Apr. 15	100.6
	May 15	50.1		May 15	62.3
	June 16	70.9		June 16	59.9
	Aug. 15	67.6		July 15	66.2
	Sep. 15	72.1		Aug. 15	70.1
	Oct. 15	75.5		Sep. 15	74.3
	Nov. 13	77.5		Oct. 15	76.7
	Dec. 12	78.2		Nov. 13	71.3
				Dec. 12	76.1
D-1162a-E-25 2066.3	Feb. 14	89.5	D-1181c-F-26 1571.8	Jan. 24	0.7
	Mar. 18	45.8		Feb. 14	0.5
	Apr. 17	44.5		Mar. 18	0.5
	May 15	50.5		Apr. 15	0.5
	June 16	71.9		May 15	0.5
	July 15	72.2		June 16	0.5
	Aug. 15	74.9		July 15	0.6
	Sep. 15	85.3		Aug. 15	0.8
	Oct. 15	92.9		Sep. 15	0.5
	Nov. 13	98.2		Oct. 15	0.6
	Dec. 12	100.8		Nov. 13	0.5
				Dec. 12	0.5
D-1164-E-25 1805.	Jan. 13	152.5	D-1182b-E-26 1593.9	Jan. 25	200.8
	Mar. 25	154.8		Feb. 14	200.4
	June 9	107.6		Mar. 18	193.9
	Sep. 3	130.0		Apr. 15	177.8
	Dec. 8	149.1		May 15	162.1
D-1165-F-25 1620.	Jan. 13	332.9		June 16	144.8
	Mar. 25	334.8		July 15	133.0
	June 9	337.0		Aug. 15	127.2
	Sep. 3	339.5		Sep. 15	124.9
	Dec. 8	316.5			

a Idle one hour; owner measurement.

b Measurement from San Bernardino County Flood Control District.

Measurements from Fontana Union Water Company except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
D-1182b-E-26	Oct. 15	124.1	D-1188a-F-26	Sep. 15	12.4
Cont.	Nov. 13	123.2	Cont.	Oct. 15	12.8
	Dec. 12	122.0		Nov. 13	7.2
				Dec. 12	6.1
D-1182c-E-26	Feb. 14	158.4	D-1188h-F-26	Jan. 29	a 70.8
1550.5	Mar. 19	143.4	1496.4	Mar. 6	a 69.2
	Apr. 15	131.3		Apr. 15	a 69.3
	May 15	114.6		Oct. 13	a 71.0
	June 16	100.7		Nov. 17	a 65.0
	July 15	93.8		Dec. 16	a 61.3
	Aug. 15	92.7			
	Sep. 15	89.2	D-1192c-F-26	Feb. 1	b 36.5
	Oct. 15	87.6	1337.5	Mar. 1	b 9.9
	Nov. 13	86.2		May 1	b 7.0
	Dec. 12	86.2		July 1	bc 24.2
D-1184-E-26	Jan. 29	a 130.3		Nov. 11	b 7.7
1879.0	Mar. 6	a 124.4		Dec. 31	b 5.9
	Apr. 15	a 95.8			
	June 3	a 78.8	D-1253-D-24	Jan. 24	13.8
	Oct. 13	a 71.5	2760.	Feb. 14	14.4
	Nov. 17	a 75.9		Mar. 18	14.7
	Dec. 16	a 79.5		Apr. 15	15.2
				May 15	16.4
D-1188a-F-26	Feb. 14	64.9		June 16	19.1
1456.2	Mar. 18	36.0		July 15	16.0
	Apr. 15	24.0		Aug. 15	16.0
	May 15	14.7		Sep. 15	17.1
	June 16	10.8		Oct. 15	18.0
	July 15	11.1		Nov. 13	18.6
	Aug. 15	13.7		Dec. 12	16.7

a Measurement from San Bernardino Water Department.

b Measurement from owner.

c Pumping.

Measurements from Fontana Union Water Company except as noted.



SOUTH COASTAL BASIN INVESTIGATION  
Records of Ground Water Levels at Wells  
in District "F"





Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
E-2-E-27 1621.9	Jan. 29	156.6	E-6-F-27 Cont.	July 16	18.0
	Mar. 6	151.8		Aug. 31	19.5
	Apr. 15	131.2		Nov. 6	12.3
	June 3	124.7		Dec. 17 a	16.2
	July 16	132.0	E-6b-F-27 1206.2	Jan. 2 b	24.3
	Aug. 26	137.5		Feb. 1 b	16.7
	Oct. 13	141.0		Mar. 1 b	1.5
	Nov. 17	142.2		May 1 b	Flowing
	Dec. 16	142.1		July 1 b	"
E-2a-E-27 1529.8	Jan. 29	170.1		Aug. 2 b	"
	Mar. 6	169.9		Sep. 6 b	"
	Mar. 29	162.5		Oct. 2 b	"
	Apr. 15	151.6		Nov. 11 b	"
	Sep. 6	141.7		Dec. 31 b	"
	Nov. 1	148.6	E-6r-F-27 1247.5	Nov. 18	9.5
	Dec. 16	151.3			
E-4a-F-27 1303.4	Jan. 29	175.1	E-7-G-27 1162.0	Feb. 1 b	67.0
	Mar. 6	174.6		Mar. 1 b	58.1
	Apr. 15	174.0		May 1 b	53.4
	Apr. 25	173.7		Nov. 11 b	52.9
	June 3	172.8		Dec. 31 b	47.9
	July 16	175.2	E-8a-G-27 1200.1	Jan. 30	171.5
	Aug. 26	171.4		Mar. 10	170.9
	Oct. 13	170.8		Apr. 21	169.8
	Nov. 17	169.5		June 5	169.1
	Dec. 16	168.3		July 17	169.0
E-5d-F-27 1290.	Mar. 6	68.3	E-10-E-27 1412.0	Nov. 18	166.1
	Apr. 15	43.3		Dec. 17	165.3
	June 3	34.5		Jan. 29	128.9
	July 16	34.3		Mar. 6	128.9
	Aug. 28	36.2		Mar. 29	129.2
	Oct. 13	37.6		Apr. 15	129.0
	Nov. 18	34.2		June 3	126.2
E-5e-F-27 1258.4	Dec. 16	32.1		July 16	123.6
	Jan. 29	136.8		Aug. 26	121.1
	Mar. 6	136.5		Oct. 13	119.9
	Apr. 15	134.9		Nov. 17	119.6
	Nov. 17	140.9	E-15-G-27 1116.2	Apr. 21	28.7
E-6-F-27 1248.0	Dec. 16	127.8		Sep. 2	36.3
	Mar. 10	34.4		Nov. 18	25.4
	Apr. 21	14.5			
	June 5	18.1			

a Shut down for one hour.

b Measurement from owner.

Measurements from San Bernardino Water Department except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface, <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
E-22-G-27	Jan. 30	22.8	E-31-G-28	Nov. 17	21.3
1082.9	Mar. 10	21.1	Cont.	Dec. 17	20.8
	Apr. 21	21.0			
	June 5	21.8	E-31a-F-28	Jan. 27	50.5
	July 17	22.5	1133.8	Mar. 7	49.4
	Aug. 28	22.7		Apr. 15	47.5
	Nov. 18	18.7		June 5	45.2
	Dec. 17	17.3		July 16	44.7
E-23-G-27	Jan. 30	21.0	E-34-F-28	Apr. 15	5.2
1070.1	Apr. 21	23.1	1406.6	Aug. 26	7.4
	July 17	26.2		Nov. 17	13.0
	Sep. 2	25.8			
	Dec. 17	16.2	E-34b-F-28	Jan. 29	154.8
E-24-E-28	Apr. 15	6.6	1319.2	Mar. 3	148.5
1483.2	Aug. 26	8.2		Apr. 15	131.0
	Nov. 17	10.4		June 3	130.2
E-26-F-27	Jan. 29	73.0		July 16	132.6
1171.9	May 23	65.2		Aug. 26	136.2
	Nov. 17	64.3		Oct. 13	139.3
				Nov. 17	140.6
				Dec. 16	141.3
E-27-F-28	Jan. 29	39.5	E-35c-F-28	Jan. 29	115.2
1110.1	Apr. 22	37.2	1227.0	Mar. 3	113.5
	Aug. 28	34.4		Apr. 15	105.3
	Nov. 14	33.3		June 3	96.7
E-29-G-28	Jan. 25	+65.3		July 16	98.2
1031.3	Feb. 27	+67.0		Aug. 26	101.2
	Mar. 14	+71.0		Oct. 13	102.8
	June 2	+65.8		Nov. 17	101.6
	July 19	+49.1		Dec. 16	101.0
	Aug. 26	+56.0	E-36-F-28	Jan. 27	64.7
	Nov. 13	+70.5	1160.2	Mar. 7	62.8
	Dec. 18	+73.3		Apr. 15	58.4
E-29b-G-27	Jan. 30	+2.1		June 5	55.3
1047.5	Mar. 11	+3.7		Aug. 28	61.0
	Apr. 21	+3.7		Nov. 17	55.7
	July 17	0.7		Dec. 16	54.8
	Sep. 2	0.4	E-37-F-28	Jan. 27	31.6
	Nov. 18	+7.5	1130.1	Mar. 7	29.3
E-31-G-28	Jan. 29	26.1		Apr. 15	25.3
1092.9	Mar. 7	24.8		June 2	27.1
	Apr. 15	23.6		July 16	37.7
	June 5	22.5		Aug. 28	37.2
	July 16	22.6		Nov. 17	23.4
				Dec. 16	23.4

Measurements from San Bernardino Water Department.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
E-42-G-28 1055.4	Feb. 1	+39.3	E-49-F-29 1269.8	Jan. 29	136.1
	Nov. 1	+41.6		Mar. 3	134.7
E-43-G-28 1053.8	Jan. 23	+61.8		Apr. 15	129.7
	Feb. 26	+63.5		June 3	129.0
	Apr. 14	+68.2		July 16	131.8
	June 2	+58.9		Aug. 25	132.0
	July 15	+43.3		Oct. 13	131.0
	Aug. 25	+49.7		Nov. 17	127.9
	Oct. 13	+54.3		Dec. 16	126.6
	Nov. 13	+62.4	E-49d-F-29 1282.5	Jan. 29	145.6
	Dec. 15	+65.8		Mar. 3	143.9
E-44-F-28 1203.8	Jan. 27	86.7		Apr. 15	139.6
	Mar. 3	86.5		June 3	138.0
	Apr. 15	85.3		July 15	137.7
	June 3	81.7		Aug. 25	140.2
	July 16	77.0		Oct. 13	140.3
	Aug. 26	73.9		Nov. 17	139.5
	Oct. 13	72.5		Dec. 16	135.2
	Nov. 17	72.0	E-50a-F-29 1150.1	Jan. 23	19.0
	Dec. 16	71.6		Mar. 3	17.2
E-45e-F-29 1212.5	Apr. 15	77.0		Apr. 14	11.9
	Aug. 26	79.8		July 15	19.9
	Nov. 17	74.5		Aug. 25	18.9
E-46-G-28 1085.5	Jan. 29	7.3		Oct. 13	16.8
	Mar. 7	5.2		Nov. 14	13.0
	Apr. 14	4.3		Dec. 15	11.2
	June 5	3.9	E-51d-G-29 1144.6	Jan. 23	16.4
	July 15	4.5		Mar. 3	13.3
	Aug. 26	4.8		Apr. 14	7.0
	Nov. 14	3.9		June 2	6.8
E-46e-F-29 1112.7	Dec. 17	3.4		July 15	8.7
	Jan. 23	9.4		Aug. 25	10.9
	Apr. 14	7.1		Oct. 13	11.3
	Aug. 25	5.9		Nov. 14	9.5
E-48-G-28 1089.6	Nov. 14	6.4	E-54-F-29 1412.9	Dec. 15	8.5
	Apr. 14	8.4		Jan. 23	244.6
	Aug. 25	12.6		Mar. 3	244.2
	Nov. 13	11.3		Apr. 14	242.1
				June 3	239.0
				July 15	237.5
				Aug. 25	238.0
				Oct. 13	238.2
				Nov. 17	236.1
				Dec. 16	235.4

Measurements from San Bernardino Water Department.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
E-55b-G-29 1284.7	Jan. 23	128.9	E-61d-G-30 1368.2	Jan. 3 b	107.1
	Mar. 3	126.2		Feb. 1 b	107.0
	Apr. 14	119.4		Mar. 5 b	104.3
	Aug. 25	116.4		Mar. 29 b	100.8
	Nov. 17	115.0		Apr. 29 b	96.4
	Dec. 15	114.7		June 4 b	90.1
				July 29 b	84.4
E-56i-G-29 1208.2	Jan. 23	60.0		Sep. 4 b	84.3
	Feb. 26	56.0		Sep. 30 b	85.0
	Apr. 14	43.5		Dec. 1 b	89.2
	June 2	42.5			
	July 15	46.0	E-62a-G-30 1541.6	Jan. 23	214.9
	Aug. 25	48.8		Mar. 3	211.4
	Oct. 13	51.4		Apr. 14	198.4
	Nov. 14	49.8		June 3	180.4
	Dec. 15	48.9		July 15	172.7
				Aug. 25	174.0
E-57-G-29 1219.5	Jan. 23	56.2		Oct. 13	179.9
	Feb. 26	40.6		Nov. 14	184.7
	Apr. 14	30.3		Dec. 15	188.6
	June 2	31.4			
	July 15	37.8	E-57h-I-26 *862.6	June 17 c	6.6
	Aug. 25	42.9		July 14 c	9.1
	Oct. 13	47.2		Aug. 23 c	12.0
	Nov. 14	45.9		Sep. 20 c	12.7
	Dec. 15	45.3		Oct. 15 c	13.0
				Nov. 14 c	12.5
E-59-G-29 1239.1	Jan. 23	67.3		Dec. 14 c	6.0
	Mar. 3	57.8			
	Apr. 14 a	46.2	E-68g-I-26 830.	Jan. 3 d	12.5
	June 2 a	46.4		Feb. 4 d	11.3
	July 15 a	49.4		Mar. 5 d	9.2
	Aug. 25	53.3		Apr. 2 d	9.8
	Oct. 13	57.4		May 7 d	9.8
	Nov. 14	57.7		June 3 d	9.9
	Dec. 15	58.3		July 2 d	11.2
				Aug. 4 d	12.5
E-59a-G-30 1263.6	Apr. 14	70.3		Sep. 2 d	13.5
	Aug. 25	68.7		Sep. 30 d	13.2
	Nov. 14	71.0		Nov. 4 d	12.2
				Dec. 1 d	11.3

\* New elevation; R.P. changed.

a Shut windmill down to measure.

b Measurement from San Bernardino Valley Water Conservation District.

c Measurement from Riverside Cement Company.

d Measurement from Riverside Water Basin Records.

Measurements from San Bernardino Water Department except as noted.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
E-74-I-27	Jan. 18	54.7	E-74i-I-27	Nov. 4 a	105.1
883.0	Feb. 17	54.1	Cont.	Dec. 1 a	104.6
	Mar. 15	53.3			
	Apr. 14	52.6	E-75-H-27	Jan. 18	30.4
	May 17	52.1	921.2	Feb. 17	24.8
	June 17	51.3		Mar. 15	21.2
	July 14	51.3		Apr. 14	20.1
	Aug. 23	51.5		May 17	19.2
	Sep. 20	51.5		June 17	20.1
	Oct. 15	51.7		July 14	21.9
	Nov. 14	51.7		Aug. 23	24.1
	Dec. 14	51.6		Sep. 20	25.3
				Oct. 15	26.3
	1939			Nov. 14	23.9
				Dec. 14	21.3
E-74i-I-27	Nov. 5 a	111.9			
962.9	Dec. 4 a	111.8	E-85-G-27	Jan. 30 b	18.5
			1055.3	Mar. 10 b	16.4
	1940			Apr. 21 b	16.0
				June 6 b	22.1
	Jan. 5 a	111.5		July 16 b	29.3
	Feb. 6 a	111.1		Sep. 2 b	26.0
	Mar. 4 a	110.4		Nov. 18 b	16.7
	Apr. 4 a	109.2		Dec. 17 b	14.0
	May 3 a	108.7			
	June 3 a	108.2	E-90b-H-27	Feb. 17	5.0
	July 1 a	110.4	959.1	Apr. 14	3.6
	Aug. 1 a	108.4		June 17	4.5
	Sep. 5 a	108.8		July 14	5.1
	Oct. 1 a	109.2		Sep. 20	6.8
	Nov. 4 a	110.9		Dec. 14	4.4
	Dec. 3 a	109.8			
	1941		E-93-G-28	Jan. 30 bc	+30.6
			1007.9	July 17 b	+29.4
				Sep. 2 b	+45.6
	Jan. 2 a	109.8		Nov. 18 b	+58.9
	Feb. 3 a	109.1		Dec. 17 b	+60.6
	Mar. 4 a	108.3			
	Apr. 2 a	107.4	E-95-H-27	Mar. 15	85.3
	May 7 a	106.1	1014.9	May 17	81.2
	June 3 a	105.3		June 17	81.2
	July 2 a	105.1		July 14	81.4
	Aug. 4 a	104.9		Sep. 20	82.4
	Sep. 2 a	105.0		Nov. 14	82.2
	Sep. 30 a	105.2			

a Measurement from Riverside Water Basin Records.

b Measurement from San Bernardino Water Department.

c Leak in casing.

Measurements from Riverside Cement Company except as noted.



Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>
	1941				1941		
E-95a-H-27 969.7	Mar. 15	a	36.3	E-104-H-28	Apr. 3		194.1
	May. 17	a	34.6	Cont.	Apr. 29		192.9
	June 17	a	36.0		June 6		195.8
	July 14	a	36.9		July 31		202.4
	Sep. 20	a	40.1		Sep. 4		203.2
	Nov. 14	a	38.8		Oct. 2		203.0
					Dec. 31		193.2
E-97-G-28 1061.6	Feb. 26	b	0.6	E-106c-H-29	Jan. 6		48.9
	Apr. 14	b	Flowing	*	Feb. 4		46.7
	June 2	bc	9.6		Feb. 28		45.0
	July 15	bc	19.0		Apr. 4		42.5
	Aug. 25	bc	22.6		Apr. 29		41.0
	Sep. 29	b	20.2		June 6		43.6
	Nov. 14	b	2.4		July 30		46.2
	Dec. 15	b	Flowing		Sep. 4		46.9
E-102s-H-28 1070.0	Jan. 30	b	+20.2		Sep. 30		46.4
	Mar. 11	b	+22.0				
	Apr. 22	b	+24.3		1942		
	July 18	b	-9.6		Jan. 2		37.5
	Sep. 2	b	-8.6				
	Nov. 19	b	+12.7		1941		
	Dec. 17	b	+18.5				
E-103g-H-28 1132.0	Jan. 6		54.6	E-106f-H-29	Jan. 6		44.0
	Feb. 4		52.0	**	Feb. 3		41.4
	Mar. 6		50.0		Mar. 6		36.8
	Apr. 3		48.2		Apr. 4		34.2
	Apr. 29		47.0		Apr. 28		34.8
	June 6		52.0		June 6		41.6
	July 31		57.3		July 29		48.5
	Sep. 4		66.5		Sep. 30		53.2
	Oct. 2		59.6				
					1942		
	1942				Jan. 2		33.4
	Jan. 4		43.9				
					1941		
	1941			E-107b-H-29	Jan. 6		78.8
E-104-H-28 1310.5	Jan. 6		201.3	1203.5	Feb. 4		76.6
	Feb. 4		198.8		Mar. 6		74.6
	Mar. 6		197.1		Apr. 3		72.4

\* R.P. elevation 1164.1 to and including July 30, 1941; then 1163.9.

\*\* R.P. elevation 1140.8 to and including January 6, 1941; then 1140.9.

a Measurement from Riverside Cement Company.

b Measurement from San Bernardino Water Department.

c Shut down windmill to measure.

Measurements from San Bernardino Valley Water Conservation District except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
E-107b-H-29	Apr. 29	70.9	E-110-H-29	Jan. 4	50.5
Cont.	June 6	76.4	*1206.7	Feb. 4	50.0
	July 30	79.8		Mar. 6	49.5
	Sep. 4	80.4		Apr. 4	48.6
	Sep. 30	79.0		Apr. 28	47.9
	Nov. 2	73.5		June 4	47.6
	Dec. 2	71.1		July 31	47.0
	Dec. 31	68.3		Sep. 4	46.5
				Sep. 29	46.0
E-107d-H-29	Jan. 6	75.8	E-111-H-29	Jan. 6	95.0
1217.8	Feb. 28	73.9	1249.2	Feb. 4	92.3
	Apr. 3	73.1		Mar. 6	91.1
	May 23	71.7		Apr. 2	89.2
	June 6	71.7		Apr. 29	87.4
	July 30	71.9		June 6	86.9
	Oct. 2	71.6		July 31	88.6
	Nov. 17	70.3		Oct. 2	89.5
	Dec. 31	68.8		Dec. 31	84.7
E-109-G-29	Jan. 4	a 20.9	E-111a-H-29	Apr. 4	49.9
1152.4	Feb. 1	a 19.0	1201.8	Apr. 28	48.5
	Mar. 1	a 13.3		Sep. 30	49.4
	Apr. 5	a 2.5			
	May 17	a 1.5		1942	
	June 7	a 3.2		Jan. 2	45.2
	July 5	a 5.8			
	Aug. 2	a 9.7		1941	
	Sep. 6	a 12.9			
	Oct. 4	a 14.7			
	Nov. 1	a 15.0			
	Dec. 6	a 13.8	E-111h-H-29	Jan. 4	57.1
	Dec. 27	a 11.5	1245.5	Feb. 3	56.0
				Mar. 5	55.2
E-109b-G-29	Jan. 4	70.4		Mar. 30	54.0
1255.9	Feb. 3	67.8		Apr. 28	52.6
	Mar. 6	65.0		May 23	52.8
	Apr. 4	59.0		May 24	52.7
	Apr. 28	57.0		June 6	53.1
	May 23	58.7		July 31	51.9
	June 2	59.6		Sep. 3	51.3
	July 30	64.0		Sep. 29	50.7
	Aug. 30	66.2		Dec. 2	48.4
	Sep. 29	68.0			
	Dec. 1	61.6			
	Dec. 29	60.2			

\* New elevation; R.P. changed.

a Measurement from Gage Canal Company.

Measurements from San Bernardino Valley Water Conservation District except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1942	
E-113-G-29 *	Jan. 3	80.9	E-119a-H-30 Cont.	Jan. 2	143.0
	Jan. 24	81.3			
	Feb. 3	81.0		1941	
	Mar. 5	78.1			
	Apr. 4	69.2			
	Apr. 28	65.1	E-120-H-30 1522.8	Jan. 2	116.7
	July 30	72.1		Feb. 4	116.2
	Sep. 4	75.6		Feb. 28	115.6
	Sep. 29	77.9		Apr. 2	113.6
	Dec. 29	74.8		Apr. 28	114.0
E-114-H-29 **	Jan. 3	105.0		June 4	115.5
	Feb. 4	103.0		July 29	114.4
	Mar. 5	101.4		Sep. 4	114.7
	Mar. 29	99.0		Sep. 29	114.8
	Apr. 28	97.0		Dec. 31	113.2
	June 6	98.1	E-122-I-30 1513.3	Jan. 6	68.0
	July 31	100.3		Apr. 2	66.7
	Sep. 3	101.8		July 31	64.8
	Sep. 30	102.9		Oct. 2	64.4
	Dec. 29	95.5		Dec. 31	64.1
E-117-I-30 ***1438.6	Apr. 2	64.1	E-122k-I-30 1553.1	Feb. 5	b 77.8
	June 6	62.3		July 29	b 63.2
	July 31	64.7		Dec. 2	b 69.5
	Oct. 2	64.4			
	Dec. 31	60.8	E-123c-H-30 1521.0	Jan. 1	204.0
E-118a-G-30 1346.7	Jan. 3	a 99.6		Feb. 1	203.8
	Feb. 3	a 97.5		Feb. 28	203.5
	Mar. 5	a 94.1		Mar. 30	202.3
	Mar. 29	a 88.2		May 1	200.3
	Apr. 29	a 82.0		May 25	199.6
	June 4	a 80.2		July 27	202.8
	July 29	a 81.8		Sep. 3	201.3
	Sep. 4	a 84.0		Sep. 29	201.2
	Oct. 2	a 85.6		Dec. 1	197.0
	Dec. 1	a 87.3	E-124-H-30 1608.5	Jan. 2	65.8
E-119a-H-30 1397.7	Feb. 1	151.9		Feb. 4	62.2
	Feb. 28	150.1		Feb. 28	61.4
	Mar. 30	145.5		Apr. 2	60.6
	May 1	140.8		Apr. 28	60.0
	June 1	142.4		June 4	60.4
				July 29	60.8

\* R.P. elevation 1292.4 to and including July 30, 1941; then 1293.1.

\*\* R.P. elevation 1321.9 to and including January 3, 1941, then 1320.9.

\*\*\* New elevation; R.P. changed.

a Measurement from San Bernardino Water Department.

b Measurement from Metropolitan Water District.

Measurements from San Bernardino Valley Water Conservation District except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
E-124-H-30 Cont.	Sep. 4	60.9	E-128-H-31 1710.5	Jan. 3	98.2
	Sep. 29	60.3		Feb. 1	84.9
	Dec. 2	58.4		Feb. 28	82.2
	Dec. 31	57.6		Apr. 4	80.0
E-125-H-30 1743.9	Jan. 2	182.4		May 1	78.7
	Apr. 2	181.5		June 1	78.9
	July 29	180.6		July 29	75.3
	Sep. 29	180.8		Sep. 4	75.3
E-127-H-31 1907.0	Jan. 3	83.5	E-130-I-31 1909.2	Dec. 1	75.7
	Feb. 1	82.7			
	Feb. 28	79.7		1940	
	Apr. 4	71.9	E-131e-H-32 2201.0	Nov. 8	35.5
	May 1	64.1			
	June 1	58.5		1941	
	July 29	58.1		Jan. 3	24.1
	Sep. 29	60.7		Feb. 1	19.3
	Dec. 1	63.6		Feb. 28	15.8
E-127a-H-31 1724.8	Jan. 3	131.1		Apr. 4	10.5
	Feb. 1	132.6		May 1	10.4
	Mar. 5	133.9		June 1	9.8
	Apr. 4	133.9		July 29	14.7
	May 1	132.4		Sep. 4	19.3
	June 1	131.0		Dec. 1	20.0
	July 29	120.0	E-132-I-31 2131.8	Apr. 3	a 123.9
	Sep. 29	112.4		Oct. 3	a 125.8
	Nov. 2	108.4	E-133-I-31 2097.8	Apr. 3	a 106.2
	Dec. 1	107.8		Oct. 3	a 131.6
E-127b-G-31 1765.7	Apr. 4	192.3	E-136-I-32 2293.8	Apr. 3	a 70.7
	May 1	187.2		Oct. 3	a 75.7
	June 1	177.9	E-136c-I-32 2360.1	Feb. 5	b 138.6
	July 29	166.6		Apr. 3	a 137.1
	Sep. 4	163.2		July 8	a 141.7
	Dec. 1	162.6		July 29	b 143.5
E-127d-H-31 1836.2	Feb. 1	75.6		Oct. 3	a 146.2
	Feb. 28	75.2		Dec. 2	b 140.6
	Apr. 4	74.5	E-136f-I-32 2424.7	Apr. 3	a 189.6
	May 1	70.4		Oct. 3	a 201.5
	June 1	68.7	E-136i-I-32 2392.6	Apr. 3	a 165.2
	July 29	62.6		Oct. 3	a 175.4
	Sep. 4	62.2			
	Sep. 29	65.2			
	Dec. 1	78.6			

a Measurement from P. E. Hicks.

b Measurement from Metropolitan Water District.

Measurements from San Bernardino Valley Water Conservation District except as noted.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1940			1941	
E-137-H-32 *2653.5	Oct. 4	a 222.3	E-147c-L-21 Cont.	Mar. 11	1.1
	1941			Apr. 15	0.8
	Apr. 3	a 222.2		May 13	0.9
E-138-I-32 2419.8	Apr. 3	a 181.7		June 22	0.8
	Oct. 3	a 186.2		July 19	1.6
E-138b-I-32 2471.3	Apr. 3	a 229.0		Aug. 23	1.4
	Oct. 3	a 227.8		Sep. 20	1.4
E-138f-I-33 2523.2	Apr. 3	a 353.2		Oct. 18	1.0
	Oct. 3	a 354.5		Nov. 15	0.9
E-139-H-32 2842.1	Apr. 3	a 299.5		Dec. 15	0.5
E-139a-H-32 2816.9	Apr. 3	a 277.3	E-149d-K-22 570.9	Jan. 14	47.8
	Oct. 3	a 286.9		Feb. 13	47.5
E-140-H-33 3107.7	Apr. 3	a 43.2		Mar. 11	46.4
	Oct. 3	a 48.8		Apr. 23	45.0
E-140c-H-33 3338.3	Apr. 3	a 11.3		May 14	45.2
	Oct. 3	a 29.4		June 22	46.0
E-141-I-33 2812.6	Apr. 3	a 61.7		July 19	46.4
	Oct. 3	a 61.8		Aug. 23	47.2
E-147b-K-21 493.6	Jan. 13	3.0		Sep. 20	47.0
	Feb. 13	3.0		Oct. 18	48.6
	Mar. 11	2.1		Nov. 15	47.1
	Apr. 15	2.0		Dec. 15	46.6
	May 13	2.4	E-149i-K-22 587.9	Jan. 2	b 56.4
	June 22	2.4		Feb. 3	b 56.4
	July 19	4.2		Mar. 3	b 56.1
	Aug. 23	4.6		Apr. 1	b 56.1
	Sep. 20	4.5		May 6	b 56.2
	Oct. 18	4.1		June 4	b 56.3
	Nov. 15	2.6		July 1	b 56.5
	Dec. 15	1.9		Aug. 1	b 56.5
E-147c-L-21 **501.8	Jan. 13	2.0		Sep. 2	b 56.5
	Feb. 13	1.5		Sep. 30	b 56.5
			E-150-K-22 601.2	Nov. 3	b 56.7
				Dec. 1	b 56.6
				Jan. 2	b 88.0
				Feb. 3	b 88.1
				Mar. 3	b 87.3
				Apr. 1	b 86.8
				May 6	b 86.9
				June 4	b 87.8
				Nov. 3	b 88.2
				Dec. 1	b 87.7

\* Correction to Bulletin 39-I: R.P. elevation should show as 2653.5 instead of 2563.5.

\*\* New elevation; R.P. changed.

a Measurement from P. E. Hicks,

b Measurement from Riverside Water Basin Records.

Measurements from W. W. Hoy except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
E-150b-K-22 567.0	Jan. 14	57.6	E-153-K-22	Nov. 15	28.1
	Feb. 13	47.4	Cont.	Dec. 15	28.0
	Mar. 11	44.1	E-156-K-23	Jan. 2 a	53.6
	Apr. 23	43.5	641.1	Feb. 3 a	53.7
	May 14	44.0		Mar. 3 a	53.7
	June 22	43.8		Apr. 1 a	53.3
	July 19	43.8		May 6 a	53.0
	Aug. 23	43.7		June 4 a	52.8
	Sep. 20	42.9		July 1 a	52.3
	Oct. 18	43.3		Aug. 1 a	52.1
	Nov. 15	41.1		Sep. 2 a	51.8
	Dec. 15	42.2		Sep. 30 a	51.7
E-151-K-22 529.2	Jan. 2 a	5.9		Nov. 3 a	51.6
	Feb. 3 a	6.7		Dec. 1 a	51.4
	Mar. 3 a	2.0	E-157-K-23	Jan. 2 a	33.9
	May 6 a	3.1	609.2	Feb. 3 a	33.9
	June 4 a	3.7		Mar. 3 a	33.9
	July 1 a	4.2		Apr. 1 a	32.5
	Aug. 1 a	4.9		May 6 a	31.7
	Sep. 2 a	5.0		June 4 a	31.4
	Sep. 30 a	4.6		July 1 a	31.1
	Nov. 3 a	4.1		Aug. 1 a	32.7
	Dec. 1 a	3.8		Sep. 2 a	30.6
E-151f-K-22 555.2	Jan. 14	25.0		Sep. 30 a	30.4
	Feb. 13	26.4		Nov. 3 a	30.2
	Mar. 11	20.0		Dec. 1 a	30.2
	Apr. 23	19.0			
	May 14	20.2		1939	
	June 22	19.8	E-159-K-23	May 22 b	60.0
	July 19	22.8	627.3	July 10 b	59.6
	Aug. 23	23.1		Aug. 7 b	59.9
	Sep. 20	22.7		Sep. 12 b	59.3
	Oct. 18	23.0		Oct. 10 b	59.5
	Nov. 15	22.3		Nov. 27 b	58.9
	Dec. 15	22.7		Dec. 27 b	58.7
E-153-K-22 590.7	Jan. 14	32.5			
	Feb. 13	32.4		1940	
	Mar. 11	31.8		Jan. 29 b	58.5
	Apr. 23	30.2		May 6 b	58.0
	May 14	29.8		Aug. 20 b	57.7
	June 22	29.9		Sep. 17 b	57.8
	July 19	29.2		Nov. 4 b	57.7
	Aug. 23	30.6		Nov. 28 b	57.8
	Sep. 20	30.4			
	Oct. 18	29.8			

a Measurement from Riverside Water Basin Records.

b Measurement from Orange County Flood Control District.

Measurements from W. W. Hoy except as noted.



Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>
	1941				1941		
E-159-K-23	Jan. 7	a	57.7	E-172-J-25	July 1		4.9
Cont.	Feb. 18	a	56.8	Cont.	Aug. 1		5.8
	Mar. 17	a	56.4		Sep. 2		6.3
	Apr. 9	a	56.4		Sep. 30		6.4
	May 15	a	55.2		Nov. 3		6.2
	June 11	a	54.1		Dec. 1		6.4
	July 9	a	52.8				
	Aug. 19	a	51.8	E-174-K-25	Jan. 2		25.0
	Sep. 16	a	52.8	753.	Feb. 3		23.9
	Oct. 21	a	50.9		Mar. 4		22.7
	Nov. 17	a	50.5		Apr. 1		20.9
	Dec. 23	a	49.0		May 6		19.5
					June 4		20.6
E-165d-K-24	Jan. 2		7.9		July 1		22.7
669.4	Feb. 3		6.8		Aug. 1		22.2
	Mar. 3		4.3		Sep. 2		23.2
	Apr. 1		4.1		Sep. 30		22.5
	May 6		4.9		Nov. 3		22.0
	Nov. 3		6.3		Dec. 1		21.4
	Dec. 1		6.0				
				E-175-K-24	Jan. 2		36.8
E-169a-K-24	May 6	a	10.9	757.2	Feb. 3		36.0
723.2	May 16	a	11.3		Mar. 3		34.8
	June 11	ab	21.6		Apr. 1		33.5
	July 10	ab	22.8		May 6		32.3
	Aug. 22	a	14.7		July 1		37.3
	Sep. 19	a	14.8		Sep. 2		37.0
	Oct. 24	a	14.6		Sep. 30		41.2
	Nov. 21	a	12.7		Nov. 3		35.4
	Dec. 30	a	11.4		Dec. 1		35.3
E-169c-K-24	May 6	a	6.7	E-176-K-24	Jan. 2		51.2
712.1	May 16	a	7.3	734.2	Feb. 3		50.2
	June 11	a	8.4		Mar. 3		49.4
	July 10	a	9.3		Apr. 1		47.8
	Aug. 22	a	10.2		May 6		46.6
	Sep. 19	a	10.8		June 4		47.3
	Oct. 24	a	9.0		July 1		49.0
	Nov. 21	a	8.7		Aug. 1		48.3
	Dec. 30	a	7.6		Sep. 2		49.6
					Sep. 30		49.2
E-172-J-25	Jan. 2		4.4		Nov. 3		48.7
734.7	Feb. 3		5.3		Dec. 1		47.5
	Apr. 1		0.8				
	May 6		3.0				
	June 4		4.1				

a Measurement from Orange County Flood Control District.

b Pumping.

Measurements from Riverside Water Basin Records except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
E-178-J-25 779.0	Jan. 2	41.7	E-185-J-25	Sep. 30	44.0
	Feb. 3	41.5	Cont.	Nov. 3	43.8
	Mar. 4	41.1		Dec. 1	43.5
	Apr. 1	40.4			
	May 6	39.9	E-192-J-26	Jan. 18	a 68.4
	June 4	39.9	843.6	Feb. 17	a 67.6
	July 1	39.8		Mar. 15	a 66.9
	Aug. 1	40.1		Apr. 14	a 66.1
	Sep. 2	39.8		May 17	a 66.0
	Sep. 30	39.6		June 17	a 66.4
	Nov. 3	39.6		July 14	a 68.6
	Dec. 1	39.6		Aug. 23	a 69.4
				Sep. 20	a 68.2
E-179c-K-25 766.	Jan. 2	24.5		Oct. 15	a 68.0
	Feb. 3	24.2		Nov. 14	a 66.3
	Mar. 4	23.8		Dec. 14	a 65.6
	Apr. 1	22.9			
	May 6	22.5	E-192a-J-26	Jan. 2	8.7
	June 4	22.3	769.4	Feb. 3	8.7
	July 1	22.4		Mar. 4	7.2
	Aug. 1	22.5		Apr. 2	5.6
	Sep. 2	22.6		May 6	5.9
	Sep. 30	22.7		June 4	6.4
	Nov. 3	22.6			
	Dec. 1	22.4		1942	
				Jan. 12	6.8
E-184c-J-25 801.3	Jan. 2	62.3			
	Feb. 3	62.0		1941	
	Mar. 4	61.2			
	Apr. 1	61.1			
	May 6	61.2	E-194-K-26	Jan. 2	112.0
	June 4	61.4	860.	Feb. 3	111.8
	July 1	61.3		Mar. 3	111.5
	Aug. 1	62.0		Apr. 1	110.5
	Sep. 2	61.7		May 6	110.3
	Sep. 30	62.0		June 4	110.6
	Nov. 3	61.6		July 1	110.8
	Dec. 1	61.6		Aug. 1	110.9
				Sep. 2	111.0
E-185-J-25 786.	Jan. 2	45.4		Sep. 30	111.1
	Feb. 3	45.6		Nov. 3	110.8
	Mar. 4	44.4		Dec. 1	110.6
	Apr. 1	43.8			
	May 6	40.8	E-196e-J-26	Jan. 3	86.2
	June 4	43.6	865.8	Feb. 3	85.3
	July 1	43.7		Mar. 5	83.3
	Aug. 1	43.8		Apr. 2	83.7

a Measurement from Riverside Cement Company.

Measurements from Riverside Water Basin Records except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
E-196e-J-26 Cont.	May 7	82.8	E-207a-J-27 996.5	Jan. 2	176.0
	June 3	83.2		Feb. 3	172.2
	July 2	83.2		Mar. 4	171.9
	Aug. 1	84.2		Apr. 2	171.6
	Sep. 2	84.5		May 7	171.5
	Sep. 30	84.3		Aug. 4	175.3
	Nov. 3	83.6		Sep. 30	175.0
	Dec. 1	82.9		Nov. 3	170.8
				Dec. 1	170.5
E-201d-I-27 907.1	Jan. 2	79.6	E-223c-J-30 1712.0	July 29 a	57.7
	Feb. 3	79.4		Dec. 2 a	57.2
	Mar. 4	78.8	E-225b-J-31 1878.3	July 29 a	38.2
	Apr. 2	78.3		Dec. 2 a	37.9
	May 7	77.4	E-225c-J-31 *1919.0	July 29 a	47.2
	June 3	77.2		Dec. 2 a	46.8
	July 2	77.0	E-227-J-31 2052.6	Dec. 2 a	71.4
	Aug. 4	76.9			
	Sep. 2	76.8			
	Sep. 30	76.9			
	Nov. 4	76.8			
	Dec. 1	76.4			
E-201g-J-26 896.9	Jan. 2	109.2	E-229-I-32 2287.1	Apr. 3 b	72.2
	Feb. 3	106.4		Oct. 3 b	76.4
	Mar. 4	105.6	E-232-J-32 2387.1	Jan. 4 b	171.6
	Apr. 2	105.2		Oct. 4 b	171.0
	May 7	103.9	E-232a-J-32 2267.2	Jan. 4 b	51.4
	June 3	103.8		Arr. 9 b	51.7
	July 2	102.7		July 8 b	50.1
	Aug. 4	104.9		Oct. 4 b	50.7
	Sep. 2	105.1	E-232b-J-32 2288.0	Jan. 4 b	74.4
	Sep. 30	104.9		Apr. 9 b	73.4
	Nov. 3	103.8		July 8 b	73.3
	Dec. 1	103.6		Oct. 4 b	73.7
E-202-J-26 941.1	Jan. 2	155.5	E-232e-I-32 2483.9	Apr. 3 b	221.0
	Feb. 3	154.5		Oct. 3 b	221.5
	Mar. 4	153.8	E-233-J-32 2249.4	Apr. 9 b	33.9
	Apr. 2	153.0			
	May 7	152.1			
	June 3	152.6			
	July 2	153.0			
	Aug. 4	153.5			
	Sep. 2	153.7			
	Sep. 30	153.6			
	Nov. 3	152.6			
	Dec. 1	151.9			
				1942	
				Jan. 6 b	40.0

\* Correction to Bulletins No. 39-H and 39-I: R.P. elevation 1919.0.

a Measurement from Metropolitan Water District.

b Measurement from P. E. Hicks.

Measurements from Riverside Water Basin Records except as noted.

Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1941			1941	
E-233d-J-32 2333.8	Jan. 4	85.8	E-241-J-33 2491.2	Jan. 4	225.9
	Apr. 9	84.5		Apr. 9	222.3
	July 8	84.4		July 8	222.5
	Oct. 4	85.5		Oct. 4	220.9
E-233e-J-32 2270.0	Apr. 9	50.4	E-242-K-33 2432.7	Feb. 13	a 93.0
	Oct. 4	94.1		June 25	a 90.6
	1942		F-243g-J-33 2854.5	Feb. 10	a 38.6
	Jan. 6	68.1		June 24	a 37.1
	1941		E-245-K-33 2608.4	Feb. 3	a 302.5
E-233f-J-32 2299.1	Apr. 9	46.1		June 24	a 302.7
	July 8	46.5	E-249-J-34 2943.4	Feb. 10	a 65.6
	Oct. 4	47.8		June 24	a 64.9
E-234-J-32 2199.5	Jan. 4	29.6	E-267-L-21 485.2	Jan. 13	c 2.3
	Apr. 9	27.5		Feb. 13	c 2.4
	July 8	26.9		Mar. 11	c 3.2
	Oct. 4	29.2		Apr. 15	c 2.5
E-236-J-33 2349.0	Jan. 4	94.7		May 13	c 2.1
	Apr. 9	93.4		June 22	c 1.9
	July 8	92.3		July 19	c 2.0
	Oct. 4	94.2		Aug. 23	c 2.2
E-237-K-33 2336.8	Feb. 3	a 46.0		Sep. 20	c 2.1
	June 25	a 45.7		Oct. 18	c 1.8
E-239-J-33 2658.9	Jan. 4	5.3		Nov. 15	c 1.9
	Apr. 9	b 1.5	E-268b-L-21 *512.4	Dec. 15	c 1.3
	July 8	2.0		Jan. 13	c 10.4
	Oct. 4	3.8		Feb. 13	c 10.2
E-240-J-33 2590.5	Jan. 4	325.7		Mar. 11	c 9.5
	Apr. 9	325.6		Apr. 15	c 9.0
	July 8	325.4		May 13	c 9.6
	Oct. 4	325.9		June 22	c 9.4
E-240d-J-33 2676.2	Jan. 10	a 139.5		July 19	c 9.2
	June 24	a 138.9		Aug. 23	c 9.8
				Sep. 20	c 9.6
				Oct. 18	c 9.5
				Nov. 15	c 10.0
				Dec. 15	c 9.1

\* New elevation; R.P. changed.

a Measurement from Metropolitan Water District.

b Flowing.

c Measurement from W. W. Hoy.

Measurements from P. E. Hicks except as noted.



Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
	1939			1941	
E-269a-L-22 527.8	Apr. 24	10.8	E-270-L-21	Sep. 20	a 96.2
	May 20	10.4	Cont.	Oct. 18	a 94.1
	June 28	11.0		Nov. 15	a 91.6
	Aug. 2	11.6		Dec. 15	a 89.8
	Aug. 29	11.4	E-272-L-22	Jan. 14	a 14.4
	Oct. 5	11.2	*	Feb. 13	a 13.2
	Oct. 30	11.2		Mar. 11	a 8.9
	Nov. 27	11.0		Apr. 23	a 8.5
	Dec. 21	11.0		May 14	a 9.0
	1940			June 22	a 8.7
	Jan. 23	10.6		July 19	a 11.6
	Feb. 14	10.3		Aug. 23	a 12.4
	Mar. 5	10.4		Sep. 20	a 12.1
	Apr. 9	10.4		Oct. 18	a 10.0
	May 6	10.8		Nov. 15	a 8.9
	June 3	11.4		Dec. 15	a 8.5
	Aug. 20	12.5	E-273a-L-22	Jan. 14	a 128.8
	Sep. 23	12.6	662.3	Feb. 13	a 128.1
	Nov. 1	12.6		Mar. 11	a 127.2
	Nov. 14	12.6		Apr. 23	a 126.4
	1941			May 14	a 123.9
	Jan. 15	11.7		June 22	a 124.9
	Feb. 27	11.0		1939	
	Mar. 19	9.5	E-274-L-22	Apr. 6	20.0
	Apr. 9	8.7	555.4	May 16	20.1
	Apr. 29	8.7		June 5	20.5
	May 15	8.8		July 10	21.3
	June 13	9.0		Aug. 7	22.0
	Aug. 19	9.9		Sep. 11	22.0
	Sep. 12	9.6		Oct. 9	21.8
	Oct. 17	9.2		Oct. 31	21.8
	Nov. 14	8.8		Nov. 27	21.7
	Dec. 20	8.4		Dec. 20	21.8
E-270-L-21 612.0	Jan. 13	a 88.4		1940	
	Feb. 13	a 93.4		Jan. 23	21.2
	Mar. 11	a 86.2		Feb. 15	20.5
	Apr. 15	a 87.8		Mar. 5	20.4
	May 14	a 87.3		Apr. 3	20.4
	June 22	a 89.6		May 6	21.0
	July 19	a 89.8		June 3	21.9
	Aug. 23	a 88.6			

\* R.P. elevation 537.5 to and including July 19, 1941, then 537.1.

a Measurement from W. W. Hoy.

Measurements from Orange County Flood Control District except as noted.





Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date	Dist.R.P. to water surface <u>Feet</u>
1935			1940		
E-280d-L-22 635.9	Apr. 10	98.4	E-280d-L-22 Cont.	Jan. 12	84.0
	May 15	99.2		Feb. 14	84.0
	June 11	101.2		Mar. 11	82.4
1937		Apr. 10		82.7	
	Apr. 12	99.4		May 15	83.7
	May 12	97.8		June 7	84.0
	June 2	97.4		July 10	86.5
	July 12	105.0		Aug. 14	88.0
	Aug. 9	104.6		Sep. 11	89.4
	Sep. 15	105.4		Oct. 8	90.3
	Oct. 13	105.3		Nov. 13	90.2
	Nov. 18	103.4		Dec. 12	91.0
	Dec. 14	101.3	1941		
1938				Jan. 13	85.8
	Jan. 13	97.5		Feb. 11	88.1
	Feb. 9	95.7		Mar. 5	87.5
	Mar. 9	93.2		Apr. 9	82.0
	Mar. 23	90.5		May 14	76.3
	Apr. 11	87.8		June 11	75.3
	May 11	81.1		July 10	75.1
	June 15	83.8		Aug. 13	76.3
	July 13	84.3		Sep. 9	76.9
	Aug. 9	84.5		Oct. 14	76.7
	Sep. 13	84.7		Nov. 12	74.0
	Oct. 10	84.2	1942		
	Nov. 9	84.4		Jan. 14	72.6
	Dec. 13	84.4		Feb. 12	74.3
1939			1941		
	Jan. 9	80.6	E-282c-L-22 631.5	Feb. 13	a 77.2
	Feb. 20	80.0		Mar. 11	a 76.6
	Mar. 14	79.3		Apr. 9	a 72.4
	Apr. 10	79.5		May 12	a 67.2
	May 10	79.7		June 11	a 74.9
	July 10	81.4		July 10	a 74.9
	Sep. 12	83.7		Aug. 13	a 75.9
	Oct. 11	84.9		Sep. 9	a 67.2
	Nov. 14	85.9		Oct. 14	a 76.7
	Dec. 13	86.6		Nov. 12	a 65.8

a Measurement from W. W. Hoy.

Measurements from Orange County Flood Control District except as noted.

Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.	Date		Dist.R.P. to water surface <u>Feet</u>
	1941				1941		
E-282f-L-22 629.2	Jan. 14	a	70.8	E-287c-L-23 659.4	Jan. 8		79.0
	Feb. 13	a	70.2		Feb. 18		78.0
	Mar. 11	a	69.4		Mar. 11		74.6
	Apr. 9	a	63.4		Apr. 28		54.2
	May 14	a	57.0		May 16		53.5
	June 11	a	56.4		June 11		54.1
	July 10	a	56.7		July 10		55.0
	Aug. 13	a	56.4		Aug. 22		56.9
	Sep. 9	a	57.6		Sep. 16		58.3
	Oct. 14	a	58.4		Oct. 21		60.7
	Nov. 12	a	57.1		Dec. 30		61.7
E-286c-L-23 *609.9	Apr. 29		13.4	E-291b-L-23 644.8	Jan. 13	a	26.9
	May 16		11.7		Feb. 13	a	21.3
	June 11		13.3		Mar. 11	a	14.0
	July 10		14.6		Apr. 15	a	1.0
	Aug. 22		16.4		May 13	a	0.0
	Sep. 16		17.5		June 22	a	0.5
	Oct. 21	b	21.8		July 19	a	1.8
	Nov. 17		20.3		Aug. 23	a	6.4
	Dec. 23		20.4		Sep. 20	a	8.1
					Oct. 18	a	9.8
	1939				Nov. 15	a	10.2
E-287c-L-23 659.4	Apr. 25		65.6	E-291g-L-23 650.9	Jan. 14	a	37.9
	May 22		65.4		Feb. 13	a	38.7
	July 10		55.5		Mar. 5	a	29.3
	Sep. 11		72.4		Apr. 9	a	8.0
	Oct. 10		72.0		May 14	a	7.5
	Oct. 31		72.4				
	Nov. 28		73.2	E-294-L-23 669.4	Jan. 2	c	26.1
					Feb. 3	c	24.4
	1940				Mar. 3	c	22.2
	Jan. 29		74.3		Apr. 1	c	16.4
	Feb. 15		75.1		May 6	c	13.1
	Mar. 6		74.4		July 1	c	16.4
	Apr. 8		74.7		Aug. 1	c	16.2
	May 8		73.8		Sep. 2	c	16.7
	June 4		75.1		Sep. 30	c	16.1
	July 9		75.3		Nov. 3	c	15.0
	Aug. 23		78.2		Dec. 1	c	14.7
	Nov. 4		79.0				
	Nov. 28		79.4				

\* Corrected R.P. elevation; from levels by Orange County Flood Control District.

a Measurement from W. W. Hoy.

b Pumping.

c Measurement from Riverside Water Basin Records.

Measurements from Orange County Flood Control District except as noted.

Well Number and R.P. Elev.		Date	Dist.R.P. to water surface <u>Feet</u>	Well Number and R.P. Elev.		Date	Dist.R.P. to water surface <u>Feet</u>
		1941				1941	
E-298-L-24 686.1	Jan.	2	20.3	E-298u-L-24 686.4	May	6	a 9.2
	Feb.	3	17.7		Nov.	21	a 10.7
	Mar.	3	14.0		Dec.	30	a 10.3
	Apr.	1	10.2				
	May	6	8.6				
	Nov.	3	10.9				
	Dec.	1	11.3				

---

a Measurement from Orange County Flood Control District.  
 Measurement from Riverside Water Basin Records except as noted.

SOUTH COASTAL BASIN INVESTIGATION  
Records of Ground Water Levels at Wells  
in San Jacinto Valley





## MAP 9

2S3W26A

P.V. 219

Location--1300 feet west and 900 feet north of southeast corner of Section 26, about 2400 feet northwest of intersection of Redlands Boulevard and Locust Avenue.

Reference point--Top of casing at ground.

Elevation of reference point--

Use--Not used.

Depth--

Casing--16 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
June 6 a	76.8	Jan. 23	82.7	Jan. 6	74.6

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

3S4W26A

P.V. 17

Location--150 feet south and 2600 feet east of northwest corner of Section 26. In March Field. At southeast corner Iris Avenue and U.S. Highway 395.

Reference point--(a) Top of concrete block at ground through May 13, 1936, then (b) top of wooden clamp 0.5 foot above ground.

Elevation of reference point--(a) 1534, estimated from 3S4W26B; (b) 1534.5.

Use--Not used.

Depth--

Casing--

Other numbers--U.S.G.S. "New Alessandro".

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1928		1929		1930	
Feb. 21	65.6	May 1 a	66.9	Mar. 4	64.4
June 6	68.1	Sep. 7	65.3	May 21	64.2
Aug. 15	68.5			July 31	64.1
				Dec. 4	63.9

## 3S4"26A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1931		1936		1939	
Mar. 4	63.3	Feb. 7	64.4	Feb. 2 b	60.3
June 12 a	64.6	May 13	61.3	Feb. 14	60.0
Aug. 25 a	65.4	July 31 b	61.7	May 31	59.9
1932		Aug. 12 a	63.8	June 8 b	60.2
Mar. 8	62.8	Oct. 29 b	61.7	Aug. 23	59.9
May 3	62.8	Nov. 5	61.1	Sep. 28 b	60.0
Aug. 10	62.7	Dec. 23 b	60.9	Nov. 15	59.7
Nov. 18	63.0	1937		1940	
1933		Feb. 3	61.2	Jan. 17 b	59.6
Feb. 6	64.0	Mar. 24 b	61.1	Feb. 15	59.4
May 18	62.2	May 7	61.2	Aug. 9 b	59.5
Aug. 4	62.7	June 21 b	61.1	1941	
Nov. 10	62.2	Sep. 15	61.1	Jan. 14 c	59.1
1934		Oct. 4 b	60.5	Apr. 7 b	59.6
Feb. 6	62.0	Nov. 19	60.8	May 14 b	59.4
Dec. 4	61.6	1938		June 18 b	59.2
1935		Jan. 5 b	60.8	July 16 a	59.4
Feb. 26	62.8	Feb. 23	60.6	Sep. 9 b	59.4
May 7	61.6	Mar. 29 b	60.4	Oct. 9 b	59.1
Aug. 6	61.6	May 4	60.4	Nov. 13 b	58.8
Nov. 4 a	61.8	July 13 b	60.6	1942	
		Oct. 22	60.2	Jan. 14 c	58.4
		Nov. 3 b	60.7		

a Windmill pumping.

b Measurement from Metropolitan Water District.

c Measurement from Division of Water Resources.

Measurements from United States Geological Survey except as noted.

## MAP 9

3S4W26B

RIVERSIDE COUNTY

P.V. 17A

Location--130 feet south and 2600 feet east of northwest corner of

Section 26, 20 feet north of 3S4W26A.

Reference point--At ground.

Elevation of reference point--1534.2, from levels by D.W.R.

Use--Abandoned. Depth--87 feet.

Casing--7 inches.

Other numbers--Harding 413, Waring 7.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1915		1922		1925	
Nov.	77.	Apr. 7	73.2	Mar. 12	68.0
		May 16	73.4	May 26	68.0
1920		Aug. 2	75.6	Aug. 25	68.9
		Oct. 27	72.5	Nov. 3	68.0
May 18	80.3			1926	
1921		1923		May 13	67.7
		Feb. 26	67.0	Oct. 26	67.5
Feb. 10	77.1	June 6	68.4		
May 13	78.8	Sep. 17	68.2	1927	
July 25	77.1	Dec. 6	65.8		
Oct. 10	75.0			June 24	66.7
		1924		Oct. 17	67.1
					Filled
		Feb. 26	67.4		
		Aug. 26	69.1		

---

Measurements from United States Geological Survey.

## MAP 9

3S4W36A

P.V. 185

Location--500 feet north and 400 feet west of center of Section 36.

Reference point--Top 8 x 10 inch blocks, 0.8 foot above floor and one foot above ground.

Elevation of reference point--1495.0, from M.W.D.

Use--Domestic. Depth--161 feet.

Casing--10 inches.

## 3S4W36A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1911 a	73.	1941		1942	
1940		Jan. 23 b	95.6	Jan. 24 b	90.5
Mar. 15	92.5				
Aug. 8	92.2				

---

a Measurement by driller.

b Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

3S4W36B

P.V. 39A

Location--200 feet north and 1200 feet east of southwest corner of

Section 36. 200 feet east and 100 feet north of (P.V.39) 3S4W36C.

Reference point--Top of casing, 0.6 feet above ground.

Elevation of reference point--1507.7

Use--Domestic.

Depth--

Casing--10 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 18	124.2	Jan. 24	127.9	Jan. 2 a	133.1
Aug. 8	131.6	Apr. 7	129.4		
		May 14	129.7		
		June 18	130.2		
		July 16	132.0		
		Sep. 9	132.0		

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.



## MAP 9

3S4W36C

WENTWORTH

P.V. 39

Location--100 feet north, 1000 feet east of southwest corner of Section 36, 100 feet north and 100 feet east of corner of Oleander Avenue and Riverside-Perris Highway.

Reference point--(a) Top of clamp two inches above casing through December 2, 1925; then (b) top of casing 1.8 feet above ground.

Elevation of reference point--(a) 1508.3; (b) 1510.1; from levels by D.W.R.

Use--Domestic.

Depth--

Casing--7 inches.

Other numbers--Harding 423.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1924		1937	
Nov. 14	112.8	Oct. 4	113.6	Mar. 24 a	123.4
Nov. 28	113.0			June 21 a	125.2
		1925		Oct. 6 a	124.3
1922		Dec. 2	114.6	1938	
Jan. 12	113.0			Jan. 6 a	122.2
Feb. 7	112.6	1936		Mar. 29 b	
Mar. 20	112.6	Nov. 12 a	128.3		
Apr. 24	112.6	Dec. 23 a	129.4		
May 25	113.1				
June 28	113.1				
July 25	113.1				
Aug. 28	113.0				
Sep. 23	113.3				
Oct. 25	113.0				
Nov. 16	113.2				

a Measurement from Metropolitan Water District.

b Well sealed with concrete.

Measurements from Division of Water Resources except as noted.

## MAP 9

3S3W1A

L. S. BROWN

P.V. 75

Location--350 feet south and 450 feet east of west quarter corner of Section 1, 350 feet south of Grevillea Avenue (State Highway) and 450 feet east of Redlands Boulevard.

Reference point--Top pump base through 1½ inch air line hole south side, 0.5 foot above ground.

Elevation of reference point--1754.5, from M.W.D. topog.

Use--Irrigation. Depth--850 feet. Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 18 a	250.3	Jan. 23	249.3	Jan. 6	249.7

---

a Measurement from Metropolitan Water District.  
Measurements from Division of Water Resources except as noted.

## MAP 9

3S3W2A

P.V. 76

Location--900 feet south and 50 feet west of northeast corner of Section 2, 50 feet west of Redlands Boulevard and 1750 feet north of Grevillea Avenue (State Highway) about two miles north of Moreno.

Reference point--Bottom inside edge of 8 inch elbow at north side of casing 0.5 foot above ground.

Elevation of reference point--1810.5, from M.W.D. topog.

Use--Not used. Depth-- Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1941		1942	
Sep. 27	247.3	Jan. 23 a	248.0	Jan. 5 a	247.8
Nov. 24	247.4	Apr. 7	247.5		
		May 14	247.4		
1940		June 18	247.4		
		July 16	247.5		
Jan. 18	247.5	Sep. 9	247.4		
		Oct. 8	247.6		
		Nov. 14	247.7		

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

3S3W2B

P.V. 80

Location--500 feet south and 50 feet east of west quarter corner of Section 2, 50 feet east of Pettitt Street and 500 feet south of Grevillea Avenue (State Highway).

Reference point--Top edge of  $1\frac{1}{8}$  inch hole in pump base west side of well, 0.5 foot above ground.

Elevation of reference point--1768.5, from M.W.D. topog.

Use--Not used.

Depth--

Casing--

---

Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet
1939			1941			1942		
Sep. 27	a	307.6	Jan. 22	b	314.2	Jan. 6	b	324.6
Nov. 24	a	310.7	Apr. 7		306.2			301
			May 14	a	304.8			
1940								
Jan. 24		310.1						

---

a Pumping one-fourth mile east.

b Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

3S3N6A

A. LAUER

P. V. 64

Location--2000 feet east and 1500 feet north of southwest corner of Section 6, on Sunnymead Subdivision, one-eighth mile west of Indian Avenue and 150 feet north of Fir Avenue.

Reference point--Top of casing at ground.

Elevation of reference point--1620 feet, from M.W.D. topog.

Use--Domestic.

Depth--285 feet.

Casing--6 inches.

---

Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet
1938			1939			1941		
Jan. 5		141.0	June 7		139.7	Jan. 23	a	142.6
Mar. 29		140.0	Sep. 27		140.5			
July 12		140.0				1942		
Nov. 2		140.6	1940					
						Jan. 14	a	139.8
			Jan. 17		140.2			

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

MAP 9

3S3W6B

SUNNYMEAD MUTUAL WATER CO.

P.V. 69

Location--50 feet south and 50 feet east of northwest corner of Section 6, near southeast corner of Ironwood and Heacock Avenue.

Reference point--Opening in top of bent casing two feet above ground.

Elevation of reference point--1652, from M.W.D. topog.

Use--Not used.

Depth--

Casing--12 inches.

Other numbers--Waring 1.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1940		1942	
Jan. 20	162.8	Jan. 17	162.9	Jan. 14 b	162.9
Mar. 29 a	162.5	Aug. 8 a	166.0		
July 12	164.7				
Nov. 2	164.1	1941			
1939		Jan. 23 b	162.9		
		Apr. 7	162.4		
Feb. 1	162.9	May 14	162.3		
June 7	164.2	June 18 a	167.2		
Sep. 27	163.9	July 16 a	167.9		
		Sep. 9	165.5		
		Oct. 8	164.9		
		Nov. 14	163.7		

---

a Pumping nearby.

b Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

MAP 9

3S3W6C

EDGE MONT GARDENS MUTUAL WATER CO.

P.V. 25

Location--1200 feet north and 1050 feet east of southwest corner of Section 6, 1050 feet east of Heacock Avenue and 150 feet south of Fir Avenue in Sunnymead Farm.

Reference point--Top of casing, 3.0 feet above ground.

Elevation of reference point--1617.3, from levels by D.W.R.

Use--Not used.

Depth--300+ feet.

Casing--12 inches.

Other numbers--Harding 409.

---

## 3S3W60 Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1924	
Nov. 12	128.5	Apr. 24	128.3	Oct. 10	180.0
Nov. 28	128.5	May 25	128.4		
		June 28	128.4	1925	
1922		July 25	128.4		
		Aug. 28	128.4	Nov. 17	129.2
Jan. 12	128.4	Sep. 23	128.4		
Feb. 7	128.4	Oct. 25	128.3		
Mar. 20	128.3	Nov. 16	128.3		

Measurements from Division of Water Resources.

## MAP 9

3S3W7A

H. E. WARREN

P.V. 33

Location--200 feet north and 50 feet west of southeast corner of Section 7, at northwest corner of Alessandro Avenue and Judson Street (extension of Perris Blvd.)

Reference point--Top of 4 inch block on casing, 0.3 foot above ground.

Elevation of reference point--1566.0, from levels by D.W.R.

Use--Domestic. Depth--113 feet. Casing--6 inches.

Other numbers--Harding 408.

Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet
1921			1922 Cont'd.			• 1925		
Nov. 12	a	78.8	June 28	ab	79.2	Nov. 17	a	77.2
Nov. 28	a	78.7	July 25	ab	79.3			
			Aug. 28	a	78.3	1936		
1922			Sep. 23	a	78.9	Dec. 23		82.7
			Oct. 25	a	78.7			
Jan. 12	a	78.8	Nov. 16	a	78.8	1937		
Feb. 7	a	78.8						
Mar. 20	a	78.6	1924			Mar. 24		81.8
Apr. 24	a	78.5				June 21		81.7
May 25	a	78.4	Oct. 1	a	77.6	Oct. 4		78.4



## 3S3W7A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1940		1941 Cont'd.	
Jan. 5	78.2	Jan. 17	77.2	Sep. 9	77.0
Mar. 29	77.8	Aug. 8	78.2	Oct. 8	77.0
July 12	82.7			Nov. 14	76.9
Nov. 2	77.2	1941			
1939		Jan. 23 a	79.0	1942	
		Apr. 7	77.3	Jan. 12 a	76.7
Feb. 1	77.6	May 14	77.2		
June 7 b	82.0	June 18	77.8		
Sep. 27	77.4	July 16	77.0		

---

a Measurement from Division of Water Resources.

b Pumping.

Measurements from Metropolitan Water District except as noted.

## MAP 9

3S3W7B

W. B. DAVIS

P.V. 65

Location--800 feet west and 300 feet north of east quarter corner of  
Section 7, 0.15 mile west of Judson Avenue and 200 feet north of  
Cottonwood Avenue.

Reference point--Top of cover plate, 2.2 feet above ground.

Elevation of reference point--1592.2, from M.W.D. topog.

Use--Domestic.

Depth--150 feet.

Casing--8 inches or  
10 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1939		1941	
Jan. 5	105.3	Sep. 27	103.5	Jan. 23 b	105.3
Mar. 29	108.9				
July 12 a	104.6	1940		1942	
Nov. 2	103.9				
		Jan. 17	105.0	Jan. 12 b	104.5
		Aug. 8	106.6		

---

a Pumping.

b Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

3S3W8A

C. MANCZEK

P.V. 302

Location--100 feet south and 600 feet east of northwest corner of  
Section 8.

Reference point--Top of casing, north side, 2.0 feet above ground.

Elevation of reference point--

Use--Irrigation                      Depth--                      Casing--18 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 22	128.2	Jan. 7	126.6		

---

Measurements from Division of Water Resources.

## MAP 9

3S3W11A

MORENO SCHOOL

P.V. 42

Location--200 feet north and 1050 feet west of southeast corner of  
Section 11, 0.2 mile west of Redlands Avenue, 200 feet north of  
Alessandro Avenue.

Reference point--Top of casing, 0.9 foot above ground.

Elevation of reference point--1612.3, from levels by D.W.R.

Use--Domestic.                      Depth--136 feet.                      Casing--

Other numbers--Harding 403.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1924	
Nov. 11	121.3	Jan. 12	121.3	Oct. 1	123.0
Nov. 28	121.4	Feb. 7	121.3		
		Mar. 20	121.2	1925	
		Apr. 24	120.8		
		May 25	121.3	Nov. 19	120.6
		June 28	121.3		
		July 25	121.2		
		Aug. 28	121.1		
		Sep. 23	121.1		
		Oct. 25	121.1		
		Nov. 16	121.1		

---

Measurements from Division of Water Resources.

## MAP 9

3S3W12A

P.V. 88

Location--20 feet east and 350 feet north of the southwest corner of Section 12, 1350 feet east of Redlands Boulevard and 350 feet north of Alessandro Avenue.

Reference point--Top of casing in concrete block, west side, 0.8 foot above ground.

Elevation of reference point--1601, from M.W.D. topog.

Use--Not used. Depth--672 feet. Casing--15 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1942	
Sep. 29	107.2	Jan. 18	106.8	Jan. 6 a	107.6
Nov. 24	107.4				
		1941			
		Jan. 22 a	107.0		

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

3S3W13A

HENDRICK ESTATE

P.V. 74

Location--75 feet south and 200 feet east of northwest corner of Section 13, 75 feet south of Alessandro Avenue and 200 feet east of Redlands Boulevard.

Reference point--At 1 inch hole in 21 inch diameter flange resting on 12 inch casing, 1 foot above ground.

Elevation of reference point--1596.4 from levels by M.W.D.

Use--Not used. Depth-- Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Sep. 27	101.9	Jan. 18	101.2	Jan. 22 a	101.4
Nov. 24	101.7	Aug. 9	107.1		
				1942	
				Jan. 6 a	101.8

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

3S3W15A

P.V. 113

Location--900 feet east and 600 feet north of west quarter corner of Section 15, 900 feet east of Nason Street and 600 feet north of Cactus Avenue.

Reference point--Top casing, 0.2 foot above ground.

Elevation of reference point--1550.2 from M.W.D. topog.

Use--Domestic.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1941		1942	
Nov. 24 a	79.8	Jan. 22	77.4	Jan. 6	77.0
1940					
Jan. 13 a	79.5				

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

3S3W15B

P.V. 41A

Location--300 feet west and 150 feet north of center of Section 15, northwest corner of Cactus Avenue and Oliver Street, southwest of Moreno.

Reference point--Top of casing, 0.5 foot above ground.

Elevation of reference point--1538.0, from M.W.D. topog.

Use--Not used.

Depth--

Casing--14 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1939	
Nov. 12	67.6	Jan. 5	66.2	Feb. 1	63.7
		Mar. 29	65.5	June 7	63.5
		July 12	65.4	Sep. 27	63.4
		Nov. 2	64.6	Sep. 27	63.3
				Nov. 24	64.4

## 3S3W15B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 17	62.8	Jan. 22 a	62.5	Jan. 6 a	61.0
Mar. 3	62.8				
Aug. 8	62.6				

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

3S3W15C

MORENO WATER CO.

P.V. 41

Location--150 feet north and 200 feet west of center of Section 15,

northwest corner Cactus Avenue and Oliver Street, southwest of Moreno.

Reference point--Top of casing, 0.3 foot above ground.

Elevation of reference point--1534.8, from levels by D.W.R.

Use--Irrigation.

Depth--480 feet.

Casing--14 inches.

Other numbers--Harding 405.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1925	
Nov. 28	113.6	Jan. 12	87.0	Nov. 17	128.8
		Feb. 7	85.7		
		Mar. 20	84.4		
		Apr. 24	83.5		
		May 25	83.0		
		June 28	82.2		
		July 25	81.8		
		Aug. 28	81.0		
		Sep. 23	80.7		
		Oct. 25	80.1		
		Nov. 15	79.8		

---

Measurements from Division of Water Resources.



## MAP 9

3S3W18A

O. L. BRIDGES

P.V. 289

Location--60 feet south and 75 feet east of center of Section 18, 60 feet south of Cactus Avenue and 75 feet east of Indian Avenue.

Reference point--Top of casing at ground.

Elevation of reference point--

Use--Not used.

Depth--125 feet.

Casing--5 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 23 a	78.7	Jan. 12	78.9		

---

a Pumping nearby.

Measurements from Division of Water Resources.

## MAP 9

3S3W19A

ALICE GRIFFIN

P.V. 34

Location--100 feet south and 500 feet east of northwest corner of Section 19, 100 feet south and 500 feet east of Eschscholtzia Avenue and Heacock Street.

Reference point--Top of casing at ground.

Elevation of reference point--1523.4, from levels by D.W.R.

Use--Domestic.

Depth--100 feet.

Casing--7 inches.

Other numbers--Harding 410.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1925	
Nov. 12 a	62.8	Aug. 28 a	63.4	Nov. 30 a	62.5
Nov. 28 a	62.9	Sep. 23 a	63.5		
		Nov. 16 a	63.2	1936	
1922		1924		Nov. 12	66.7
Jan. 12 a	63.2			Dec. 23	66.7
Feb. 7 a	63.1	Oct. 4 a	63.0		
Mar. 20 a	62.9			1937	
Apr. 24 a	62.8				
May 25 a	62.8			June 21	61.5
June 28 ab	71.0			Oct. 4	61.3
July 25 a	63.7				

## 3S3W19A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1940		1941 Cont'd.	
Jan. 5	62.0	Jan. 17	62.9	June 18	60.4
July 12	76.8	Aug. 8 c	66.4	July 16	60.2
Nov. 2	58.6	Aug. 8	64.3	Sep. 9	60.1
				Oct. 9	60.0
1939		1941		Nov. 13	60.3
Feb. 1	56.6	Jan. 23 a	64.0	1942	
June 7	60.6	Apr. 7	63.0		
Sep. 27	62.5	May 14	61.4	Jan. 12 a	60.8

a Measurement from Division of Water Resources.

b Just finished pumping.

c Pumping intermittently.

Measurements from Metropolitan Water District except as noted.

## MAP 9

3S3W19B

P.V. 63

Location--2500 feet north and 800 feet east of southwest corner of Section 19, one-half mile north of Iris Avenue and 800 feet east of Heacock Avenue.

Reference point--(a) Top of casing, 2.4 feet above ground, through November 16, 1922; then (b) drilled hole in pump base, 1.1 foot above ground.

Elevation of reference point--(a) 1519.0; (b) 1517.7; from levels by D.W.R.

Use--Not used.

Depth--119 feet.

Casing--12 inches.

Other numbers--Harding 411.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 12	69.0	Jan. 12	69.1	July 25	68.9
Nov. 28	69.0	Feb. 7	69.2	Aug. 28	68.8
		Mar. 20	69.1	Sep. 23	68.8
		Apr. 24	69.0	Oct. 25	68.8
		May 25	69.0	Nov. 16	68.8
		June 28	68.9		

## 3S3W19B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1939		1941	
Jan. 5 a	69.0	Feb. 1 a	68.7	Jan. 23	69.3
Mar. 29 a	68.7	Sep. 27 a	68.7		
July 12 a	68.8			1942	
Nov. 2 a	68.8	1940		Jan. 12	68.2
		Jan. 17 a	68.7		
		Aug. 8 a	69.1		

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

3S3W19C

P.V. 56

Location--0.3 mile north, 75 feet east of southwest corner of Section 19,

0.3 mile north of Iris Avenue, 75 feet east of Heacock Street.

Reference point--Top of casing, 1.2 feet above ground.

Elevation of reference point--1508.4, from M.W.D. topog.

Use--Not used.

Depth--90 feet.

Casing--14 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1940	
Nov. 12	68.9	Jan. 5	67.9	Jan. 17	67.3
Dec. 23	68.8	Mar. 29	67.9	Aug. 8	67.1
		July 12	67.7		
1937		Nov. 2	67.8	1941	
Mar. 24	68.1	1959		Jan. 23 a	67.0
June 21	68.1				
Oct. 4	67.9	Feb. 1	67.9		
		June 7	67.6		
		Sep. 27	67.4		

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

3S3W20A

MRS. B. MUNROE

P.V. 66

Location--1300 feet north and 1300 feet east of southwest corner of  
Section 20, one-fourth mile east of Perris Boulevard and one-fourth  
mile north of Iris Avenue.

Reference point--Top of casing, 1.2 feet above ground.

Elevation of reference point--1506.2 from M.W.D. topog.

Use--Domestic.

Depth--

Casing--6 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1939		1941	
Jan. 5	126.4	Feb. 1	128.1	Jan. 22 a	130.8
Mar. 29	126.4	June 7	128.7		
Nov. 2	128.2	Sep. 27	129.9	1942	
		1940		Jan. 6 a	130.4
		Jan. 17	129.6		

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

3S3W20B

P.V. 107

Location--At east quarter corner of Section 20.

Reference point--Top of casing at ground.

Elevation of reference point--1501 from M.W.D. topog.

Use--Domestic.

Depth--

Casing--6 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 18	47.9	Jan. 22 b	49.3	Jan. 6 b	46.2
Mar. 13	47.8				
Aug. 8 a	48.8				

---

a Pumping 1000 feet north.

b Measurement from Division of Water Resources.

Measurements from Metropolitan water District except as noted.



## MAP 9

3S3W20C

T. J. ROSSON

P.V. 38

Location--2300 feet north and 50 feet east of southwest corner of  
Section 20, east side of Perris Boulevard, 2300 feet north of Iris  
Avenue,

Reference point--Top of 10 inch casing, 0.9 foot above ground.

Elevation of reference point--1515.7, from levels by D.W.R.

Use--Domestic. Depth--225 feet. Casing--10 inches.

Other numbers--Harding 414.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1925	
Nov. 12	105.5	Apr. 24	106.2	Nov. 30	113.4
Nov. 28	105.5	May 25	106.3		
		June 28	106.6	1942	
1922		July 25	106.8		
		Aug. 28	107.1	Jan. 12	a
Jan. 12	105.8	Sep. 23	107.2		
Feb. 7	105.9	Oct. 25	107.3		
Mar. 20	106.1	Nov. 16	107.8		

---

a Can't get tape down.

Measurement from Division of Water Resources.

## MAP 9

3S3W22A

HENDRICK ESTATE

P.V. 40

Location--500 feet south and 25 feet east of northwest corner of Section  
22, 500 feet south and 25 feet east of intersection of Eschscholtzia  
Avenue and Nason Street, southwest of Moreno.

Reference point--(a) Top of 12 x 12 at southwest corner of pit, 0.8 foot  
above ground through November 17, 1925; then (b) top of casing 1 foot  
above ground.

Elevation of reference point--(a) 1505.3; (b) 1505.5; from levels by  
D.W.R.

Use--Domestic and irrigation. Depth--509 feet. Casing--20 inches.

Other numbers--Harding 406, Waring 9.

---



## 3S3W22A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1925		1939	
Nov. 12 a	70.1	Nov. 17 a	77.3	Feb. 1	41.8
Nov. 28 a	70.7				
1922		1936		1940	
Jan. 12 a	59.0	Nov. 12	45.4	Jan. 19	40.7
Feb. 7 a	58.0	Dec. 23	45.3	Mar. 13	40.5
Mar. 20 a	57.2			Aug. 8	40.5
Apr. 24 a	56.6	1937			
May 25 a	56.1	Mar. 24	44.7	1941	
June 28 a	55.6	June 21	44.6	Jan. 22 a	39.9
July 25 a	55.2	Oct. 4	44.2	Apr. 7	39.5
Aug. 28 a	54.6			May 14	39.4
Sep. 23 a	54.3	1938		June 18	39.3
Oct. 25 a	54.0			July 16	39.3
Nov. 16 a	53.7	Jan. 5	43.8	Sep. 9	39.1
1924		Mar. 29	43.2	Oct. 8	39.0
		July 12	43.1	Nov. 14	38.9
Oct. 1 a	68.4	Nov. 2	42.5		
				1942	
				Jan. 6 a	38.7

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

3S3W29A

ORLA BRIDGES

P.V. 57

Location--1200 feet south and 100 feet east of northwest corner of  
Section 29, about 1200 feet south of Iris Avenue, 100 feet east of  
Perris Boulevard.

Reference point--(a) Bottom of pump cylinder, 1.5 feet above ground  
through November 16, 1922; then (b) top of casing 0.6 foot above ground.

Elevation of reference point--(a) 1495.57; (b) 1496.5; from levels by  
D.W.R.

Use--Domestic.

Depth--200 feet.

Casing--7 inches.

Other numbers--Harding 415.

---

## 3S3W29A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1936		1939	
Nov. 12 a	95.1	Nov. 12 b	125.8	Feb. 1 b	121.4
Nov. 28	93.0	Dec. 23 b	124.9	June 7 b	121.6
				Sep. 27 b	122.6
1922		1937		1940	
Jan. 12	93.1	Mar. 24 b	118.8		
Feb. 7	93.2	June 21 b	119.0	Jan. 17 b	122.6
Apr. 24	93.1			Aug. 8 b	123.4
May 25	93.6	1938		1941	
June 28	93.6				
July 25	93.8	Jan. 6 b	119.9		
Aug. 28	94.2	Mar. 29 b	119.8	Jan. 22	123.9
Sep. 23	94.4	July 12 b	120.5		
Oct. 25	94.4	Nov. 2 b	121.3	1942	
Nov. 16	94.4				
				Jan. 12	123.1

a Pumping one-fourth mile northwest.

b Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

3S3W30A

R. C. SENGGER

P.V. 62

Location--1000 feet east and 125 feet south of northwest corner of  
Section 30, 0.2+ mile east of Heacock Avenue, 125 feet south of Iris  
Avenue. Old casing 10 feet north of windmill.

Reference point--Top of casing, 2.3 feet above ground.

Elevation of reference point--1503.3, from M.W.D. topog.

Use--Not used.

Depth--

Casing--8 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1939		1940	
Jan. 5	80.1	Feb. 1	83.3	Jan. 17	79.9
Mar. 29	80.8	June 7	81.8	Aug. 8	80.5
July 12 a	83.6	Sep. 27	80.6		
Nov. 2	81.8			1941	
				Jan. 24 b	80.0

a Windmill 10 feet south pumping.

b Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

3S3W30B

P.V. 109

Location--1800 feet south and 200 feet west of north quarter corner of Section 30.

Reference point--Top of casing, 1.2 feet above ground.

Elevation of reference point--1494.2, from M.W.D. topog.

Use--Domestic. Depth--160 feet. Casing--6 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 19 a	115.9	Jan. 23	116.3	Jan. 12 b	116.5

---

a Measurement from Metropolitan Water District.

b Windmill pumping intermittently.

Measurements from Division of Water Resources except as noted.

## MAP 9

3S3W30C

P.V. 203

Location--1000 feet south and 1100 feet west of northeast corner of Section 30.

Reference point--Top of casing, one foot above ground.

Elevation of reference point--1499.0, from M.W.D. topog.

Use--Not used. Depth-- Casing--6 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Mar. 14 a	127.0	Jan. 22	128.1	Jan. 6	129.0

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

3S3W30D

W. E. WILLIAMS

P.V. 35

Location--150 feet south and 100 feet east of northwest corner of  
Section 30, southeast corner Iris and Heacock Streets.

Reference point--Top of platform, 2.0 feet above concrete, 1.5 feet  
above ground.

Elevation of reference point--1503.1, from levels by D.W.R.

Use--Domestic. Depth--100+ feet. Casing--7 inches.

Other numbers--Harding 412.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1924	
Nov. 12	60.0	Apr. 24	57.6	Oct. 4	60.3
Nov. 28	60.8	May 25	58.0		
		June 26	57.8	1925	
1922		July 25 a	58.6		
		Aug. 28	57.4	Nov. 30	62.3
Jan. 12	59.7	Sep. 23	57.7		
Feb. 7	59.1	Oct. 25	57.7		
Mar. 20	58.2	Nov. 16	57.7		

a Pumping light.

Measurements from Division of Water Resources.

## MAP 9

3S3W30E

VALLEY CENTER SCHOOL

P.V. 36

Location--150 feet north and 150 feet east of south quarter corner of

Section 30, at northeast corner of India Street and Mariposa Avenue.

Reference point--Top of casing, 0.7 foot above ground.

Elevation of reference point--1478.3, from levels by D.W.R.

Use--Domestic. Depth--116 feet, Casing--7 inches.

Other numbers--Harding 417.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 12	89.5	Jan. 12	89.5	Apr. 24 a	90.0
Nov. 28	89.5	Feb. 7	89.4	May 25	88.8
		Mar. 20	88.9	June 28	89.1

## 3S3W30E Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1922 Cont'd.		1924		1925	
July 25	89.5	Oct. 1	94.7	Nov. 30	96.9
Aug. 28	89.8				
Sep. 23	90.0				
Oct. 25	90.2				
Nov. 16	90.2				

---

a Pumping.

Measurements from Division of Water Resources.

## MAP 9

3S3W31A

P.V. 36B

Location--50 feet south and 500 feet west of north quarter corner of  
Section 31, 500 feet west of India Avenue, 50 feet south of Mariposa  
Avenue.

Reference point--Top of casing, 1.8 feet above ground.

Elevation of reference point--1479.5, from M.W.D. topog.

Use--Not used.

Depth--140.6 feet.

Casing--8 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1941		1942	
Sep. 27	130.0	Jan. 22	128.1	Jan. 12 a	126.4
		Apr. 7	125.8		
1940		June 18	125.0		
		July 16	126.6		
Jan. 17	129.1	Sep. 9	127.8		
Aug. 8	128.2	Oct. 8	128.1		
		Nov. 14	127.6		

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.



## MAP 9

3S3W31B

P.V. 110

Location--1200 feet west and 1400 feet south of northeast corner of  
Section 31.

Reference point--At pump base, 0.7 foot above ground.

Elevation of reference point--1472, from M.W.D. topog.

Use--Irrigation.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 19 a	124.7	Jan. 22	127.3	Jan. 12	123.5

---

a Measurement from Metropolitan Water District.  
Measurements from Division of Water Resources except as noted.

## MAP 9

3S3W32A

P.V. 22A

Location--0.35 mile north and 225 feet east of southwest corner of  
Section 32.

Reference point--Top of casing, 0.5 foot below ground.

Elevation of reference point--1464, from M.W.D. topog.

Use--Irrigation.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1940		1942	
May	112.	Jan. 17	122.4	Jan. 12 a	119.5
1938		1941			
Jan.	121.	Jan. 22 a	125.1		

---

a Measurement from Division of Water Resources.  
Measurements from Metropolitan Water District except as noted.

## MAP 9

3S3W32B

P.V. 37

Location--1400 feet south and 150 feet east of northwest corner of Section 32, at east side of Perris Boulevard, 1400 feet south of Mariposa Avenue.

Reference point--Top of casing, 1.5 feet above ground.

Elevation of reference point--1472.4, from levels by D.W.R.

Use--Abandoned. Depth--143 feet. Casing--12 inches.

Other numbers--Harding 416.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1924	
Nov. 12	84.8	Apr. 24	82.1	Oct. 1	98.0
Nov. 28	84.6	May 25	83.9		
		June 28	84.9	1925	
1922		July 25	85.5		
		Aug. 28	86.0	Nov. 30	92.8
Jan. 12	83.8	Sep. 23	86.3		
Feb. 7	82.8	Oct. 25	85.1		
Mar. 20	82.0	Nov. 16	84.6		

---

Measurements from Division of Water Resources.

## MAP 9

3S2W7A

S.V. 152

Location--800 feet north and 0.27 mile east of southwest corner of Section 7, 207 feet north of Alessandro Avenue and 1500 feet east of Theodore Street.

Reference point--Top of casing west side, 0.7 feet above ground.

Elevation of reference point--1590.7, from N.W.D. topog.

Use--Domestic. Depth--300+ feet. Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1941		1941 Cont'd.	
Sep. 27	102.8	Jan. 16	102.9	Oct. 8 a	111.4
Nov. 24	107.3	Apr. 18	103.2	Nov. 14	103.1
		May 14	102.6		
1940		June 18	103.0	1942	
		July 16	104.6		
Jan. 17	103.4	Sep. 9	104.8	Jan. 13	102.9

---

a Pumped recently.

Measurements from Metropolitan Water District.

## MAP 9

3S2W8A

S.V. 176

Location--270 feet east and 1500 feet south of northwest corner of  
 Section 8, near northeast side of highway to San Jacinto about three-  
 fourths mile southeast of junction with new Jackrabbit Trail.

Reference point--Top of casing, 1.5 feet above ground.

Elevation of reference point--1676.5, from M.W.D. topog.

Use--Not used.

Depth--

Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1940 Cont'd.		1941	
Feb. 14	147.2	Aug. 23	146.4	Jan. 16	145.8
Apr. 5	147.0	Sep. 17	146.2		
May 14	146.7	Oct. 15	146.2		
June 18	146.8	Nov. 13	146.1		
July 17	146.6	Dec. 17	145.9		

Measurements from Metropolitan Water District.

## MAP 9

3S2W21A

S.V. 303

Location--200 feet west and 700 feet south of north quarter corner of  
 Section 21.

Reference point--Top of casing, 1.7 feet above ground.

Elevation of reference point--

Use--Not used.

Depth--

Casing--10 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1942					
Jan. 13	13.0				

Measurement from Metropolitan Water District.

## MAP 9

3S2W22A

WFAVER

S.V. 107

Location--150 feet north and 500 feet west of the southeast corner of Section 22, 100 feet north of Highway 79, 200 feet east of Jackrabbit Trail.

Reference point--(a) Top of 4 inch casing in concrete block, 0.4 foot above ground through June 24, 1941; then (b) top concrete base, 0.2 foot above ground.

Elevation of reference point--(a) 1510.4; (b) 1510.2; from M.W.D. topog.

Use--Domestic.

Depth--150 feet.

Casing--4 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1939 Cont'd.		1941	
June 16	71.9	Aug. 15	72.1	Jan. 14	73.4
July 4	71.7	Sep. 22	72.3	Feb. 18	73.2
July 27	71.7	Oct. 23	72.3	Mar. 19	73.1
Aug. 15	71.6	Nov. 21	72.4	Apr. 15	72.8
Sep. 17	71.6	Dec. 20	72.4	June 24	72.4
Oct. 10	71.6			Aug. 20	72.8
Nov. 21	71.6	1940		Sep. 9	72.6
Nov. 29	71.7			Oct. 8	72.5
Dec. 12	71.6	Jan. 9	72.4	Nov. 14	72.3
		Feb. 14	72.1	Dec. 12	72.2
1939		Mar. 19	72.1		
		Apr. 17	72.1	1942	
Jan. 17	71.4	May 14	72.2		
Feb. 17	71.4	June 19	72.4	Jan. 13	72.0
Mar. 20 a	71.4	July 17	72.7		
Apr. 10	72.4	Aug. 16	73.0		
Apr. 24	73.2	Sep. 17	73.0		
May 15	72.9	Oct. 15	73.3		
June 16 a	73.2	Nov. 13	73.4		
July 19	72.0	Dec. 20	73.6		
July 21	72.0				

a Windmill pumping slowly.

Measurements from Metropolitan Water District.

## MAP 9

3S2W26A

S.V. 58

Location--500 feet north and 1450 feet west of center of Section 26, 126 feet west of Knoch Road, 800 feet south of Highway 79.

Reference point--Top of casing, 2 feet above ground.

Elevation of reference point--1460.0, from M.W.D. topog.

Use--Not used.

Depth--

Casing--12 inches.

## 3S2W26A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1941	
Aug. 11	41.5	Jan. 18	39.2	Jan. 16	40.1
Oct. 22	41.6	Apr. 11	37.1	Apr. 16	38.9
Dec. 19	41.2	July 26	36.2	May 15	38.7
		Nov. 29	36.1	June 19	39.7
1937				July 15	39.7
		1939		Sep. 10	39.8
Feb. 2	40.2			Oct. 7	39.8
Mar. 29	38.7	Mar. 20	35.1	Nov. 11	39.9
June 22	39.3	July 19	39.6	Dec. 12	39.9
Oct. 7	40.6				
		1940		1942	
		Jan. 9	39.4	Jan. 13	39.9

---

Measurements from Metropolitan Water District.

## MAP 9

3S2W26B

S.V. 159

Location--1000 feet south and 600 feet east of center of Section 26,

300 feet southwest of San Jacinto, Riverside Highway.

Reference point--Top of casing at flange, 0.7 foot above ground.

Elevation of reference point--1426.7, from M.W.D. topog.

Use--Stock.

Depth--

Casing--10 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Jan. 2	9.4	Jan. 16	20.3		

---

Measurements from Metropolitan Water District.



## MAP 9

3S2W29A

S.V. 293

Location--800 feet south and 950 feet west of northwest corner of Section 29, 4000 feet east of Davis Road.

Reference point--Top of 3 inch x 4 inch blocks, 1.6 feet above ground.

Elevation of reference point--1528.1, from M.W.D. topog.

Use--Stock.

Depth--

Casing--4 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
May 28 a	17.2	Jan. 13	15.3		

---

a Windmill pumping.

Measurements from Metropolitan Water District.

## MAP 9

3S2W31A

L.N. 3

Location--0.65 mile north and 65 feet west of the southeast corner of Section 31. At left side of Davis Road,  $2\frac{1}{2}$  miles north of intersection with highway in Lakeview.

Reference point--Top of casing at average ground but 1 foot above road drain ditch in which it is located.

Elevation of reference point--1423.0, from levels by D.W.R.

Use--Not used.

Depth--36 feet.

Casing--10 inches.

Other numbers--Harding 398.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1935	
Nov. 10 a	11.2	May 25 a	5.3	June 27	9.9
Nov. 28 a	11.3	June 28 a	6.3		
		July 25 a	6.9	1936	
1922		Aug. 28 a	7.5		
		Sep. 23 a	7.8	Aug. 13 b	12.8
Jan. 12 a	0.05	Oct. 25 a	8.8	Oct. 28	5.0
Feb. 7 a	0.4	Nov. 16 a	9.0	Dec. 22 b	4.3
Apr. 24 a	4.0				

## 3S2W31A Continued

Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet
1937			1938			1939		
Jan. 5	c	3.5	Jan. 20	b	5.5	Mar. 22	b	2.3
June 3	b	5.6	Apr. 13	b	3.1	June 8	b	4.7
June 22	b	6.5	July 14		7.3	Sep. 29	b	4.8
Oct. 6		9.7	Nov. 30		11.2			
						1940		
						Jan. 19		1.2
						1941		
						Jan. 20	ab	3.9

a Measurement from Division of Water Resources.

b Water in river channel.

c Water standing in ditch outside casing, 0.3 foot below reference point.

Measurements from Metropolitan Water District except as noted.

## MAP 9

3S2W32A

L.N. 4

Location--0.75 mile north and 1000 feet east of the southwest corner of Section 32.

Reference point--Top of casing, 2.4 feet above ground.

Elevation of reference point--1425.4, from levels by D.W.R.

Use--Test well. Depth--45 feet.

Casing--7 inches.

Other numbers--Harding 401.

Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet
1921			1922			1922 Cont'd.		
Nov. 11	a	11.3	Jan. 12	a	10.7	July 25	a	9.0
Nov. 28	a	11.3	Feb. 7	a	10.3	Aug. 28	a	9.3
			Mar. 20	a	9.2	Sep. 23	a	9.6
			Apr. 24	a	9.0	Oct. 25	a	9.9
			May 25	a	8.8	Nov. 16	a	10.0
			June 28	a	8.9			

## 3S2W32A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1924		1937		1939	
Oct. 7 a	11.0	Jan. 5 b	19.6	Jan. 25	19.2
1925		Mar. 26	19.8	Feb. 22	20.0
		June 3	19.8	Mar. 22	20.1
Dec. 6 a	12.1	June 22	20.0	Apr. 26	20.2
1935		Oct. 6	20.1	May 24	20.3
		1938		June 8	20.4
June 27	19.2			July 29	20.5
Aug. 13 b	19.5	Jan. 20	19.9	1940	
Oct. 28 b	19.7	Apr. 13	19.8		
Dec. 22 b	19.6	July 14	20.2	Jan. 19	20.4
		Aug. 31	20.3	1941	
		Sep. 7	20.3		
		Oct. 5	20.4		
		Nov. 2	20.3	Jan. 20 a	21.0
		Nov. 30	20.3	1942	
		Dec. 28	20.0		
				Jan. 12 a	20.2

a Measurement from Division of Water Resources.

b Water in river channel.

Measurements from Metropolitan Water District except as noted.

## MAP 9

3S2W33A

S.V. 154

Location--800 feet west and 400 feet south of northeast corner of Section 33.

Reference point--Top of casing, 0.3 foot above ground.

Elevation of reference point--1425.6, from M.W.D. topog.

Use--Not used.

Depth--

Casing--12 inches.

Other numbers--Brownland Well.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1942	
Aug. 31	17.2	Mar. 21	17.0	Jan. 13	18.3
Measurements from Metropolitan Water District.					

## MAP 9

3S2W34A

S.V. 264

Location--1300 feet east and 1900 feet north of southwest corner of Section 34, about 300 feet southwest of San Jacinto Road and 5700 feet northwest of Bridge Street.

Reference point--Top casing, 1.6 feet above ground.

Elevation of reference point--

Use--Not used.

Depth--

Casing--16 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 20	21.0	Jan. 13	20.9		

Measurements from Metropolitan Water District.

## MAP 9

3S2W35A

I. F. FACEMIRE

S.V. 93

Location--1300 feet north and 1000 feet west of southeast corner of Section 35, 100 feet west of Bridge Street, 0.7 mile south of the Riverside-San Jacinto highway.

Reference point--(a) Base of pump, 0.3 foot above ground, through February 26, 1923; then (b) top of casing, 0.2 foot below ground through September 17, 1923; then (c) top of concrete curb, 0.5 foot above ground.

Elevation of reference point--(a) 1428.8; (b) 1428.3 (c) 1429.0, from M.W.D. topog.

Use--Domestic.

Depth--

Casing--

Other numbers--Harding 454, U.S.G.S. "Facemire".

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1923	
May 13	0	Apr. 7	Flowing	Feb. 26	Flowing
July 25	8.9	May 11	"	June 6	5.0
Oct. 10	2.0	Oct. 27	"	Sep. 17	6.8
				Dec. 6	Flowing

## 3S2W35A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1924		1931		1937	
Feb. 26	Flowing	Mar. 4	7.9	May 7 a	16.2
Aug. 26	8.6	June 12	28.0	Nov. 19	18.9
		Aug. 26	36.4		
1925				1938	
		1932			
Mar. 12	1.7			Feb. 23	7.0
May 26 a	14.3	Mar. 8	9.6	May 4	1.7
Aug. 25	21.6	May 3	7.0	Oct. 25	2.9
Nov. 3	10.2	Nov. 18	21.4		
				1939	
1926		1933			
				Feb. 21	1.8
May 13	20.6	Feb. 6	10.8	May 31	1.1
Oct. 27	13.2	May 18	16.4	Nov. 18	17.7
June 24	4.5	Aug. 4	44.8		
Aug. 30	21.9	Nov. 10	22.8	1940	
1928		1934		Feb. 15	7.9
				May 16	8.5
Mar. 17	4.5	Feb. 6	11.8	Aug. 23	21.4
June 6	23.4	Dec. 4	20.0		
Aug. 15	27.5			1941	
		1935			
1929				Jan. 15	22.3
		Feb. 26	10.1	Mar. 11	16.7
May 1	15.4	May 4	9.8	May 22	8.9
Sep. 7	30.9			Aug. 20	22.9
		1936		Nov. 7	27.0
1930					
		Feb. 7	16.4	1942	
Mar. 3	9.5				
May 21	14.2			Feb. 18	20.3
July 31	35.5				
Dec. 4	17.8				

---

a Recently pumped.

Measurements from United States Geological Survey.



## MAP 9

3S2W35B

S.V. 122

Location--1100 feet west and 1150 feet north of southeast corner of Section 35.

Reference point--Top of 2 inch casing, 0.9 foot above ground.

Elevation of reference point--1428.8, from M.W.D. topog.

Use--Test well. Depth--22.5 feet.

Casing--2 inches.

Other numbers--Test Well No. 15.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Sep. 12	14.3	Jan. 17	8.5	Jan. 16	9.0
Sep. 13	9.4	Mar. 21	8.5	Feb. 27	8.5
Sep. 15	8.8	May 1	8.5	Mar. 17	7.5
Sep. 19	8.7	June 6	8.6	Apr. 18	6.8
Oct. 2	8.8	July 25	8.9	May 15	5.0
Oct. 12	8.7	Sep. 18	9.1	June 19	5.0
Oct. 23	8.6	Oct. 24	9.2	July 15	5.1
Nov. 1	8.6	Nov. 27	9.2	Sep. 10	7.4
Nov. 15	8.5			Oct. 15	7.4
Dec. 15	8.5			Nov. 11	7.2
				1942	
				Jan. 13	6.9

---

Measurements from Metropolitan Water District.

## MAP 9

4S4W1A

JOHN BOROA

P.V. 43

Location--100 feet south and 700 feet west of center of Section 1, at southeast corner Markam Street and Inland State Highway, Valverde.

Reference point--Top of casing, 1.2 feet above ground.

Elevation of reference point--1504.7, from levels by D.W.R.

Use--Domestic. Depth--93 feet.

Casing--12 inches.

Other numbers--Harding 422, U.S.G.S. 69a.

---

## 4S4W1A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1914		1922		1930	
Apr. 16	46.7	Apr. 7	42.6	Mar. 4	45.2
May 8	46.8	May 16	42.8	May 21	45.5
June 25	47.8	Aug. 2	50.6	July 31	45.4
Aug. 13	47.9	Nov. 16 b	43.8	Dec. 4	45.6
Sep. 15	48.2				
Nov. 20	47.9	1923		1931	
		Feb. 26	43.4	Mar. 4	44.3
1915		June 6	44.2	June 12	44.5
May 23 a	57.9	Sep. 17	44.2	Aug. 26	45.0
Oct. 30 a	53.5				
Oct. 31	47.8	1924		1932	
		Feb. 26	44.2	Mar. 8	45.0
1916		Aug. 26	44.6	May 3	45.2
Feb. 25	46.4	Oct. 4	44.0	Aug. 10	45.7
May 5	48.5			Nov. 18	46.0
Nov. 16	47.8	1925			
		Mar. 12	43.4	1933	
1917		May 26	43.3	Feb. 6	45.9
May 20	47.6	Aug. 25 a	62.1	May 18	46.0
Nov. 25	47.1	Aug. 25 c	45.8	Aug. 4	46.4
		Nov. 3 a	54.8		
1918				1934	
		1926		Feb. 6	46.8
May 4 a	58.5			Dec. 4	47.3
Oct. 13	46.1	May 13	42.9		
		Oct. 27	43.4	1935	
1919		1927		Feb. 26	46.3
May 10 a				May 7	46.1
May 11 a		June 24	43.4	Aug. 6	46.7
Oct. 12	45.8	Oct. 17	43.8	Nov. 4	47.1
1920		1928		1936	
May 18 a	64.8	Feb. 21	43.9	Feb. 7	47.4
Oct. 16	45.4	June 6	44.3	May 13	47.5
		Aug. 15	44.4	Aug. 12	47.8
1921		1929		Nov. 5	48.1
Feb. 10	45.0				
Apr. 22	44.7	May 1 c	45.0		
May 13 a	64.5	Sep. 7	45.2		
July 25 a	61.1				
Oct. 10	45.2				

## 4S4W1A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
Feb. 3	46.8	Feb. 14	45.2	Jan. 15	45.5
May 7	43.7	May 31	45.2	Mar. 18	43.1
Sep. 15	45.0	Aug. 23	46.1	May 22 a	43.4
Nov. 19	45.5	Nov. 15	46.3	Aug. 20	42.8
				Nov. 7 a	46.8
1938		1940		1942	
Feb. 23	46.6	Feb. 15	46.0		
May 4	45.3	May 10 a	51.2	Feb. 18	43.0
Oct. 22	46.4	Aug. 23 a	48.7		

a Pumping.

b Measurement from Division of Water Resources.

c Pumped recently.

Measurements from United States Geological Survey except as noted.

## MAP 9

4S4W12A

BEASLEY

P.V. 26

Location--50 feet south and 100 feet west of the east quarter corner of  
Section 12, 100 feet west of Webster Avenue, 50 feet south of Morgan  
Street.

Reference point--Bottom of plugged hole at east side, 1.6 feet above  
ground.

Elevation of reference point--1488.9, from levels by M.W.D.

Use--Not used.

Depth--

Casing--6 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1934		1935		1936	
Apr. 28	171.0	Jan. 2	170.1	July 13	174.9
May 18	171.2	Jan. 23	173.2	Nov. 12	175.8
Dec. 20	169.7	Feb. 13	172.1	Dec. 23	175.9
		Mar. 6	173.2		
		Mar. 18	172.9		
		Apr. 11	172.7		
		Apr. 30	171.9		

## 4S4W12A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
Mar. 24	173.8	Feb. 1	179.2	Jan. 23	a 183.3
June 21	175.4	June 8	186.2	Apr. 7	182.9
Oct. 5	177.4	Sep. 28	181.7	May 14	182.8
				June 18	183.2
1938		1940		July 16	183.4
Jan. 5	177.8	Jan. 18	181.5	Aug. 28	183.6
Mar. 30	177.9	Mar. 21	181.6	Sep. 9	183.7
July 12	178.5	Aug. 8	183.0	Oct. 9	183.9
Nov. 3	179.6			Nov. 13	183.8
				Dec. 11	183.5
				1942	
				Jan. 14	a 183.2

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S4W12B

WILLIAMS

P.V. 47

Location--50 feet north and 800 feet west of east quarter corner of

Section 12, north side Morgan Street, 800 feet east of Inland Highway.

Reference point--Top of casing, 0.3 feet above ground.

Elevation of reference point--1492.1, from levels by D.W.R.

Use--Abandoned.

Depth--175 feet.

Casing--10 inches.

Other numbers--Harding 421.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1924	
Nov. 14	148.8	Apr. 24	146.7	Oct. 12	146.7+
Nov. 28	148.7	May 25	146.3		
		June 28	146.9	1925	
1922		July 25	147.8		
		Aug. 28	149.0	Dec. 1	146.7
Jan. 12	148.5	Sep. 23	149.6		
Feb. 7	147.8	Oct. 25	150.0	1941	Filled
Mar. 20	147.2	Nov. 16	150.1		

---

Measurements from Division of Water Resources.

## MAP 9

4S3W1A

EDWARD POORMAN

L.N. 13

Location--25 feet north and 300 feet west of the southeast corner of Section 1, 1 mile west of Lakeview, west side of Bernasconi Road, one-half mile north of Bernasconi Hot Springs.

Reference point--(a) Top of casing, 1.9 feet above ground through December 1, 1925; then (b) top of casing 0.5 foot above ground.

Elevation of reference point--(a) 1422.7; (b) 1421.3; from levels by D.W.R.

Use--Stock.

Depth--104 feet.

Casing--7 inches.

Other numbers--Harding 345.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1925	
Oct. 29	13.3	June 20	11.4	Dec. 1	15.4
Nov. 10	13.3	July 21	11.7		
Nov. 26	13.3	Aug. 21	12.1	1936	
		Sep. 20	12.2		
1922		Oct. 24	12.3	Aug. 14 a	21.7
		Nov. 15	12.3	Oct. 23 a	26.4
Jan. 14	12.5			Dec. 21 a	21.7
Jan. 26	12.4	1924			
Feb. 27	11.6			1937	
Mar. 23	11.2	Oct. 12	14.7		
Apr. 21	10.9			Mar. 25 ab	
May 22	11.0				

a Measurement from Metropolitan Water District.

b Well under water - overflow from San Jacinto River.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S3W2A

RAYMOND SMITH

P.V. 23

Location--400 feet south and 1000 feet east of northwest corner of Section 2, about one-half mile north of La Vinta Boulevard.

Reference point--Top well cover, 0.5 foot above ground.

Elevation of reference point--1530.5, from M.W.D. topog.

Use--Irrigation and domestic. Depth--54 feet. Casing--4 x 5 feet dug.



## 4S3W2A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1940	
July 31	52.4	Jan. 5	45.8	Jan. 19	44.0
Oct. 29	50.4	Mar. 29	46.0	Aug. 8	44.5
Dec. 23	50.3	July 12	45.3		
		Nov. 2	44.5	1941	
1937		1939		Jan. 21 a	44.4
Mar. 25	50.4			Apr. 7	44.1
June 21	50.1	Feb. 1	43.5		
Oct. 4	48.4	June 7	43.4	1942	
		Sep. 27	43.9		
				Jan. 14 a	41.8

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S3W3A

LA VINA COMPANY

P.V. 21

Location--1000 feet west and 900 feet north of southeast corner of Section 3, 900 feet north of Martin Avenue, about 2.75 miles east of Ferris Boulevard.

Reference point--Top of casing at ground.

Elevation of reference point--1495, from M.W.D. topog.

Use--Not used.

Depth--

Casing--16 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1940	
July 31	152.2	Jan. 5	153.4	Jan. 19	157.5
Oct. 29	153.4	Mar. 29	153.4	Aug. 8	159.7
Dec. 23	152.7	July 12	163.3		
		Nov. 2	163.6	1941	
1937		1939		Jan. 21 a	164.5
Mar. 25	152.7				
June 21	152.7	Feb. 1	155.3	1942	
Oct. 4	153.3	June 7	155.9		
		Sep. 27	157.8	Jan. 14 a	163.3

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S3W3B

LA VINA COMPANY

P.V. 300

Location--600 feet north and 700 feet west of center of Section 3, 600 feet north of Markham Street and 600 feet east of Main Street.

Reference point--Top of concrete wall west side, 2.0 feet above ground.

Elevation of reference point--

Use--Irrigation.

Depth--

Casing--

Other numbers--Owner #4.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 21	86.2	Jan. 14	84.5		

---

Measurement from Division of Water Resources.

## MAP 9

4S3W5A

P.V. 208

Location--50 feet north and 1000 feet east of south quarter corner of Section 5, 0.7 mile east of Perris Road, 50 feet north of Martin Road.

Reference point--Top screen cover, 1.0 foot above top casing and 1.0 foot above ground surface in drain.

Elevation of reference point--1446.0, from M.W.D. topog.

Use--Not used.

Depth--

Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Mar. 14 a	72.1	Jan. 21	60.7	Jan. 14	52.6
		Jan. 22	63.4		

---

a Measurement from Metropolitan Water District.

Measurement from Division of Water Resources except as noted.

## MAP 9

4S3W5B

ED POORMAN

P.V. 135

Location--In southeast quarter of southeast quarter of Section 5.

Reference point--Top of casing, 2.0 feet above ground.

Elevation of reference point--1448.9, from levels by D.W.R.

Use--Not used.

Depth--76 feet.

Casing--10 inches.

Other numbers--Waring 12, U.S.G.S. 70, Harding 419.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1904		1909		1916	
Dec. 16	32.4	Apr. 3	31.8	July 29	58.3
		July 12	32.2		
1905		Oct. 15	32.6	1917	
Jan. 14	32.0	1910		Nov. 25	67.9
Feb. 22	31.5				
Sep. 22	28.4	Feb. 4	31.3	1918	
Nov. 9	29.0	Aug. 11	33.0		
Dec. 23	29.3			May 4	69.3
		1911		Oct. 13	74.6
1906		Jan. 6	34.7	1919	
Jan. 30	29.3			May 10	75.3
Mar. 16	29.2	1912		Oct. 13	a
May 11	29.6				
Aug. 3	29.9	May 28	57.2	1921	
Sep. 26	30.0	July 29	57.1		
Dec. 20	30.2	Oct. 18	38.9	Nov. 14	b 75.1
				Nov. 28	b 75.0
1907		1913			
Feb. 13	30.3	Oct. 18	49.5	1922	
May 17	30.3				
Aug. 30	30.6	1914		Jan. 13	b 73.5
Dec. 31	30.7			Feb. 7	b 65.4
		Feb. 5	50.1	Mar. 20	b 60.6
1908		June 25	52.3	Apr. 24	b 60.6
		Sep. 16	54.5	May 25	b 61.7
Apr. 22	30.3	Nov. 20	55.2	June 28	b 32.4
June 24	31.2			July 25	b 63.0
Oct. 16	32.5	1915		Aug. 28	b 63.4
Dec. 29	31.6			Sep. 23	b 63.7
		Oct. 30	56.0	Oct. 25	b 64.1
				Nov. 16	b 64.4

a Dry at 76.7.

b Measurement from Division of Water Resources.

Measurements from United States Geological Survey except as noted.

## MAP 9

4S3W6A

FRANK STRONG

P.V. 67

Location--1500 feet north and 50 feet east of southwest corner of  
Section 6. Near intersection of Webster Avenue and Perry Street.

Reference point--Pump base at ground.

Elevation of reference point--1478, from M.W.D. topog.

Use--Irrigation. Depth-- Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Mar. 22	165.7	Jan. 23 a	167.6	Jan. 14 a	169.1
Aug. 8	169.4				

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S3W6B

A. F. NELSON

P.V. 68

Location--700 feet south and 100 feet west of northeast corner of Section  
6, one-eighth mile south of Oleander Street and 100 feet west of  
Perris Boulevard.

Reference point--(a) Top of wood blocks, 1.2 feet above ground through  
January 22, 1941; then (b) top 4 x 4 clamps, south side, 0.5 foot  
above concrete and ground.

Elevation of reference point--(a) 1456.2; (b) 1455.5; from M.W.D. topog.

Use--Domestic. Depth-- Casing--6 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1939		1941	
Jan. 6	70.7	Feb. 1	68.4	Jan. 22 a	73.3
Mar. 29	71.8	June 7	69.4		
July 12	72.9	Sep. 27	69.4	1942	
Nov. 2	67.5				
		1940		Jan. 12 a	69.5
		Jan. 17	71.0		

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.



## MAP 9

4S3W6C

INGENBROD

P.V. 111

Location--0.35 mile north and 200 feet west of southeast corner of Section 6.

Reference point--Top of casing, 0.5 foot above ground.

Elevation of reference point--1456.9, from levels by D.W.R.

Use--Domestic.

Depth--

Casing--6 inches.

Other numbers--Harding 234.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1922		1940		1942	
June 28	92.8	Jan. 19 b	127.2	Jan. 14	125.5
July 25 a	93.2				
Aug. 28	94.0	1941			
Sep. 23	94.5				
Oct. 25	93.3	Jan. 22	130.0		
Nov. 16	92.3				

---

a Pumping light.

b Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S3W7A

JOHN COUDURES

P.V. 280

Location--50 feet south and 300 feet west of east quarter corner of Section 7, 50 feet south of Morgan Street and 300 feet west of Perris Boulevard.

Reference point--Bottom edge pump base, south side under discharge, 0.12 foot above pump house floor and 0.2 foot above ground.

Elevation of reference point--

Use--Irrigation.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 22	139.6	Jan. 14	134.8		

---

Measurements from Division of Water Resources.



## MAP 9

4S3W7B

G. F. DODSON

P.V. 179

Location--In northeast quarter of Section 7, near center of section at northeast corner of road intersection.

Reference point--Top of casing at ground.

Elevation of reference point--1464.2, from levels by D.W.R.

Use--Domestic.

Depth--155 feet.

Casing--10 inches.

Other numbers--Harding 420.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 14 a	137.5	Jan. 12	120.4	July 25	120.2
Nov. 28	121.2	Feb. 7	119.9	Aug. 28	121.1
		Mar. 20	119.3	Sep. 23	121.8
		Apr. 24	118.8	Oct. 25	122.1
		May 25	118.8	Nov. 16	122.2
		June 28	119.2		

a Just finished pumping.

Measurements from Division of Water Resources.

## MAP 9

4S3W9A

COBURN &amp; NICHLE

P.V. 18

Location--One-fourth mile east and 400 feet north of southwest corner of Section 9, 400 feet north of Rider Avenue, 50 feet west of Center Street.

Reference point--Top of concrete pier, 0.7 foot above ground.

Elevation of reference point--1445.7, from M.W.D. topog.

Use--Domestic.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1940	
July 31	155.2	Jan. 5	147.2	Jan. 19	137.9
Oct. 29	153.2	Mar. 29	143.4		
Dec. 23	149.2	Nov. 2	145.3	1942	
1937		1939		Jan. 14 a	133.2
Mar. 25	145.4	Feb. 2	141.0		
June 21	153.0	June 7	143.3		
Oct. 4	152.8	Sep. 27	141.7		

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S3W10A

FAIRVIEW FARMS

P.V. 112

Location--One-fourth mile east and one-eighth mile south of northwest corner of Section 10, 50 feet east of Main Street, 650 feet south of Martin Road.

Reference point--Top of concrete pump base, 1 foot above ground.

Elevation of reference point--

Use--Not used.

Depth--

Casing--14 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 19	156.6	Jan. 21 b	179.8	Jan. 14 b	159.0
Aug. 8 a	178.0	Apr. 7	156.7		
		Oct. 8	163.8		
		Nov. 13	162.0		

a Well 250 feet northeast pumping.

b Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S3W10B

P.V. 46

Location--300 feet north and 100 feet east of west quarter corner of Section 10, one-half mile north of Rider Street, 2 miles east of Redlands Avenue.

Reference point--Top of casing in concrete pier, 1.8 feet above ground.

Elevation of reference point--1463.8, from levels by D.W.R.

Use--Not used.

Depth--185 feet.

Casing--12 inches.

Other numbers--Harding 426.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd	
Nov. 14	102.5	Jan. 13	101.8	June 26	103.8
Nov. 28	102.2	Feb. 7	101.7	July 27	102.9
		Mar. 20	101.4	Aug. 22	104.5
		Apr. 24	101.6	Sep. 18	104.0
		May 1	102.6	Oct. 20	102.8
		May 24	102.9	Nov. 16	102.2

## 4S3W10B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1924		1936		1937	
Oct. 7	106.4	July 31 a	153.4	Mar. 25	ab
		Oct. 29 a	154.2		
1925		Dec. 23 a	154.2		
Nov. 30	109.5				

a Measurement from Metropolitan Water District.

b Dry at about 168 feet.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S3W16A

P.V. 5

Location--500 feet north and 70 feet east of southwest corner of Section 16, 1 mile east of Perris Boulevard, 400 feet north of Orange Avenue.

Westerly well of two in pump house.

Reference point--West side of pit at ground.

Elevation of reference point--1429.9, from M.W.D. topog.

Use--Not used.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1939		1941	
July 30	133.6	Feb. 1	120.4	Jan. 17 a	122.6
Oct. 29	140.2	June 8	118.7	Apr. 7	116.0
Dec. 22	138.6	Sep. 27	118.2	May 14	112.0
				June 18	110.4
1937		1940		July 16	110.1
				Sep. 9	110.6
Mar. 25	137.2	Jan. 18	117.2	Oct. 8	110.5
June 21	128.2	Aug. 9	119.4	Nov. 14	110.3
Oct. 4	126.0			Dec. 9	110.0
1938				1942	
Jan. 6	124.2			Jan. 27	109.7
Mar. 29	122.7				
July 12	125.8				
Nov. 2	122.0				

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S3W16B

PERRIS VALLEY IRRIGATION CO.

P.V. 19

Location--300 feet east and 100 feet south of north quarter corner of Section 16, 300 feet east and 100 feet south of corner Rider Avenue and Evans Road, 20 feet east of house.

Reference point--Top of casing, 1.3 feet above ground.

Elevation of reference point--1447.7, from M.W.D. topog.

Use--Not used.

Depth--230 feet.

Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1941	
July 31	161.5	Jan. 5	154.8	Apr. 7	147.1
Oct. 29	130.1	Mar. 29	150.0	May. 14 a	149.6
Dec. 23	154.8	July 12	153.6	June 18 a	157.6
		Nov. 2	151.7	July 16	150.0
1937				Sep. 9	151.2
		1939		Oct. 9	150.5
Mar. 25	151.3			Nov. 14 a	150.2
June 21 a	162.7	Feb. 1	149.4	Dec. 9	146.9
Oct. 4 a	161.7	June 7	151.5		
		Sep. 27	152.4	1942	
		1940		Jan. 13 b	143.8
		Jan. 19	145.6		
		Aug. 8 a	154.2		

a Irrigation well pumping 75 feet west.

b Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S3W16C

EMIL FIRTH

P.V. 19A

Location--Northwest corner of northeast quarter of Section 16. Open casing. Middle of three wells.

Reference point--Top of casing, 0.8 foot above ground.

Elevation of reference point--1447.7, from levels by D.W.R.

Use--Not used.

Depth--212 feet.

Casing--12 inches.

Other numbers--Harding 425.

## 4S3W16C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1924	
Nov. 14	98.1	Apr. 25	96.8	Oct. 7	103.0
Nov. 28	98.0	May 24	96.4		
		June 26	96.5	1925	
1922		July 24	96.5		
		Aug. 22	96.7	Nov. 30	107.4
Jan. 13	97.7	Sep. 18	96.8		
Feb. 7	97.5	Oct. 20	96.8		
Mar. 20	97.2	Nov. 16	96.5		

---

Measurements from Division of Water Resources.

## MAP 9

4S3W16D

P.V. 206

Location--500 feet north and 50 feet east of west quarter corner of  
Section 16.

Reference point--Top of screen, 1.0 foot above top of casing, 0.5 foot  
above ground.

Elevation of reference point--1435.5, from M.W.D. topog.

Use--Not used.                      Depth--                      Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Mar. 14 a	120.1	Jan. 17	121.4	Jan. 13	112.6

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.



## MAP 9

4S3W17A

P.V. 263

Location--1300 feet south and 300 feet east of northwest corner of  
Section 17, one-fourth mile south of Rider Avenue, 300 feet east of  
Perris Avenue.

Reference point--Bottom edge of pump base east side at ground.

Elevation of reference point--

Use--Irrigation.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 21	144.5	Jan. 15	147.1		
a Pump shut down 20 minutes to measure.					
Measurements from Division of Water Resources.					

## MAP 9

4S3W18A

G. F. BALDING

P.V. 8

Location--500 feet north and 1400 feet east of southwest corner of  
Section 18, 100 feet east of Riverside-Perris Highway.

Reference point--(a) Top of casing, 1 foot above ground through July 13,  
1938; then (b) at  $1\frac{1}{2}$  inch hole in 2" x 8" board cover 1.2 feet above  
ground.

Elevation of reference point--(a) 1481.3; (b) 1481.5; from levels by  
M.W.D.

Use--Domestic.

Depth--227 feet.

Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1935		1936		1938	
June 21	126.3	Jan. 3	122.8	Jan. 6	132.4
July 12	121.4	Mar. 26	122.4	Mar. 30	125.9
Sep. 10	122.6	July 30	122.9	July 13	130.1
		Oct. 29	129.2		
		Dec. 22	124.2	1941	
		1937		Jan. 9	134.5
		Mar. 24	124.2		
		Oct. 5	124.8		

Measurements from Metropolitan Water District.

## MAP 9

4S3W18B

P.V. 48

Location--100 feet north and 100 feet west of southeast corner of

Section 18, northwest corner of Orange Avenue and Perris Road.

Reference point--(a) Top of casing, 0.4 foot below ground through  
November 30, 1925; then (b) top of pump base 0.6 foot above floor  
and 1.0 foot above ground.Elevation of reference point--(a) 1438.6; (b) 1440.0; from levels by  
D.W.R.

Use--Not used.

Depth--260 feet.

Casing--12 inches.

Other numbers--Harding 382.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1925	
Nov. 4	98.2	Jan. 18	95.8	Nov. 30	105.8
Nov. 15	98.2	Feb. 20	94.6		
Dec. 10 a	99.2	Mar. 24	93.6	1942	
		Apr. 25 a	97.4		
		May 24 a	98.6	Jan. 15	133.6
		Nov. 16	99.5		

a Pumping 130 feet east.

Measurements from Division of Water Resources.

## MAP 9

4S3W18C

PHILLIPS

P.V. 138

Location--One-fourth mile west of south quarter corner of Section 18,  
north side of Orange Avenue.

Reference point--Unknown.

Elevation of reference point--

Use--

Depth--

Casing--

Other numbers--Waring 24, U.S.G.S. 71.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1904		1905 Cont'd.		1906	
Dec. 15	63.2	May 19	62.0	Mar. 16	62.3
		June 20	62.0	May 11	62.4
1905		July 22	62.2	June 29	62.4
		Aug. 19	62.2	Aug. 3	63.2
Jan. 13	63.3	Sep. 22	62.2	Sep. 26	63.3
Feb. 22	63.0	Nov. 9	62.4	Dec. 20	63.3
Mar. 26	62.5	Dec. 23	62.4		
Apr. 19	62.2				

## 4S3W18C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1907		1908		1910	
Feb. 13	63.2	Apr. 22	64.1	Feb. 4	69.8
May 17	67.8	June 24 a		Aug. 11	72.9
Aug. 30	63.9	Oct. 16	65.2		
Dec. 31	64.0	Dec. 29	66.0	1911	
		1909		Jan. 6	74.7
		Apr. 3 a		1912	
		July 12	67.6		
		Oct. 14	69.5	May 28 b	

a Pumping.

b Dry at 76.0 feet.

Measurements from United States Geological Survey.

## MAP 9

4S3W18D

ALLEN

P.V. 216

Location--750 feet west and 50 feet south of north quarter corner of

Section 18, south side of Rider Avenue, 750 feet west of India Street.

Reference point--(a) Top of casing at ground.

Elevation of reference point--1470.

Use--Irrigation.

Depth--316 feet.

Casing--10 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1930		1941		1942	
	140.	Jan. 21	167.7	Jan. 13	166.5
1940					
Mar. 21	166.0				

Measurements from Metropolitan Water District.

## MAP 9

4S3W19A

FRANK ROSBECK

P.V. 12

Location--2900 feet north and 1850 feet east of the southwest corner of Section 19, on west side of Santa Fe Ry. at north side of Citrus Avenue produced.

Reference point--(a) Top of concrete curb at ground through March 26, 1936; then (b) top of wooden platform 0.3 foot above ground.

Elevation of reference point--(a) 1477.9; (b) 1478.2; from levels by M.W.D.

Use--Domestic.

Depth--87 feet.

Casing--4 feet dia. dug.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1935		1939		1941	
June 21	86.9	Feb. 2	83.8	Feb. 2	81.1
July 12	84.2	June 8	84.9	Feb. 12	79.7
Sep. 10	85.7	July 6	84.9	Mar. 6	79.3
Dec. 18	84.4	Sep. 28	83.9	Apr. 3	79.4
				May 8	80.6
1936		1940		June 12	79.0
Mar. 26	83.5	Jan. 18	81.6	Aug. 21	81.0
July 30	85.2	Feb. 27	80.7	Sep. 18	83.3
Oct. 28	87.2	Apr. 22	82.7	Oct. 16	80.8
		June 6	86.0	Dec. 19	80.2
1937		June 12	84.6		
Mar. 24	86.5	June 20	84.8		
June 21	85.8	June 27	84.2		
Oct. 6	86.6	July 3	84.0		
		Aug. 1	81.9		
		Sep. 12	80.4		
1938		Sep. 19	80.2		
Jan. 6	86.5	Sep. 24	81.1		
Mar. 30	87.3	Oct. 3	80.3		
July 13	86.4	Oct. 10	80.4		
Nov. 3	86.3	Nov. 7	79.7		
		Dec. 5	79.7		

Measurements from Metropolitan Water District.

## MAP 9

4S3W20A

BEN SMITH

P.V. 58

Location--100 feet south and one-fourth mile east of northwest corner of Section 20, at south side of Orange Avenue, one-fourth mile east of Perris Boulevard.

Reference point--Base of pump at ground.

Elevation of reference point--1433.5, from M.W.D. topog.

Use--Irrigation. Depth--180 feet. Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
Mar. 25	123.8	Feb. 1	131.3	Jan. 21 b	135.7
Oct. 4 a	134.6	Sep. 27	137.3		
				1942	
1938		1940		Jan. 13 b	129.4
Jan. 6	130.2	Jan. 18	133.1		
Mar. 29	126.8	Aug. 9	138.6		
Nov. 2	138.3				

a Apparently pumped recently.

b Measurement from Division of Water Resources.

Measurements from Metropolitan Water District.

## MAP 9

4S3W20B

JOE HATCH

P.V. 267

Location--150 feet east and 1100 feet north of southwest corner of Section 20, 150 feet east of Perris Boulevard and 1100 feet north of Nuevo Boulevard.

Reference point--Bottom edge of pump base plate at hole in southeast side of pump house floor and ground.

Elevation of reference point--

Use--Irrigation and domestic. Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 21	140.1	Jan. 13 a	133.6		

a To top of oil.

Measurements from Division of Water Resources.



## MAP 9

4S3W21A

P.V. 4

Location--1300 feet north and 50 feet east of south quarter corner of Section 21,  $1\frac{1}{2}$  miles east of Perris Boulevard, 1300 feet north of Nuevo Road.

Reference point--Top of 8" x 8" pump blocks, 2 feet above top of casing and ground.

Elevation of reference point--1426, from M.W.D. topog.

Use--Not used.

Depth--

Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1940	
July 30	113.7	Jan. 6	108.7	Jan. 18	103.9
Oct. 28	114.3	Mar. 30	108.4	Mar. 20	103.7
Dec. 22	114.2	July 13	107.1	Aug. 9	103.6
		Nov. 2	106.2		
1937		1939		1941	
Mar. 25	114.2			Jan. 17 a	104.1
June 21	111.2	Feb. 1	105.8		
Oct. 4	109.2	Sep. 27	104.4		

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S3W24A

L. N. MATEER

L.N. 8

Location--150 feet north and 950 feet east of the southwest corner of Section 24.

Reference point--Bottom of pump base at ground.

Elevation of reference point--1437.6, from levels by D.W.R.

Use--Domestic.

Depth--150 feet.

Casing--7 inches.

Other numbers--Harding 343.

---

## 4SW24A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1936		1939	
Oct. 29	74.9	Aug. 13 a	103.7	Mar. 22 a	95.7
Nov. 10	74.7	Oct. 28 a	102.4	June 8 a	99.8
Nov. 26	74.7	Dec. 22 a	98.2	Sep. 28 a	101.1
Dec. 31	74.3				
1922		1937		1940	
Jan. 26	73.9	Mar. 25 a	95.0	Jan. 19 a	97.1
Feb. 27	73.4	June 22 a	101.4		
Mar. 23	73.1	Oct. 6 a	101.3	1941	
Apr. 21	72.8			Jan. 20	99.6
May 22	72.5	1938			
June 20	73.1	Jan. 6 a	97.4	1942	
July 21	73.7	Mar. 30 a	95.0		
Aug. 21	75.3	July 14 a	105.3	Jan. 12	100.6
Sep. 20	75.6	Nov. 30 a	100.2		
Oct. 24	75.8				
Nov. 15	75.2				

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

4SW24B

NUEVO WATER COMPANY

L.N. 39

Location--1200 feet east and 600 feet north of southwest corner of  
Section 24, 40 feet southeast of Reservoir Avenue, 0.18 mile north of  
Nuevo Road.

Reference point--Bottom of pump base at ground.

Elevation of reference point--1432, from M.W.D. topog.

Use--Irrigation.

Depth--610 feet.

Casing--15 inches.

Other numbers--Owner No. 8.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1933		1937		1938	
Aug. 15 a	90.	Aug. 6 a	101.5	Feb. 12	88.6
				Mar. 31	93.7
				July 7	101.
				Nov. 30	91.8

## 4S3N24B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1942	
Mar. 21	88.7	Jan. 11	90.5	Jan. 13 b	91.3
June 9	95.2				
Sep. 7	93.7	1941			
		Jan. 20 b	92.3		

---

a Measurement by owner.

b Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S3N24C

NUEVO WATER COMPANY

L.N. 38

Location--470 feet north and 230 feet west of south quarter corner of  
Section 24, on Stalder Avenue about 500 feet north of Nuevo Road and  
700 feet west of Lakeview Avenue.

Reference point--Top of casing, 0.2 foot above ground.

Elevation of reference point--1442.2, from owner.

Use--Not used. Depth-- Casing--12 inches.

Other numbers--Owner Plant No. 1, Stalder No. 2, Harding No. L-99.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
Sep. 7	110.2	Mar. 22	105.0	Feb. 7	107.1
Dec. 6	107.8	June 9	107.8	Apr. 17	105.6
		Sep. 28	109.0	May 14	107.2
1938				June 18	111.7
		1940		July 16	112.3
Mar. 31	104.7			Aug. 27	111.4
July 14	110.6	Jan. 11	106.6	Oct. 8	109.5
Nov. 30	108.1			Nov. 14	108.3
				1942	
				Jan. 13 a	106.5

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S3W26A

NUEVO WATER COMPANY

L.N. 18

Location--0.2 mile south and 45 feet west of northeast corner of Section 26, one-half mile southwest of Nuevo, west side of Pozos Street, one-fourth mile south of Nuevo Road.

Reference point--(a) Top of curb at ground through June 22, 1926; then (b) bottom of 3 inch hole in pump casting, 1.3 feet below ground.

Elevation of reference point--(a) 1428.5; (b) 1427.2; from levels by D.W.R.

Use--Irrigation.

Depth--291 feet.

Casing--16 inches.

Other numbers--Owner No. 2, Harding 344.

Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet
1921			1926			1939		
Oct. 29	a	71.3	June 22	b	80.2	Mar. 22		87.7
Nov. 10	a	71.3				Sep. 28		94.0
Nov. 26	a	71.2	1933					
1922				c	88.4	1940		
Apr. 21	a	68.0	1937			Jan. 11		90.4
May 22	a	67.7				1941		
Sep. 20	a	72.4	Dec. 7		91.0	Jan. 20	a	92.6
Oct. 24	a	72.2	1938			1942		
1925			Jan. 27		89.	Jan. 13	a	91.4
Dec. 1	a	77.1	July 7		100.			
			Nov. 30		92.5			

a Measurement from Division of Water Resources.

b Power company test.

c Measurement by owner.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S3W28A

HAYESELF

P.V. 2

Location--25 feet east and 700 feet north of southwest corner of Section 28.

Reference point--(a) Top of casing, 0.3 foot above ground through March 20, 1940; then (b) north edge pump base 1.1 feet above ground.

Elevation of reference point--(a) 1414.3; (b) 1415.1; from M.W.D. topog.

Use--Not used. Depth--259 feet. Casing--10 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1937		1941	
July 30	112.4	Mar. 24	108.2	Jan. 17 a	108.6
Oct. 28	113.5				
Dec. 22	111.3	1940		1942	
		Mar. 20	103.6	Jan. 14 a	102.1

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S3W28B

P.V. 3B

Location--950 feet south and 1100 feet west of northeast corner of Section 28, south of A.T. & S.F. Ry., 4000 feet east of Murriella Road. The most southerly of group of five wells.

Reference point--Top of casing, 1.4 feet above ground.

Elevation of reference point--1422.0 from levels by D.W.R.

Use--Not used. Depth--125 feet. Casing--12 inches.

Other numbers--Harding No. 379.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 3	97.8	Jan. 18	93.8	June 28 a	99.6
Nov. 15 a	101.4	Feb. 20	91.6	July 25 a	101.0
Dec. 10	95.9	Mar. 24	89.7	Aug. 28 a	103.1
		Apr. 1	88.2	Sep. 23 a	104.4
		Apr. 25 a	91.2	Oct. 25 a	105.1
		May 25 a	96.0	Nov. 16 a	98.0



## 4S3W283 Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1924		1937		1940	
Oct. 5	101.7	Mar. 25 b	110.9	Jan. 18 b	102.2
		June 21 b	108.9	Aug. 9 b	102.0
1925		Oct. 4 b	107.4		
Dec. 1	105.9			1941	
		1938		Jan. 17	102.3
1936		Mar. 30 b	106.4	Apr. 3 b	102.1
July 30 b	112.0	July 13 b	105.5		
Oct. 28 b	111.3	Nov. 2 b	104.5	1942	
Dec. 22 b	111.2			Jan. 13	100.7
		1939			
		Feb. 1 b	104.0		
		June 8 b	103.3		
		Sep. 27 b	102.7		

a Pumping 75 feet north.

b Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S3W30A

P.V. 53

Location--100 feet north and 150 feet west of east quarter corner of Section 30, 100 feet west of intersection of Perris Boulevard and Jarvis Street.

Reference point--Top of dented casing, west side, 1.3 feet above ground.

Elevation of reference point--1444.4, from levels by D.W.R.

Use--Not used.

Depth--89 feet.

Casing--12 inches.

Other numbers--Harding 376.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 3	75.0	Jan. 18	75.0	July 24	75.2
Nov. 15	75.0	Feb. 20	75.0	Aug. 22	75.1
Dec. 10	75.0	Mar. 24	75.1	Sep. 18	75.1
		Apr. 25	75.1	Oct. 20	75.1
		May 24	75.1	Nov. 16	75.1
		June 26	75.2		

## 4S3W30A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1924		1937		1939	
Oct. 5	74.6	Mar. 25 a	76.1	Feb. 2 a	74.6
		June 21 a	75.8	June 9 a	75.1
1925		Oct. 6 a	75.4	Sep. 28 a	74.9
Nov. 30	75.1	1938		1940	
1936		Jan. 6 a	75.0	Jan. 19 a	74.9
		Mar. 29 a	77.9		
Dec. 22 a	76.0	July 13 a	74.4	1941	
		Nov. 3 a	74.2	Jan. 17	74.6
				1942	
				Jan. 13	74.1

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S3W31A

LUDMANYI

P.V. 104

Location--1000 feet north and 500 feet east of south quarter corner of

Section 31, 300 feet south of 11th Street.

Reference point--Top 8" x 8" north side of hole, 2 feet above ground.

Elevation of reference point--

Use--Not used.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 17	44.9	Jan. 17	45.2	Jan. 8	42.4

Measurements from Division of Water Resources.

## MAP 9

4S3W31B

FRANK WHALEY

P.V. 105

Location--800 feet north and 200 feet west of southeast corner of Section 31, 200 feet west of Perris Boulevard, 50 feet northwest of house.

Reference point--Base pump flange east side between two 12" x 12"'s, 2 feet above ground.

Elevation of reference point--

Use--Domestic.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 17	76.1	Jan. 17	76.2	Jan. 8	75.0

Measurements from Division of Water Resources.

## MAP 9

4S3W31C

HOOK BROTTERS

P.V. 142

Location--Near railroad in northeast quarter of southeast quarter of Section 31, near southwest corner Seventh Street and Perris-Hemet Highway, south edge town of Perris.

Reference point--Unknown.

Elevation of reference point--

Use--

Depth--

Casing--

Other numbers--Waring 29.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1904		1907		1909	
Mar. 3	46.0	Feb. 13	48.7	Apr. 2	50.3
		May 17	48.7	July 11	50.7
1905		Aug. 31	48.7		
		Dec. 31	49.7	1915	
Nov. 9	47.2				
Dec. 22	46.7	1908		Nov. 14	51.0
1906		Apr. 22	49.5	1916	
		June 24	49.7		
Jan. 29	45.3	Oct. 15	50.2	July 30	52.2
May 12	46.7	Dec. 28	50.5		
June 28	48.2				
Sep. 26	48.5				
Dec. 20	49.3				

Measurements from United States Geological Survey.

## MAP 9

4S3W32A

JAMES MALCOLM

P.V. 1

Location--1600 feet south and 600 feet east of northwest corner of

Section 32, southeast corner 4th and "F" Streets.

Reference point--Top of casing, 1.7 feet above ground.

Elevation of reference point--1434.7, estimated from 4S3W32C.

Use--Domestic.

Depth--

Casing--16 inches.

Other numbers--U.S.G.S. 72c

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1929		1935		1939	
May 1	67.7	Feb. 26	72.3	Feb. 2 a	72.3
Sep. 7	67.4	May 7	72.5	Feb. 14	72.3
		Aug. 6	72.6	May 31	72.6
1930		Nov. 4	72.7	June 9 a	72.7
				Aug. 23	72.7
Mar. 4	67.9	1936		Sep. 28 a	72.8
May 31	68.2			Nov. 15	72.7
July 31	68.5	Feb. 7	72.7		
Dec. 4	68.9	July 30 a	72.9	1940	
		Aug. 12	72.9		
1931		Oct. 28 a	72.1	Jan. 19 a	72.8
		Nov. 5	72.0	Feb. 15	72.9
Mar. 4	69.1	Dec. 22 a	71.7	May 10 b	76.0
June 12	70.1			Aug. 9 ab	74.0
Aug. 26	69.9	1937		Aug. 23	73.2
1932		Feb. 3	71.8	1941	
		Mar. 24 a	71.8		
Mar. 8	70.3	May 7	72.1	Jan. 15	73.1
May 3	70.4	June 21 a	71.9	Jan. 17 c	73.1
Aug. 10	70.8	Sep. 15	72.0	Mar. 11	73.1
Nov. 18	71.0	Oct. 6 a	71.9	Apr. 3 a	73.1
		Nov. 19	71.8	May 22	73.0
1933				Aug. 20	73.7
		1938		Aug. 27 b	73.3
Feb. 6	71.1			Sep. 9	72.7
May 18	71.4	Jan. 6 a	71.7	Oct. 7	72.7
Aug. 4	71.6	Feb. 23	71.8	Nov. 7	72.5
Nov. 10	71.6	Mar. 30 a	71.9	Nov. 14 a	72.5
		May 4	72.0	Dec. 9	72.4
1934		July 13 a	72.0		
		Oct. 22	72.1	1942	
Feb. 6	71.6	Nov. 3 a	72.3		
Dec. 4	72.2			Jan. 8 c	72.2

a Measurement from Metropolitan Water-District.

b Pumping.

c Measurement from Division of Water Resources.

Measurements from United States Geological Survey except as noted.

## MAP 9

4S3W32B

CITY OF PERRIS

P.V. 28

Location--800 feet east and 50 feet south of north quarter corner of Section 32, 100 feet south of San Jacinto Avenue, 500 feet west of Wilson Avenue.

Reference point--Top of casing, 4 feet below ground.

Elevation of reference point--1416.4, from levels by D.W.R.

Use--Not used.

Depth--255 feet.

Casing--

Other numbers--Waring 31, Harding 371, Owner No. 2.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1924	
Nov. 2 a	85.4	Apr. 25 a	80.1	Oct. 7	96.3
Nov. 15	84.4	May 25 a	85.8		
Dec. 10	83.4	June 28 a	89.8	1940	
		July 25 a	91.0		
		Aug. 28 a	92.5	Mar. 19 b	113.8
		Sep. 23 a	93.3		
		Oct. 25 a	93.3	1941	
		Nov. 16	85.2		
				Mar. 6 b	115.6

---

a Well 36 feet west pumping.

b Measurement by operator.

Measurements from Division of Water Resources.

## MAP 9

4S3W32C

SANTOS MORO

P.V. 1A

Location--1400 feet south and 900 feet east of northwest corner of Section 32, on 5th Street approximately one and one-half blocks east of Perris Boulevard.

Reference point--Top of casing, 2.5 feet above ground.

Elevation of reference point--1433.2, from levels by D.W.R.

Use--

Depth--150 feet.

Casing--7 inches.

Other numbers--Harding 456, U.S.G.S. 72, Waring 30.

---



## 4S3W32C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1904		1910		1919	
Mar. 3	30.2	Feb. 3	39.4	May 11	55.3
Oct. 18	33.3	Aug. 10	41.4	Oct. 12	55.0
Nov. 18	33.2				
Dec. 15	33.3	1911		1920	
1905		Jan. 5	42.1	May 18	57.4
				Oct. 16	58.3
Jan. 13	32.8	1912			
Feb. 22	31.7			1921	
Mar. 26	30.8	May 28	45.5		
Apr. 18	30.6	July 29	47.2	Feb. 10	58.9
May 19	30.2			Apr. 23	62.1
June 20	30.1	1913		May 13	59.5
July 23	30.3			July 25	60.1
Aug. 22	30.5	Oct. 18	50.5	Oct. 10	60.7
Nov. 9	30.9			Nov. 30	a 61.0
Dec. 22	31.3	1914		Dec. 10	a 61.0
1906		Feb. 5	50.3	1922	
		Apr. 17	51.6		
Jan. 29	31.7	May 15	51.7	Jan. 18	a 61.2
Mar. 16	31.7	June 25	52.2	Feb. 20	a 61.3
June 28	31.2	Aug. 14	53.0	Mar. 24	a 61.4
Aug. 3	31.7	Sep. 15	53.7	Apr. 7	61.4
Sep. 26	32.3			Apr. 25	a 61.4
Dec. 20	32.2	1915		May 16	61.5
1907		Oct. 31	55.5	May 24	a 61.5
				June 26	a 61.6
Feb. 13	32.0	1916		July 24	a 61.7
May 18	32.2			Aug. 22	a 61.8
		Feb. 25	55.8	Sep. 18	a 61.8
1908		May 6	54.8	Oct. 20	a 61.8
		July 30	56.0	Nov. 17	a 61.8
Apr. 22	34.9	Nov. 15	55.1		
June 25	36.0			1923	
Oct. 15	37.4	1917			
Dec. 28	37.2			Feb. 25	61.8
1909		Mar. 20	55.3	June 6	62.2
		Nov. 25	56.9	Sep. 17	62.4
				Dec. 6	62.8
Apr. 2	37.2	1918		1924	
July 11	38.3				
Oct. 14	39.5	May 4	55.7	Feb. 26	63.1
		Oct. 12	55.2	Aug. 26	63.9

## 4S3W32C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1925		1926		1927	
Mar. 12	64.9	May 13	66.9	June 24	68.4
May 26	65.3	Oct. 27	68.2	Aug. 30 b	
July 25	65.8				
Nov. 3	66.0				

a Measurement from Division of Water Resources.

b Either dry or obstructed at 69.5.

Measurements from United States Geological Survey except as noted.

## MAP 9

4S3W32D

P.V. 1B

Location--1100 feet south and 900 feet east of northwest corner of

Section 32, 300 feet north of Well 3S3W32C.

Reference point--Top of curb, 0.9 foot above ground.

Elevation of reference point--1427.1, from levels by D.W.R.

Use--Domestic.

Depth--

Casing--

Other numbers--Harding 457, U.S.G.S. 72a.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1914		1917		1920	
Nov. 21	41.9	May 20	53.2	May 18	55.5
		Nov. 25	53.8	Oct. 16	56.6
1915		1918		1921	
May 21	50.1				
Oct. 31	53.3	May 4	53.2	Feb. 10	57.2
		Oct. 12	53.8	May 13	57.8
1916				July 25	58.1
		1919		Oct. 10	58.7
Feb. 25	52.9			Nov. 30 b	59.2
May 6	51.8	May 11 a		Dec. 10 b	59.3
Nov. 15	53.1	Oct. 12	54.6		

## 4S3W32D Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1922		1922 Cont'd.		1924	
Jan. 18 b	59.4	Sep. 18 b	59.9	Feb. 26	60.9
Feb. 20 b	59.5	Oct. 20 b	58.7	Aug. 26	62.2
Mar. 24 b	59.6	Nov. 17 b	59.3		
Apr. 7	59.6			1925	
Apr. 25 b	59.7	1923		Mar. 12 c	
May 16	59.5				
May 24 b	60.0	Feb. 26	59.4		
June 26 b	59.6	June 6	59.4		
July 24 b	59.9	Sep. 17	59.9		
Aug. 2	60.2	Dec. 6	60.3		
Aug. 22 b	59.9				

a Pumping.

b Measurement from Division of Water Resources.

c Dry at 67 feet.

Measurements from United States Geological Survey except as noted.

## MAP 9

4S3W35A

P.V. 29

Location--1100 feet south and 550 feet west of north quarter corner of  
Section 35,  $1\frac{1}{4}$  miles south and 1 mile west of Nuevo.

Reference point--Bottom of side opening in pump frame, south side, 0.5  
foot above ground.

Elevation of reference point--1424.5, from M.W.D. topog.

Use--Irrigation.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1937		1938	
Aug. 13	97.9	Mar. 25	93.7	Jan. 6	95.9
Oct. 28	97.4	June 22 a	115.7	Mar. 30 a	108.4
Dec. 23	95.7	Oct. 6	100.4	July 13	112.9
				Nov. 2	101.6

## 4S3W35A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1941		1942	
Feb. 2	97.1	Jan. 17 b	100.9	Jan. 13 b	100.4
June 8 a	111.6	Apr. 3	99.2		
Sep. 28	100.2	June 18	106.1		
		July 16	105.4		
1940		Oct. 8	104.5		
		Nov. 14	102.2		
Jan. 19	97.9				
Aug. 9	102.9				

a Pumping.

b Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S3W35B

TETESCAL WATER COMPANY

P.V. 29A

Location--1300 feet south and 100 feet west of north quarter corner of Section 35, one and three-fourths miles southwest of Nuevo, one-fourth mile south of San Jacinto Avenue, one mile east of Hartford Bridge.

Reference point--(a) Top of 2 inch pipe into well, 0.1 foot above ground through May 20, 1917; then (b) top of 2 inch pipe into well, 0.7 foot above ground.

Elevation of reference point--(a) 1428.4; (b) 1429.0; from levels by D.W.R.

Use--Abandoned.

Depth--146 feet.

Casing--

Other numbers--U.S.G.S. 73, Harding 346, Owner "Harford".

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1901		1903		1904	
May	28.9	Feb. 28	38.6	Jan. 31	43.3
		Apr. 11	37.5	Feb. 28	41.9
1902		May 14	38.2	Mar. 3	41.7
		Sep. 15	43.3	Mar. 29	40.9
July	40.2			May 1	42.8
Oct. 25	41.6			July 3	44.8
Dec. 15	42.7			Sep. 15	45.4

## 4S3W35E Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1905		1909		1922	
Sep. 23	44.7	Apr. 2	44.6	Jan. 1 a	87.2
Dec. 22	43.0	July 11	43.9	Jan. 6 a	86.2
		Oct. 14	46.9	Jan. 13 a	86.1
1906				Jan. 20 a	84.6
		1910		Jan. 26 a	86.1
Jan. 29	42.2			Feb. 1 a	86.4
Mar. 16	42.2	Feb. 3	46.5	Feb. 10 a	85.4
May 12	40.2	Aug. 10	45.9	Feb. 17 a	85.0
June 28	38.7			Feb. 27 a	84.6
Aug. 4	41.6	1911		Mar. 23 a	83.8
Sep. 27	42.4			Apr. 21 a	83.0
Dec. 21	43.5	Jan. 5	49.9	May 22 a	82.2
				June 20 a	82.2
1907		1915		July 21 ab	88.9
				Aug. 21 ab	91.5
Feb. 14	41.8	Nov. 9	72.0	Sep. 20 ab	92.9
May 18	40.3			Oct. 24 ab	93.9
Aug. 31	40.7	1916		Nov. 15 a	90.4
Dec. 31	43.1			Dec. 8 ab	93.1
		July 30	67.0		
1908				1924	
		1917			
Apr. 23	41.9			Oct. 7 a	96.1
June 25	43.4	May 20	67.5		
Oct. 15	46.5			1925	
Dec. 28	46.7	1921			
				Dec. 2 a	86.0
		Nov. 1 a	93.0		
		Nov. 16 a	93.0		
		Nov. 26 ab	93.8		
		Dec. 31 a	88.6		

---

a Measurement from Division of Water Resources.

b Pumping 400 feet west.

Measurements from United States Geological Survey except as noted.



## MAP 9

4S2W1A

S.V. 135

Location--700 feet east and 600 feet north of west quarter corner of Section 1.

Reference point--Top of casing, 1.0 foot above ground.

Elevation of reference point--1436.7, from levels by M.W.D.

Use--Test well. Depth--16.3 feet. Casing--2 inches.

Other numbers--Test Well No. 16.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Oct. 2	10.6	Jan. 17	9.0	Jan. 16	7.7
Oct. 23	10.2	Mar. 21	8.4	Feb. 27	6.5
Nov. 1	9.9	May 1	8.2	Mar. 17 a	6.0
Nov. 15	9.6	June 6	8.0	Apr. 18	5.4
Dec. 15	9.3	July 25	8.3	May 15	5.3
		Sep. 18	9.0	June 19	4.8
		Oct. 24	8.6	July 15	4.8
		Nov. 27	8.2	Sep. 10	5.2
				Oct. 15	5.8
				Nov. 11	6.4
				1942	
				Jan. 13	6.4

---

a Water standing in ditch.

Measurements from Metropolitan Water District.

## MAP 9

4S2W2A

S.V. 123

Location--200 feet east and 1100 feet north of west quarter corner of Section 2.

Reference point--Top of 2 inch "Bell" type reducer, 0.1 foot above ground.

Elevation of reference point--1430.0, from levels by M.W.D.

Use--Test well. Depth--27 feet. Casing--2 inches.

Other numbers--Test Well No. 14.

---

## 4S2W2A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Sep. 15	13.5	Jan. 17	13.0	Jan. 16	14.3
Sep. 19	13.3	Mar. 21	12.9	Feb. 27	14.1
Oct. 2	13.1	May 1	12.9	Mar. 17	13.8
Oct. 12	13.2	June 6	13.0	Apr. 18	12.6
Oct. 23	13.1	July 25	14.0	May 15	12.6
Nov. 1	13.2	Sep. 18	14.4	June 19	12.6
Nov. 15	13.2	Oct. 24	14.6	July 15	12.7
Dec. 15	13.1	Nov. 27	14.5	Sep. 10	12.8
				Oct. 15	13.0
				Nov. 11	13.1
				Dec. 12	13.2
				1942	
				Jan. 13	13.2

---

Measurements from Metropolitan Water District.

## MAP 9

4S2W2B

S.V. 124

Location--30 feet east and 1100 feet north of southwest corner of  
Section 2.

Reference point--At 3/4 inch hole in top of reducer, 1.0 foot above  
ground.

Elevation of reference point--1431.7, from levels by M.W.D.

Use--Test well. Depth--22.2 feet. Casing--2 inches.

Other numbers--Test Well No. 19.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1940 Cont'd.	
Oct. 2	18.0	Jan. 9	17.5	Sep. 18	19.2
Oct. 12	18.0	Jan. 17 a	17.4	Oct. 24	19.4
Oct. 23	17.8	Mar. 21	17.2	Nov. 27	19.2
Nov. 1	17.8	May 1 a	17.6		
Nov. 15	17.8	June 6	18.1		
Dec. 15 a	17.6	July 25	18.8		

## 4S2W2B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1941 Cont'd.		1942	
Jan. 16	3.3	July 15	8.6	Jan. 13	14.0
Feb. 27 a	7.2	Sep. 10	10.8		
Apr. 18 a	3.6	Oct. 15	12.0		
May 15	5.5	Nov. 11	12.7		
June 19	7.4	Dec. 12	13.4		
a Water standing in ditch.					
Measurements from Metropolitan Water District.					

## MAP 9

4S2W2C

MRS. WILSON MCCUNE

S. V. 236

Location--1500 feet south and 200 feet east of west quarter corner of  
Section 2, 200 feet east of Bridge Street at base of Casa Loma fault  
scarp.

Reference point--Top of casing at ground.

Elevation of reference point--1430.7, from levels by D.W.R.

Use--Not used.

Depth--161 feet.

Casing--14 inches.

Other numbers--Harding 291.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1941	
Oct. 21	5.1	Sep. 20	3.3	Jan. 16 a	18.4
Oct. 29	5.2	Oct. 24	3.4	Apr. 16 a	17.4
Nov. 9	5.2	Nov. 14	3.4	May 15 a	17.4
Nov. 26	5.2			June 19 a	17.8
Dec. 31	4.7	1925		July 15 a	18.0
				Aug. 27 a	18.1
1922		Dec. 17	6.3	Oct. 7 a	18.2
Jan. 26	4.0	1927		Nov. 11 a	18.2
Feb. 27	3.0			Dec. 12 a	18.1
Mar. 23	2.6	July 15	6.7		
Apr. 21	2.4			1942	
May 22	2.3	1939		Jan. 13 a	18.0
June 20	2.5				
July 21	2.8	Sep. 12 a	17.1		
Aug. 21	3.0				

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S2W3A

MOTTE BROTHERS

L.N. 16

Location--75 feet north and 2550 feet east of the southwest corner of Section 3, 50 feet north of intersection of Marvin Road and 1st Street,  $2\frac{1}{2}$  miles east of Lakeview.

Reference point--(a) Top of pump base north side, 1.4 feet above ground through December 6, 1925; then (b) top of casing in circular concrete block 0.5 foot above ground through January 11, 1940; then (c) top of pump base at ground.

Elevation of reference point--(a) 1437.7; (b) 1436.8; (c) 1437.3; from levels by D.W.R.

Use--Irrigation.

Depth--

Casing--14 inches.

Other numbers--Harding 293, Waring 21.

Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet
1921			1925			1939		
Oct. 21	a	19.6	Dec. 6	a	20.7	Mar. 21		30.6
Oct. 29	a	19.7				June 8		30.8
Nov. 10	a	19.7	1936			Sep. 29		31.3
Nov. 26	a	19.7						
Dec. 31	a	19.1	Oct. 28		30.2	1940		
			Dec. 21		30.2			
1922						Jan. 11	a	31.3
			1937					
Jan. 26	a	18.7				1941		
Feb. 27	a	18.2	Mar. 26		29.6			
Mar. 23	a	18.0	June 22		29.8	Jan. 20	a	32.5
Apr. 21	a	17.8	Oct. 8		30.2	Apr. 16		31.9
May 22	a	17.7	Dec. 6		30.4	May 14		31.8
June 20	a	17.7				June 19		32.2
July 21	a	17.8	1938			July 15		32.3
Aug. 21	a	18.0				Oct. 8		32.6
Sep. 20	a	18.2	Apr. 13		30.0	Nov. 11		35.1
Oct. 24	a	18.3	July 14		30.4	Dec. 9		32.2
Nov. 15	a	18.3	Nov. 30		30.7			
						1942		
						Jan. 12	a	32.6

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S2W6A

L.N. 7

Location--0.40 mile north and 1540 feet west of the southeast corner of Section 6.

Reference point--Top of wood curb, north side, 2 feet above ground.

Elevation of reference point--1422, from M.W.D. topog.

Use--Not used.

Depth--

Casing--8 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1940	
Aug. 13 a	23.1	Jan. 20 a	20.0	Jan. 19	21.2
Oct. 28 a	24.0	Apr. 13 a	4.5		
Dec. 22 a	23.7	July 14 a	10.5	1941	
		Nov. 30 a	14.6		
1937				Jan. 20 b	4.4
		1939			
June 3 a	6.3			1942	
June 22 a	6.9	Mar. 22 a	18.6		
Oct. 6	17.2	June 8 a	19.8	Jan. 12 b	18.0
		Sep. 29 a	21.3		

---

a Water in river channel.

b Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S2W6C

R. M. PETITFIIS

L.N. 26

Location--40 feet south and 1000 feet west of north quarter corner of Section 6, 0.6 mile west of Davis Road, one and one-fourth miles north of Lakeview.

Reference point--Top of casing, 1.3 feet above ground.

Elevation of reference point--1445.5, from levels by M.W.D.

Use--Domestic and stock.

Depth--62 feet.

Casing--7 inches.

---



## 4S2W6C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1938 Cont'd.		1938 Cont'd.	
Jan. 5	47.9	Apr. 13	48.3	Oct. 12	48.9
Mar. 26	47.8	Apr. 26	48.4	Oct. 19	49.1
June 22	48.0	July 20	48.8	Oct. 26	48.9
July 9	48.3	Aug. 3	48.8		
Oct. 6	48.4	Aug. 10	48.9	1941	
Nov. 16	48.5	Aug. 17	48.8		
		Aug. 24	49.0	Dec. 16	50.9
1938		Aug. 31	48.9		
		Sep. 7	48.9	1942	
Jan. 20	48.7	Sep. 14	48.9		
Feb. 21	48.5	Sep. 22	48.9	Jan. 12 a	50.9
Mar. 15	48.2	Oct. 5	48.9		

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S2W7A

FRANK VOBORA

L.N. 25

Location--100 feet west of the east quarter corner of Section 7, at  
northwest corner of Magnolia and Reservoir Avenues.

Reference point--Top of casing, 0.5 foot above ground.

Elevation of reference point--1445.6, from levels by D.W.R.

Use--Domestic.

Depth--

Casing--

Other numbers--Waring 18, Harding 396, U.S.G.S. 85.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1904		1905		1905 Cont'd.	
Mar. 12	29.0	Feb. 22	29.4	July 22	28.9
Nov. 19	30.1	Mar. 26	29.2	Aug. 18	29.1
Dec. 16	29.8	Apr. 19	29.0	Sep. 22	29.2
		May 19	28.9	Nov. 9	29.4
		June 21	28.8	Dec. 23	29.6

## 4S2W7A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1906		1914		1922	
Jan. 30	29.5	Feb. 5	29.9	Apr. 6	34.6
May 11	29.2	Apr. 17	29.7	May 11	34.6
June 29	29.2	June 25	29.9	Aug. 29	35.8
Aug. 3	29.2	Aug. 13	30.0		
Sep. 26	29.4	Sep. 16	30.4	1923	
Dec. 20	29.7	Nov. 20	30.4		
				Feb. 26	37.7
1907		1915		June 6	37.3
				Sep. 17	38.5
Feb. 13	29.3	May 23	29.6	Dec. 6	36.8
May 17	28.7	Oct. 30	28.7		
Aug. 30	29.1			1924	
Dec. 31	29.3	1916			
				Feb. 26	37.2
1908		May 5	30.6	Aug. 26	39.2
		July 30	30.7		
Apr. 22	28.8	Nov. 16	30.9	1925	
June 24	28.8				
Oct. 16	29.1	1917		Mar. 12	38.3
Dec. 29	29.0			May 26	39.4
		May 20	31.3	Aug. 25 a	39.5
1909		Nov. 25	35.8	Nov. 3 a	39.8
Apr. 3	28.7	1918		1926	
July 12	28.7				
Oct. 15	28.8	May 4	34.5	May 13	38.
		Oct. 13	33.3		
1910				1927	
		1919			
Feb. 3	28.6			June 24	40.5
Aug. 11	28.6	May 10	33.4	Aug. 30	41.5
		Oct. 12	34.2	Oct. 17	42.9
1911					
		1920		1928	
Jan. 6	28.7				
		May 18	34.7	Mar. 17	40.4
1912		Oct. 12	35.5	June 6	42.7
				Aug. 15	43.8
May 28	28.6	1921			
July 27	29.0			1929	
Oct. 18	29.3	Feb. 10	34.8		
		May 13	35.8	May 1	42.8
1913		July 25	36.9	Sep. 7	45.0
		Oct. 10	36.7		
Oct. 18	30.0				

## 4S2W7A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1930		1936		1939 Cont'd.	
Mar. 4	46.0	Feb. 7	58.1	May 31	61.8
May 21	46.5	May 13 c	59.0	June 8 d	61.1
July 31	46.6	Aug. 12	58.7	Aug. 16	62.0
Dec. 4	45.6	Nov. 2	61.3	Sep. 28 d	60.6
				Nov. 18	60.9
1931		1937		1940	
Mar. 4	45.1	May 7	56.4	Jan. 10 d	58.6
June 12 b	50.1	Sep. 15	60.5	Feb. 21	57.8
Aug. 26 b	51.9	Oct. 8 d	60.0	Apr. 4 d	57.7
		Nov. 19	58.2	May 16	62.8
1932		Dec. 6 d	57.5	Aug. 23	63.2
Mar. 8	46.8	1938		1941	
May 3	54.7	Feb. 23	56.3	Jan. 15	59.6
Aug. 10 b	51.9	Apr. 13 d	56.7	Feb. 7 d	59.1
Nov. 18	49.3	May 4	57.9	Mar. 11	58.6
1933		June 1 d	60.6	Mar. 20 d	58.5
Feb. 6	48.8	June 15 d	61.1	Apr. 17 d	58.0
May 18	51.6	July 14 d	61.4	May 14 d	62.2
Aug. 4 b	52.0	July 20 d	61.4	May 15 d	62.2
Nov. 10	50.7	Aug. 10 d	61.4	May 22	63.1
1934		Aug. 31 d	60.9	June 19 d	65.8
Feb. 6	49.8	Sep. 21 d	60.4	July 16 d	66.8
Dec. 4	65.2	Oct. 22 e	59.5	Aug. 21 d	65.3
		Nov. 2 cd	59.8	Aug. 20	65.6
		Nov. 30 d	58.6	Sep. 11 d	65.1
		Dec. 28 d	57.8	Oct. 8 d	64.2
1935		1939		Nov. 7	64.6
Feb. 26	57.0	Jan. 11 d	57.7	Nov. 13 d	62.0
May 4	63.3	Feb. 15 d	56.9	Dec. 11 d	60.9
Aug. 6 b	56.1	Feb. 21	56.8	1942	
Nov. 4	55.9	Mar. 22 d	56.5	Feb. 18	59.9
		Apr. 26 d	59.2		
		May 24 d	60.6		

a Approximate measure.

b Pumping.

c Windmill pumping.

d Measurement from Metropolitan Water District.

Measurements from United States Geological Survey except as noted.

## MAP 9

4S2W8A

MRS. L. GIANUNZIO

L.N. 10

Location--1550 feet south and 1550 feet east of the northwest corner of Section 8, 400 feet north of corner Reservoir Avenue and Seventh Street. Reference point--(a) Top of 10 inch casing at ground through January 10, 1940; then (b) top of 2" x 8" planks 0.2 foot above ground. Elevation of reference point--(a) 1441.3; (b) 1441.5; from M.W.D. topog. Use--Stock and irrigation. Depth--125 feet. Casing--10 inches to 2 feet, then 6 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1940	
Aug. 14	51.8	Apr. 13 a	51.4	Jan. 10	52.9
Oct. 23	51.0	July 14	54.3		
Dec. 21	49.8	Nov. 30	52.8	1941	
1937		1939		Jan. 21 b	54.1
Mar. 26	48.8	Mar. 22	51.3	1942	
June 22	53.0	June 8	55.6		
Oct. 6	52.7	Sep. 29	54.6	Jan. 12 b	54.8
Dec. 6	51.6				

a Pumping recently.

b Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S2W8B

NUEVO WATER COMPANY

L.N. 42

Location--2000 feet east and 2000 feet north of southwest corner of Section 8, 200 feet north of Lakeview Avenue and 144 feet east of Orange Street.

Reference point--(a) Top of curb northeast side, 0.1 foot above ground, through November 15, 1922; then (b) bottom of pump base at ground.

Elevation of reference point--(a) 1457.7; (b) 1457.6; from levels by D.W.R.

Use--Irrigation.

Depth--502 feet.

Casing--15 inches.

Other numbers--Owner No. 5, Harding 297.

## 4S2W8B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1939	
Oct. 21	47.0	Sep. 20	46.6	Mar. 22	a 68.5
Oct. 29	47.0	Oct. 24	46.4	June 7	a 75.0
Nov. 10	47.0	Nov. 15	46.3	June 7	ab 122.5
Nov. 26	47.0			Sep. 28	a 72.2
Dec. 31	46.7	1937		1940	
1922		Aug. 1	a 69.3		
		Dec. 6	a 69.2	Jan. 11	a 70.4
Jan. 26	46.5	Dec. 17	a 69.0	1941	
Feb. 27	46.1	1938		Jan. 20	71.4
Mar. 23	46.0			1942	
Apr. 21	45.8	Mar. 31	a 67.4	Jan. 13	71.8
May 22	45.9	July 7	a 76.		
June 20	46.1	July 14	a 73.2		
July 21	46.5	Nov. 30	a 70.2		
Aug. 21	46.6				

a Measurement from Metropolitan Water District.

b Pumping.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S2W8C

RIVERSIDE COUNTY

L.N. 32

Location--800 feet east and 250 feet north of west quarter corner of

Section 8, at northeast corner 7th and Reservoir Streets, Lakeview.

Reference point--Top of casing, 2 feet above ground.

Elevation of reference point--1451.2, from levels by D.W.R.

Use--Not used.

Depth--

Casing--12 inches.

Other numbers--U.S.G.S. 85a, Waring 19, Harding 337.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1905		1906		1906 Cont'd.	
Nov. 9	34.8	Jan. 30	34.9	Aug. 3	34.0
Dec. 23	34.9	Mar. 16	34.5	Sep. 26	34.9
		May 11	34.6	Dec. 20	34.9
		June 29	34.5		



## 4S2W8C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1907		1915		1922 Cont'd.	
Feb. 3	34.6	May 23	34.3	Apr. 21 b	39.1
May 17	34.2	Oct. 31 a	35.7	May 11	39.2
Aug. 30	34.7			June 20 b	39.6
Dec. 31	34.3	1916		July 21 b	40.0
				Aug. 21 b	40.1
1908		May 5	35.0	Aug. 29	40.1
		July 30	35.7	Sep. 20 b	40.2
Apr. 22	34.0	Nov. 16	35.7	Oct. 24 b	40.5
June 24	34.2			Nov. 15 b	40.0
Oct. 16	34.3	1917			
Dec. 29	34.2			1923	
		May 20	36.1		
1909		Nov. 25	37.7	Feb. 26	39.7
				June 6	41.4
Apr. 3	33.9	1918		Sep. 17	42.2
July 12	33.8			Dec. 6	41.2
Oct. 15	34.0	May 4	37.7		
		Oct. 13	38.0	1924	
1910					
		1919		Feb. 26	41.1
Feb. 4	33.7			Aug. 26	43.9
Aug. 11	33.8	May 10	37.6		
		Oct. 12	39.2	1925	
1911					
		1920		Mar. 12	42.8
Jan. 6	33.8			May 26	44.4
		May 18	39.9	Aug. 25	45.2
1912		Oct. 12	41.5	Nov. 3	43.8
May 28	33.4	1921		1926	
July 27	32.0				
Oct. 18	34.2	Feb. 10	39.4	May 13	43.1
		May 13	40.2	Oct. 27	45.7
1913		July 25	41.3		
		Oct. 10	41.0	1927	
Oct. 18	34.7	Oct. 29 b	40.9		
		Nov. 10 b	40.8	June 24	45.7
1914		Nov. 26 b	40.7	Aug. 30	45.8
		Dec. 31 b	40.3	Oct. 17	45.6
Feb. 5	34.7				
Apr. 17	34.4	1922		1928	
June 24	34.8				
Aug. 13	35.2	Jan. 26 b	40.0	Mar. 17	44.8
Sep. 16	35.2	Feb. 27 b	39.6	June 6	47.4
Nov. 20	35.1	Mar. 23 b	39.4	Aug. 15	47.4
		Apr. 6	39.2		

## 4S2W2C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1929		1932		1934	
May 1	47.0	Mar. 8	51.0	Feb. 6	54.2
Sep. 7	48.8	May 3	53.1	Dec. 4	56.3
		Aug. 10	55.3		
1930		Nov. 18	53.3	1935	
Mar. 4	48.1	1933		Feb. 26 c	65.9
May 21	49.7			May 4 c	73.4
July 31	50.2	Feb. 6	52.5	Aug. 6	59.0
Dec. 4	49.7	May 18	55.2	Nov. 4 d	
		Aug. 4	55.1		
1931		Nov. 10	54.7		
Mar. 4	49.4				
June 12	53.5				
Aug. 26	54.1				

---

a Had been pumped.

b Measurement from Division of Water Resources.

c Measurement doubtful.

d Plugged.

Measurements from United States Geological Survey except as noted.

## MAP 9

4S2W9A

W. F. HASSIG

L.N. 6

Location--1450 feet north and 1700 feet west of the southeast corner of  
Section 9, 70 feet south of Reservoir Avenue and 500 feet west of 3rd  
Street.

Reference point--Bottom of pump base at ground.

Elevation of reference point--1444.0, from M.W.D. topog.

Use--Irrigation.

Depth--

Casing--12 inches.

---

## 4S2W9A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1941	
Aug. 11	41.3	Apr. 13	42.5	Jan. 21 a	45.7
Oct. 23	41.6	July 14	43.4		
Dec. 21	41.6	Nov. 30	43.6	1942	
1937		1939		Jan. 12 a	46.4
Oct. 6	42.9	Mar. 21	43.2		
Dec. 6	42.9				

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S2W10A

E. T. PETERSON

L.N. 1

Location--1450 feet south and 200 feet west of the northeast corner of  
Section 10, 270 feet north of Reservoir Avenue, 180 feet west of Bridge  
Street.

Reference point--Top of casing, 0.8 foot above ground.

Elevation of reference point--1444.9 from levels by D.W.R.

Use--Not used.

Depth--

Casing--7 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1935		1937		1939	
May 17	36.0	Mar. 26	37.1	Mar. 21	35.0
		June 22	36.8	June 8	35.1
1936		Oct. 6	34.4	Sep. 29	35.3
		Dec. 6	34.6		
Aug. 11	37.3			1940	
Oct. 28	37.6	1938		Jan. 10	35.4
Dec. 21	37.7	Apr. 13	34.7		
		July 14	34.7	1941	
		Nov. 30	34.8	Jan. 20 a	39.8
				Feb. 7	39.7
				1942	
				Jan. 12 a	39.6

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S2W10B

L.N. 2

Location--950 feet south and 200 feet west of northeast corner of  
 Section 10, 100 feet west of Bridge Street, 600 feet north of San  
 Jacinto-Lakeview Highway.

Reference point--Top of casing in pit at ground.

Elevation of reference point--1443.4 from levels by D.W.R.

Use-- Depth-- Casing--12 inches.

Other numbers--Harding 290.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1925	
Oct. 21	23.1	Jan. 26	22.4	Dec. 6	24.7
Oct. 29	23.1	Feb. 27	21.7		
Nov. 10	23.1	Mar. 23	21.4	1935	
Nov. 26	23.1	Apr. 21	21.0		
Dec. 31	22.7	May 1	21.0	May 17	ab
		May 22	20.8		
		June 20	20.8		
		July 21	20.9		
		Aug. 21	21.1		
		Sep. 20	22.2		
		Oct. 24	21.4		
		Nov. 14	21.4		

---

a Measurement from Metropolitan Water District.

b Dry at 30 feet.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S2W10C

L.N. 9

Location--2050 feet south and 700 feet east of the northwest corner of  
 Section 10, 100 feet south of Reservoir Avenue, 400 feet west of 2nd  
 Street.

Reference point--Top of casing 1 foot above ground.

Elevation of reference point--1440.6, from levels by D.W.R.

Use--Not used. Depth--40.5 feet. Casing--7 inches.

Other numbers--Harding 294.

---

## 4S2W10C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1905		1910		1922 Cont'd.	
Nov. 9	19.2	Feb. 4	18.8	June 20 a	21.7
Dec. 23	19.3	Aug. 11	18.7	July 21 a	21.6
				Aug. 21 a	21.6
1906		1911		Sep. 20 a	21.6
Jan. 30	19.4	Jan. 6	18.8	Oct. 24 a	21.7
Mar. 16	18.5			Nov. 15 a	21.6
June 29	19.2	1915			
Aug. 3	19.2			1925	
Sep. 26	19.2	Nov. 3	19.0	Dec. 6 a	23.5
1907		1916		1936	
Aug. 30	19.1	July 30	19.0	Aug. 13 b	32.2
Dec. 31	19.1			Oct. 23 b	32.4
		1921		Dec. 21 b	32.6
1908					
		Oct. 21 a	22.1	1937	
Apr. 22	19.0	Oct. 29 a	22.1		
June 24	19.0	Nov. 10 a	22.2	Mar. 26 b	32.5
Oct. 16	19.4	Nov. 26 a	22.2	June 22 b	32.8
Dec. 29	19.1	Dec. 31 a	21.9	Oct. 8 b	33.0
				Dec. 6 b	33.2
1909		1922			
				1938	
Apr. 3	18.8	Jan. 26 a	21.9		
July 12	18.8	Feb. 27 a	21.6	Apr. 13 b	33.2
Oct. 15	18.9	Mar. 23 a	21.6	July 14 b	33.4
		Apr. 21 a	21.6	Nov. 30 bc	
		May 22 a	21.7		

a Measurement from Division of Water Resources.

b Measurement from Metropolitan Water District.

c Apparently destroyed when last plowed.

Measurements from United States Geological Survey except as noted.



## MAP 9

4S2W17A

NUEVO WATER COMPANY

L.N. 41

Location--1200 feet east and 500 feet south of northwest corner of Section 17, 90 feet east of Hansen Avenue and 80 feet south of Y Avenue.

Reference point--Bottom of pump base at ground.

Elevation of reference point--1495, from owner.

Use--Irrigation.

Depth--335 feet.

Casing--16 inches.

Other numbers--Owner No. 7.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
Dec. 6	108.0	Mar. 22	107.0	Jan. 20 a	109.6
		Sep. 28	112.5		
1938		1940		1942	
Feb. 8	106.7			Jan. 13 a	110.4
Mar. 31	106.4	Jan. 11	108.9		
Nov. 30	109.2				

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S2W18A

NUEVO WATER COMPANY

L.N. 20

Location--At center of Section 18, 1 mile southwest of Lakeview, 75 feet east of Lakeview Avenue and 48 feet south of 10th Street.

Reference point--(a) Flange of pump discharge pipe 1.0 foot above ground through December 1, 1925; then (b) bottom of pump base at ground through January 20, 1941; then (c) west side of pit 1.2 feet below ground.

Elevation of reference point--(a) 1459.3; (b) 1468.3; (c) 1467.1; from levels by D.W.R.

Use--Irrigation.

Depth--400 feet.

Casing--14 inches.

Other numbers--Owner No. 6, Harding 339.

---

## 4S2W18A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1924		1938	
Oct. 29	64.9	Apr. 9	64.5	Feb. 10	a 85.0
Nov. 10	64.7	Oct. 11	67.7	Mar. 31	a 85.2
Nov. 26	64.6			July 7	a 95.
Dec. 31	64.3	1925		Nov. 30	a 88.7
1922		Dec. 1	68.3	1939	
Jan. 26	64.0	1926		Mar. 22	a 85.3
Feb. 27	63.6			June 7	a 96.
Mar. 23	63.3	June 22	71.0	Sep. 28	a 91.7
Apr. 21	63.0	1927		1940	
May 22	63.1				
June 20	63.9	July 20	72.8	Jan. 11	a 88.0
July 21	64.4	1937		1941	
Aug. 21	64.8				
Sep. 20	65.0	Sep. 1	a 90.	Jan. 20	89.0
Oct. 24	64.6	Dec. 6	a 88.2		
Nov. 15	64.3			1942	
				Jan. 13	89.5

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S2W18B

NUEVO WATER COMPANY

L.N. 40

Location--1800 feet east and 500 feet north of southwest corner of  
 Section 18, 100 feet east of Lakeview Avenue and 40 feet south of 11th  
 Street.

Reference point--Top of steel I-beam under pump, 0.5 foot below ground.  
 Elevation of reference point--1462.3, from levels by D.W.R.

Use--Irrigation. Depth--400 feet. Casing--16 inches.

Other numbers--Owner No. 3, Harding 342.

---

## 4S2W18B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface Feet	Date	Dist.R.P. to water surface, Feet
1921		1924		1939	
Oct. 29	67.1	Dec. 17	69.0	Mar. 22 a	88.1
Nov. 10	66.6			Sep. 28 a	97.9
Nov. 26	66.0	1925		1940	
Dec. 31	65.4	Mar. 12	68.	Jan. 11 a	91.8
1922		1937		1941	
Jan. 26	64.6	Aug. 31 a	103.2	Jan. 21 a	95.1
Feb. 27	64.0	Aug. 31 ab	160.5	1942	
Mar. 23	63.6	Dec. 6 a	94.2	Jan. 13 a	91.2
Apr. 21	63.2	1938			
May 22	65.6	Jan. 30 a	91.8		
July 21	66.2	Nov. 30 a	96.1		
Aug. 21	69.1				
Sep. 20	70.4				
Oct. 24	67.8				
Nov. 15	75.1				

a Measurement from Metropolitan Water District.

b Pumping.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S2W18C

NUEVO WATER COMPANY

L.N. 43

Location--1300 feet west and 400 feet south of northeast corner of Section 18, east side of Lakeview Avenue, 600 feet southwest of 9th Street.

Reference point--(a) End of 1 inch pipe at base of pump, 2.6 feet below ground through April 9, 1924; then (b) 3 inch hole in pump column east side 0.9 foot below concrete floor and ground.

Elevation of reference point--(a) 1468.7; (b) 1470.4; from levels by D.W.R.

Use--Irrigation.

Depth--425 feet.

Casing--14 inches.

Other numbers--Owner No. 4, Harding 341.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Oct. 29	62.2	Jan. 26	61.4	June 20	61.9
Nov. 10	62.1	Feb. 27	61.1	Oct. 24	62.0
Nov. 26	62.0	Mar. 23	60.8	Nov. 15	61.6
Dec. 31	61.7	Apr. 21	60.6		

## 4S2W18C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1924		1938		1940	
Apr. 9 a	61.0	Mar. 29 b	86.9	Jan. 11 b	88.9
		Mar. 31 b	85.8		
1937		July 6 b	95.0	1941	
		Nov. 30 b	88.8		
Sep. 1 b	91.3			Jan. 20	89.2
		1939			
		Sep. 28 b	91.4	1942	
				Jan. 13	90.4

a Measurement by owner.

b Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S2W18D

NUEVO WATER COMPANY

L.N. 44

Location--600 feet north and 600 feet west of southeast corner of Section

18, 60 feet west of Bell Avenue, 0.28 mile north of 11th Street.

Reference point--Bottom edge of pump base, west side, at ground.

Elevation of reference point--1505.0, from owner.

Use--Irrigation.

Depth--420 feet.

Casing--16 inches.

Other numbers--Owner No. 9.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1939		1941	
Mar. 8	128.	Mar. 22	128.6	Jan. 20 a	131.2
Mar. 31	128.2	Sep. 28	133.1		
July 7	135.0			1942	
Nov. 30	131.8	1940			
		Jan. 11	131.6	Jan. 12 a	131.0

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S2W18E

R. G. POW

L.N. 55

Location--About 1000 feet east of west quarter corner of Section 18,

50 feet north of Reservoir Avenue, 0.19 mile south of 10th Street.

Reference point--Top of casing 2 feet above ground.

Elevation of reference point--1458, from M.W.D. topog.

Use--Not used.

Depth--

Casing--7 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 20	73.6	Jan. 12	73.8		

---

Measurements from Division of Water Resources.

## MAP 9

4S2W19A

NUEVO WATER COMPANY

L.N. 45

Location--220 feet south and 550 feet west of east quarter corner of  
Section 19.Reference point--Top of iron pump at 1 inch hole east side 0.35 foot  
above concrete block at ground.

Elevation of reference point--

Use--

Depth--

Casing--24 inches.

Other numbers--Owner No. 1A

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
Sep. 7	33.4	Mar. 22	39.2	Jan. 20 a	30.1
		June 9	51.0		
1938		Sep. 28	34.9	1942	
Mar. 31	30.3	1940		Jan. 13 a	27.3
Nov. 30	41.4				
		Jan. 11	32.2		

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.



## MAP 9

4S2W20A

JOE VOBORA

L.N. 54

Location--1800 feet east and 800 feet south of northwest corner of Section 20, 530 feet east of Hansen Avenue, 0.3 mile north of Water Avenue.

Reference point--Top of casing, south side, 1 foot above ground.

Elevation of reference point--

Use--Domestic.

Depth--192 feet.

Casing--8 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Jan. 20	172.9				

---

Measurement from Division of Water Resources.

## MAP 9

4S2W36A

HARRISON

P. 16

Location--300 feet north and 600 feet west of southeast corner of Section 36, 300 feet north of Esplanade.

Reference point--(a) Cut in 1 inch board on top of pit, 1.3 feet above ground through November 7, 1922; then (b) top strip iron on concrete base north side of well 1 foot above ground.

Elevation of reference point--(a) 1501.5; (b) 1501.2; from levels by D.W.R.

Use -Domestic.

Depth--98 feet.

Casing--12 inches.

Other numbers--Harding 247, Waring 80.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1915		1922		1922 Cont'd.	
Nov. a	12.	Jan. 4	11.2	June 19	8.5
		Jan. 25	10.3	July 10	9.0
1921		Feb. 15	9.2	Aug. 4	9.4
		Mar. 13	8.5	Aug. 30	9.8
Oct. 14	12.5	Apr. 3	8.2	Sep. 19	10.1
Oct. 22	12.5	Apr. 19	8.1	Oct. 17	10.2
Nov. 8	12.5	May 10	8.0	Nov. 7	10.0
Dec. 12	12.4	May 30	8.2		

## 4S2W36A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Dec. 9 b	27.2	Jan. 20 b	27.1	Jan. 16 b	25.1
		Apr. 15 b	26.2		
		May 15 b	26.0		
		June 19 b	25.9		
		July 16 b	25.9		
		Sep. 9 b	25.9		

a Measurement from United States Geological Survey.

b Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S1W6A

GARBONI

S.V. 302

Location--1000 feet west and 1500 feet south of northeast corner of  
Section 6, 350 feet southwest of State Highway 79, 1.9 mile southeast  
from Bridge Road.

Reference point--Top of board cover, 0.8 foot above concrete base and  
ground

Elevation of reference point--

Use--

Depth--

Casing--10 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1942					
Jan. 13	78.8				

Measurement from Metropolitan Water District.

## MAP 9

4S1W7A

S.V. 144

Location--500 feet west and 1100 feet north of southeast corner of  
Section 7.

Reference point--Top of casing 2.2 feet above ground.

Elevation of reference point--1453.3, from levels by M.W.D.

Use--Test well.

Depth--13.7 feet.

Casing--2 inches.

Other numbers--Test Well No. 29.

## 4S1W7A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Oct. 23	8.6	Jan. 17	7.1	Jan. 16	8.8
Nov. 1	7.8	Mar. 21	6.6	Apr. 18	3.9
Nov. 15	7.7	May 1	6.6	May 15	5.6
Dec. 15	7.4	June 6	7.0	June 19	6.4
		July 25	8.2	July 15	7.2
		Sep. 18	9.6		
		Oct. 24	10.0	1942	
		Nov. 27	9.5		
				Jan. 13	7.6

Measurements from Metropolitan Water District.

## MAP 9

4S1W7B

S.V. 145

Location--50 feet north of south quarter corner of Section 7.

Reference point--Top of 2 inch coupling, 0.9 foot above ground.

Elevation of reference point--1449.1, from M.W.D. topog.

Use--Test well.

Depth--15.5 feet.

Casing--2 inches.

Other numbers--Test Well No. 30.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940 Cont'd.		1941 Cont'd.	
Oct. 23	8.6	Sep. 18	11.2	July 15	5.4
Nov. 1	8.5	Oct. 24	11.4	Sep. 10	6.9
Nov. 15	8.4	Nov. 27	10.4	Oct. 15	7.0
Dec. 15	7.9			Nov. 11	6.6
		1941		1942	
1940		Jan. 16	8.1		
Jan. 17	6.4	Feb. 27	6.7	Jan. 13	5.6
Mar. 21	4.4	Mar. 17 a	1.6		
May 1	4.7	Apr. 18	2.3		
June 6	6.9	May 15	3.6		
July 25	9.3	June 19	3.8		

a Small flow in irrigation ditch 10 feet east.

Measurements from Metropolitan Water District.

## MAP 9

4S1W7C

S.V. 149

Location--1000 feet east and 1050 feet south of north quarter corner of Section 7.

Reference point--Top of 2 inch coupling, 1.7 feet above ground.

Elevation of reference point--1452.7, from levels by M.W.D.

Use--Test. Depth--17.6 feet.

Casing--2 inches.

Other numbers--Test Well No. 33.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940 Cont'd.		1941 Cont'd.	
Nov. 6	10.3	Oct. 24	9.3	Nov. 11	8.6
Nov. 15	9.8	Nov. 27	9.2	Dec. 12	8.6
Dec. 15	9.8				
1940		1941		1942	
Jan. 17	9.5	Jan. 21	9.2	Jan. 14	8.6
Mar. 21	9.6	Apr. 18	8.8		
May 1	9.2	May 16	8.4		
June 6	9.0	June 19	8.0		
July 25	9.1	July 15	7.8		
Sep. 18	9.1	Sep. 10	8.5		
		Oct. 15	8.9		

---

Measurements from Metropolitan Water District.

## MAP 9

4S1W7D

S.V. 150

Location--600 feet east and 650 feet south of northwest corner of Section 7.

Reference point--Top of 2 inch coupling, 1.3 feet above ground.

Elevation of reference point--1446.1, from levels by M.W.D.

Use--Test. Depth--15.2 feet.

Casing--2 inches.

Other numbers--Test Well No. 34.

---

## 4S1W7D Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Nov. 6	8.6	Mar. 21 a	7.1	Jan. 21	6.5
Nov. 15	8.4	May 1	6.6	June 19	4.2
Dec. 15 a	7.8	June 6	6.7	July 15	5.3
		July 25	7.4	Sep. 10	7.3
		Sep. 18	8.8	Oct. 15	8.4
		Oct. 24	8.7	Nov. 11	9.0
		Nov. 27 a	8.0		
				1942	
				Jan. 14	9.7

a Flow in river.

Measurements from Metropolitan Water District.

## MAP 9

4S1W15A

E. H. RECORD

S.V. 37

Location--50 feet north and 1420 feet west of the south quarter corner of Section 15, on north side of Record Avenue, one-fourth mile west of Riverside-San Jacinto highway.

Reference point--(a) Top of plug in T north side of well 1 foot above ground through January 26, 1926; then (b) top of  $2\frac{1}{2}$  inch pipe 1.3 feet above ground.

Elevation of reference point--(a) 1500.2; (b) 1500.5; from levels by M.W.D.

Use--Not used.

Depth--31.6 feet.

Casing--7 inches.

Other numbers--Harding 224.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 18 a	Flowing	Jan. 24 a	+32.7	June 30 a	+32.8
Dec. 16 a	+27.7	Feb. 24 a	+35.6	July 22 a	+30.1
		Mar. 22 a	+37.5	Sep. 11 ab	+27.0
		Apr. 17 a	+38.4	Oct. 7 ab	+27.9
		May 15 a	+35.5	Nov. 13 a	+31.7
		June 6 a	+33.9		



## 4S1W15A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1926		1938		1941	
Jan. 26 a	+23.5	Jan. 19	10.3	Jan. 16	9.8
		July 26	1.0	Apr. 16	6.1
1936		Nov. 30	9.9	May 15	5.5
				June 19	7.8
July 11	13.2	1939		July 15	8.2
Aug. 12	13.8			Sep. 10	7.7
Oct. 22	14.1	Mar. 21	8.4	Oct. 7	7.9
Dec. 19	13.3	July 20	1.3	Nov. 11	7.2
1937		1940		1942	
Feb. 2	12.7	Jan. 10	9.2	Jan. 13	7.2
Mar. 29	9.7				
June 22	9.3				
Oct. 7	11.7				

---

a Measurement from Division of Water Resources.

b Pumping 300 feet southeast.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S1W15B

O. P. THOMPSON

S.V. 40

Location--100 feet north and 100 feet east of the south quarter corner of Section 15, 100 feet east of Riverside-San Jacinto highway and 100 feet north of Record Avenue.

Reference point--Top of 2 inch nipple, 2.0 feet above ground in swale.

Elevation of reference point--

Use--

Depth--

Casing--2 inches.

Other numbers--Waring 92.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1915		1937		1938	
Nov. a	Flowing	Mar. 16	Flowing	Jan. 19	Flowing
		Mar. 29	"	Apr. 11	"
		June 22	"	July 26	"
		Oct. 6 b		Nov. 29	"

## 4S1W15B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1941		1942	
Mar. 21	Flowing	Jan. 21	Flowing	Jan. 13	Flowing
1940					

Jan. 10 Flowing

a Measurement from United States Geological Survey.

b No flow.

Measurements from Metropolitan Water District.

## MAP 9

4S1W15C

E. H. RECORD

S.V. 42

Location--1500 feet north and 820 feet east of the southwest corner of  
 Section 15, 1500 feet north of Record Avenue, 0.3 mile west of River-  
 side-San Jacinto highway.

Reference point--End of 3" x 3/4" horizontal nipple, 1.5 feet above  
 ground.

Elevation of reference point--

Use--Not used.

Depth--

Casing--2 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1942	
Oct. 7	3.0	Mar. 21	Flowing	Jan. 13	Flowing
		July 20	6.4		
1938		1940			
Jan. 19	Flowing				
Apr. 13	"	Jan. 10	Flowing		
July 26	Not Flowing				
Nov. 30	Flowing				

Measurements from Metropolitan Water District.

## MAP 9

4S1W15D

NELLIE MIRANDA

S.V. 48

Location--1560 feet north and 970 feet west of the southeast corner of Section 15, 150 feet north of road to Soboba Hot Springs and 0.45 mile east of junction with Riverside-San Jacinto highway.

Reference point--(a) Top of suction pipe under hand pump 2.0 feet above ground through July 19, 1939; then (b) top of 2 inch wood cover at ground.

Elevation of reference point--(a) 1522.1; (b) 1520.1; from levels by M.W.D.

Use--Domestic.

Depth--22.4 feet. Casing--3 feet dia. dug.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1935		1939 Cont'd.		1941	
June 28	21.8	Aug. 28	17.9	Jan. 14	17.5
Aug. 13 a		Sep. 25	17.5	Feb. 19	16.0
Oct. 22 a		Oct. 2	17.8	Mar. 21	12.8
Dec. 19 a		Oct. 23	17.4	Apr. 16	10.3
		Oct. 30	19.3	May 13	10.3
1937		Nov. 6	17.6	June 24	15.5
		Dec. 4	16.5	July 16	12.8
Mar. 29	18.6			Aug. 20	13.5
June 22	16.8	1940		Sep. 16	13.0
Oct. 7	19.8			Oct. 24	12.9
		Jan. 2	15.3	Nov. 18	12.2
1938		Feb. 27	13.6	Dec. 16	11.7
		Mar. 19	13.8		
Jan. 19	17.8	Apr. 16	14.3	1942	
Apr. 11	14.8	May 13	15.8		
July 26	16.2	June 19	18.9	Feb. 17	11.2
Nov. 29	16.9	July 10	20.1		
		Aug. 13	20.8		
1939		Sep. 18	20.6		
		Oct. 15	20.9		
Mar. 21	15.5	Nov. 19	19.4		
June 20	17.0				
July 19	18.5				
Aug. 16	17.6				
Aug. 21	18.0				

a Dry at 22.4.

Measurements from Metropolitan Water District.

## MAP 9

4S1W16A

AMEROSE AND CLARA YARBROUGH

S.V. 50

Location--180 feet north and 350 feet west of the south quarter corner of Section 16, 180 feet north of Record Avenue and about 1.1 miles west of Riverside-San Jacinto highway.

Reference point--Top of casing, 1.3 feet above ground.

Elevation of reference point--1480.5, from levels by D.W.R.

Use--Not used.

Depth--

Casing--2 inches.

Other numbers--Harding 225.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1937		1939	
Nov. 18	Flowing	June 22	cd	Mar. 21	cd
Dec. 16	+34.6			July 20	ce
		1938			
1922				1940	
		Jan. 19	cd		
Jan. 24	+39.7	Apr. 13	cd	Jan. 10	cd
Feb. 24	+42.4	July 26	cd		
Apr. 17	+44.9	Nov. 30	cd		
May 17	+42.2				
June 6	+40.0				
July 22 a	+29.1				
Sep. 11 b	+32.6				
Oct. 7	+33.9				
Nov. 13	+37.5				

a Other wells flowing 200 feet away.

b Other wells not flowing 200 feet away.

c Measurement from Metropolitan Water District.

d Barely flowing.

e No flow.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S1W16B

S.V. 141

Location--100 feet east of center of Section 16.

Reference point--Top of 2 inch coupling, 0.5 foot above ground.

Elevation of reference point--1475.7, from levels by M.W.D.

Use--Test.

Depth--10.3 feet.

Casing--2 inches.

Other numbers--Test Well No. 26.

## 4S1W16B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940 Cont'd.		1941 Cont'd.	
Oct. 23	4.4	July 25	4.9	May 15	2.2
Nov. 1	4.5	Sep. 18	6.1	June 19	2.7
Nov. 15	4.4	Oct. 24	6.5	July 15	3.4
Dec. 15	4.1	Nov. 27	6.4	Sep. 10	4.6
				Oct. 15	5.0
1940		1941		Nov. 11	5.0
Jan. 17	3.2	Jan. 16	5.4	1942	
Mar. 21	2.6	Feb. 27	4.3		
May 1	2.8	Mar. 17	2.4	Jan. 13	4.6
June 6	3.7	Apr. 18	1.9		

---

Measurements from Metropolitan Water District.

## MAP 9

4S1W16C

S.V. 142

Location--300 feet west of east quarter corner of Section 16.  
 Reference point--Top of 2 inch coupling, 0.6 foot above ground.  
 Elevation of reference point--1457.6, from levels by M.W.D.  
 Use--Test. Depth--10.4 feet. Casing--2 inches.  
 Other numbers--Test Well No. 27.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940 Cont'd.		1941 Cont'd.	
Oct. 23	6.2	July 25	9.8	May 15	4.0
Nov. 1	6.4	Sep. 18 a		June 19	5.2
Nov. 15	6.8	Oct. 24 a		July 15	6.5
Dec. 15	7.3	Nov. 27 a		Sep. 10	8.6
				Oct. 15	9.4
1940		1941		Nov. 11	9.6
Jan. 17	7.0	Jan. 16 a		1942	
Mar. 21	6.6	Feb. 27 a			
May 1	7.1	Mar. 17	7.0	Jan. 13	9.5
June 6	8.1	Apr. 18	3.8		

---

a Wet sand at ten feet.

Measurements from Metropolitan Water District.



## MAP 9

4S1W16D

C. W. RECORD

S.V. 29

Location--160 feet north and 540 feet west of the southeast corner of Section 16, 150 feet north of Record and 0.6 mile west of the River-side-San Jacinto highway.

Reference point--Top of casing, 1.1 feet above ground.

Elevation of reference point--1491.4, from levels by M.W.D.

Use--Domestic. Depth--97 feet. Casing--3 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1937		1938	
July 11 a	7.6	Feb. 2	2.1	Jan. 19	Flowing
Aug. 12 b	10.6	Mar. 29	Flowing	Apr. 13	"
Oct. 22	6.9	June 22	1.3	July 26 c	
Dec. 19	3.8	Oct. 6	5.0		

a Recently pumped one hour.

b Pumping occasionally.

c Well plugged.

Measurements from Metropolitan Water District.

## MAP 9

4S1W17A

S.V. 127

Location--At west quarter corner Section 17, 0.5 mile west on Mead Road, from intersection with Ramona Boulevard (Central Avenue).

Reference point--One-half inch hole in top of reducer, 0.9 foot above ground.

Elevation of reference point--1455.4, from levels by M.W.D.

Use--Test. Depth--11 feet. Casing--2 inches.

Other numbers--Test Well No. 10.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1939 Cont'd.		1939 Cont'd.	
Sep. 11	6.9	Oct. 2	5.2	Nov. 1	5.8
Sep. 13	6.8	Oct. 12	5.4	Nov. 15	5.7
Sep. 15	6.8	Oct. 23	5.3	Dec. 15	6.0

## 4S1W17A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1941 Cont'd.	
Jan. 17	5.0	Jan. 16	6.4	Oct. 15 b	6.3
Mar. 21	5.0	Feb. 27 a	3.2	Nov. 11	6.0
May 1	5.5	Mar. 17 a	1.6	Dec. 12	6.2
June 6	5.9	Apr. 18 a	2.1		
July 25	6.3	May 15	4.4	1942	
Sep. 18	7.3	June 19	4.3		
Oct. 24	7.5	July 15	5.3	Jan. 13	5.8
Nov. 27	7.2	Sep. 10	5.9		

a Water flowing in ditch five feet north.

b Water standing in ditch five feet north.

Measurements from Metropolitan Water District.

## MAP 9

4S1W17B

S.V. 128

Location--1700 feet east and 20 feet south of west quarter corner of  
Section 17, 0.2 mile west on Mead Road from intersection with Ramona  
Boulevard (Central Avenue).

Reference point--Top of 2 inch casing, 0.8 foot above ground.

Elevation of reference point--1457.5, from levels by M.W.D.

Use--Test. Depth--11 feet,

Casing--2 inches.

Other numbers--Test Well No. 20.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940 Cont'd.		1941 Cont'd.	
Oct. 2	5.9	June 6	5.7	May 15	4.3
Oct. 12	5.7	July 25	6.6	June 19	5.0
Oct. 23	5.6	Sep. 18	7.4	July 15 b	5.8
Nov. 1	5.6	Oct. 24	7.6	Sep. 10	6.4
Nov. 15	5.5	Nov. 27	7.1	Oct. 15 b	6.6
Dec. 15	5.3			Nov. 11	6.2
		1941		Dec. 12 b	5.9
1940				1942	
Jan. 17	4.2	Jan. 16	6.3		
Mar. 21	4.2	Feb. 27 a	3.3	Jan. 13	5.3
May 1	4.6	Mar. 17 a	1.4		
		Apr. 18 a	2.3		

a Water flowing in ditch five feet north.

b Water standing in ditch five feet north.

Measurements from Metropolitan Water District.

## MAP 9

4S1W17C

S.V. 129

Location--2650 feet west and 20 feet south of east quarter corner of Section 17.

Reference point--Top of 2 inch casing, 0.4 foot above ground.

Elevation of reference point--1458.3, from levels by M.W.D.

Use--Test. Depth--10 feet. Casing--2 inches.

Other numbers--Test Well No. 21.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Oct. 2	4.9	Jan. 17	3.5	Jan. 16	2.8
Oct. 12	5.0	Mar. 21	3.1	Feb. 27 a	0.8
Oct. 23	5.1	May 1	3.5	Mar. 17 a	0.4
Nov. 1	5.1	June 6	3.6	Apr. 18 a	0.7
Nov. 15	4.8	July 25	3.9	May 15	2.1
Dec. 15	4.6	Sep. 18	5.5	June 19	3.0
		Oct. 24	5.4	July 15	3.2
		Nov. 27	4.7	Sep. 10	3.5
				Oct. 15 a	3.1
				Nov. 11	2.9
				Dec. 12	3.2
				1942	
				Jan. 13	2.4

---

a Water flowing in ditch.

Measurements from Metropolitan Water District.

## MAP 9

4S1W17D

S.V. 130

Location--350 feet west and 1400 feet south of east quarter corner of Section 17.

Reference point--Three-fourths inch hole in top of reducer, 0.9 foot above ground.

Elevation of reference point--1464.4, from levels by M.W.D.

Use--Test. Depth--11.9 feet. Casing--2 inches.

Other numbers--Test Well No. 9.

---

## 4S1W17D Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Sep. 11	6.7	Jan. 17	4.9	Jan. 16	4.9
Sep. 13	6.7	Mar. 21	3.8	Feb. 27	ab 1.7
Sep. 15	6.7	May 1	4.2	Mar. 17	b 1.1
Oct. 2	6.3	June 6	4.9	Apr. 18	a 1.8
Oct. 12	6.2	July 25	5.8	May 15	3.5
Oct. 23	6.2	Sep. 18	6.8	June 19	4.4
Nov. 1	6.1	Oct. 24	6.9	July 15	5.0
Nov. 15	6.0	Nov. 27	6.5	Sep. 10	5.7
Dec. 15	5.7			Oct. 15	5.2
				Nov. 11	4.7
				Dec. 12	4.1
				1942	
				Jan. 13	3.4

a Water flowing in ditch seven feet west.

b Water standing around well.

Measurements from Metropolitan Water District.

## MAP 9

4S1W17E

S.V. 140

Location--150 feet west of east quarter corner of Section 17.

Reference point--Top of 2 inch coupling, 0.7 foot above ground.

Elevation of reference point--1484.4, from levels by M.W.D.

Use--Test.

Depth--10.4 feet.

Casing--2 inches.

Other numbers--Test Well No. 25.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1940 Cont'd.	
Oct. 23	a 4.7	Jan. 17	3.1	July 25	a 4.2
Nov. 1	a 4.6	Mar. 21	a 2.5	Sep. 18	a 5.0
Nov. 15	4.3	May 1	a 2.9	Oct. 24	a 4.8
Dec. 15	4.0	June 6	a 3.7	Nov. 27	a 4.5



## 4S1W17E Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1941 Cont'd.		1942	
Jan. 16	2.7	June 19 a	3.0	Jan. 13	2.4
Feb. 27 a	1.6	July 15 a	3.4		
Mar. 17 a	0.8	Sep. 10 a	3.7		
Apr. 18 a	1.2	Oct. 15 a	3.6		
May 15	2.2	Nov. 11 a	3.2		

a Water flowing in ditch 25 feet north,  
Measurements from Metropolitan Water District.

## MAP 9

4S1W18A

S.V. 126

Location--Center of Section 18, 1.11 mile west on Mead Road from inter-  
section with Ramona Boulevard (Central Avenue).  
Reference point--Top of 2 inch coupling, 0.7 foot above ground.  
Elevation of reference point--1450.9, from levels by M.W.D.  
Use--Test. Depth--19 feet. Casing--2 inches.  
Other numbers--Test Well No. 12.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Sep. 12	14.8	Jan. 17 a	9.4	Jan. 16	10.1
Sep. 13	13.1	Mar. 21	9.2	Feb. 27	10.1
Sep. 15	11.7	May 1	9.4	Mar. 17 b	9.8
Oct. 2	10.7	June 6	9.6	Apr. 18 a	9.2
Oct. 12	10.7	July 25	10.0	May 15	8.8
Oct. 23 a	10.7	Sep. 18	10.6	June 19	8.7
Nov. 1 a	10.6	Oct. 24	10.7	July 15	8.8
Nov. 15	10.3	Nov. 27	10.7	Sep. 10	9.2
Dec. 15	9.8			Oct. 15	9.4
				Nov. 11	9.4
				Dec. 12	9.3
				1942	
				Jan. 13	8.9

a Water standing in ditch five feet north.  
b Water flowing in ditch five feet north.  
Measurements from Metropolitan Water District.



## MAP 9

4S1W18B

CASA LOMA RANCH (RUTH PICO)

P. 1

Location--450 feet south and 1250 feet east of the west quarter corner of Section 18.

Reference point--Center 2" x 12" curb on south side, 1 foot above ground.

Elevation of reference point--1451.0, from M.W.D. topog.

Use--Stock water. Depth--5.5 feet. Casing--5' x 5' dug.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1935		1937		1939	
Apr. 23	1.0	Mar. 26	.9	Mar. 21 b	1.0
May 17	1.2	June 22	1.7	July 20 a	1.8
June 4	3.6	Oct. 8	2.2		
June 27	4.9			1940	
July 23	5.4	1938			
Aug. 23	5.3			Mar. 21	1.2
Oct. 1	4.2	Jan. 20 a	1.8		
Nov. 6	3.7	Apr. 13 a	1.2	1941	
Dec. 5	3.1	July 26 a	1.2		
		Nov. 30 b	1.0	Jan. 20	1.9
1936					
Aug. 13	2.7				
Oct. 23	2.8				
Dec. 21	1.9				

a Pumping.

b Well overflowing.

Measurements from Metropolitan Water District.

## MAP 9

4S1W18C

S.V. 125

Location--550 feet east and 20 feet south of west quarter corner of Section 18.

Reference point--Three-fourths inch hole in top of reducer, 0.6 foot above ground.

Elevation of reference point--1466.5, from levels by M.W.D.

Use--Test. Depth--22.2. Casing--2 inches.

Other numbers--Test Well No. 13.

## 4S1W18C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Oct. 2	15.5	Jan. 17	15.0	Mar. 17	14.8
Oct. 12	15.6	Mar. 21	14.6	May 15	14.7
Oct. 23	15.5	Nov. 27	15.9	June 19	14.3
Nov. 1	15.5			July 15	14.5
Nov. 15	15.4			Sep. 10	14.9
Dec. 15	15.3			Oct. 15	14.9
				Nov. 11	14.6
				Dec. 12	14.3
				1942	
				Jan. 13	14.1

---

Measurements from Metropolitan Water District.

## MAP 9

4S1W19A

JOE AGUIRRE

S.V. 70

Location--75 feet south and 110 feet west of the north quarter corner of Section 19, one-half mile south and one-half mile east of corner of Mead Road and Pico Road.

Reference point--(a) Top of wooden plug in well, 2.4 feet above ground, through November 13, 1922; then (b) top of casing, 0.3 foot above ground.

Elevation of reference point--(a) 1430.9; (b) 1458.8; from levels by D.W.R.

Use--Stock.

Depth--

Casing--5 inches.

Other numbers--Harding 285.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Oct. 20	a Flowing	Jan. 24	a +5.3	July 22	a +8.9
Dec. 16	a +5.1	Apr. 7	a +2.2	Aug. 15	a +8.4
		May 15	a +9.5	Sep. 9	a +7.9
		June 6	a +8.8	Oct. 7	a +7.4
		June 30	a +9.8	Nov. 13	a +7.6

## 4S1W19A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1935		1937		1939	
May 17	0.7	Mar. 26	1.2	Mar. 21 b	2.6
July 3	2.3	June 22	1.8		
		Oct. 6 b	3.1	1940	
1936		1938		Mar. 21	1.4
Aug. 13 b	2.6				
Oct. 23	6.6	Jan. 20 b			
Dec. 21	2.2	Apr. 13 b	3.5		
		July 26 b	1.7		
		Nov. 30	1.9		

a Measurement from Division of Water Resources.

b Windmill pumping.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S1W20A

S.V. 151

Location--1300 feet north of south quarter corner of Section 20, 2000 feet north of end of Sanderson Avenue, one and one-fourth mile north of Cottonwood Avenue.

Reference point--Top of 2 inch coupling, 1.7 feet above ground.

Elevation of reference point--1478.8, from levels by M.W.D.

Use--Test. Depth--16.9 feet. Casing--2 inches.

Other numbers--Test Well No. 35.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940 Cont'd.		1941 Cont'd.	
Nov. 6	10.8	Sep. 18	11.2	June 19	6.9
Nov. 15	10.5	Oct. 24	11.2	July 15	7.7
Dec. 15	10.3	Nov. 27	11.1	Sep. 10	8.8
				Oct. 15	9.1
1940		1941		Nov. 11	9.1
Jan. 17	9.7	Jan. 16	9.7	1942	
Mar. 21	8.4	Feb. 27	7.1		
May 1	8.6	Mar. 17	3.6	Jan. 14	8.6
June 6	9.2	Apr. 18	5.0		
July 25	10.2	May 15	5.9		

Measurements from Metropolitan Water District.

## MAP 9

4S1W21A

S.V. 131

Location--600 feet east and 450 feet south of northwest corner of Section 21.

Reference point--Top of casing, 0.7 foot above ground.

Elevation of reference point--1473.6, from levels by M.W.D.

Use--Test.

Depth--11.6 feet.

Casing--2 inches.

Other numbers--Test Well No. 22.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Oct. 2	7.0	Jan. 17	5.0	Jan. 16	4.7
Oct. 12	6.5	Mar. 21	4.8	Feb. 27	4.4
Oct. 23	6.1	June 6	4.6	Mar. 17 a	4.0
Nov. 1	5.9	July 25	4.7	Apr. 18	3.7
Nov. 15	5.5	Sep. 18	4.8	May 15	3.6
Dec. 15	5.2	Oct. 24	4.8	June 19	3.6
		Nov. 27	4.7	July 15	3.5
				Sep. 10	5.7
				Oct. 15	5.4
				Nov. 11	5.2
				Dec. 12	5.0
				1942	
				Jan. 13	4.8

---

a Water flowing in ditch 10 feet west.

Measurements from Metropolitan Water District.

## MAP 9

4S1W21B

S.V. 132

Location--2300 feet west and 200 feet south of east quarter corner of Section 21, 1.5 mile southeast along Ramona Boulevard (Central Avenue) from Mead Road.

Reference point--Top of casing, 0.9 foot above ground.

Elevation of reference point--1491.2, from levels by M.W.D.

Use--Test.

Depth--20.4 feet.

Casing--2 inches.

Other numbers--Test Well No. 6.

---

## 4S1W21B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Sep. 13	14.1	Jan. 17	8.2	Jan. 16	9.0
Sep. 15	13.2	Mar. 21	7.9	Feb. 27	7.6
Oct. 18	9.6	May 1	7.6	Mar. 17	6.1
Oct. 23	9.4	June 6	7.7	Apr. 18	5.6
Nov. 1	9.3	July 25	9.0	May 15	5.3
Nov. 15	9.3	Sep. 18	9.7	June 19	5.3
Dec. 15	9.0	Oct. 24	9.7	July 15	5.6
		Nov. 27	9.3	Sep. 10	7.5
				Oct. 15	7.6
				Nov. 11	7.1
				Dec. 12	6.4
				1942	
				Jan. 13	5.8

---

Measurements from Metropolitan Water District.

## MAP 9

4S1W21C

S.V. 134

Location--1300 feet west and 20 feet south of northeast corner of

Section 21.

Reference point--Top of reducer, 0.9 foot above ground.

Elevation of reference point--1489.0, from levels by M.W.D.

Use--Test. Depth--17 feet.

Casing--2 inches.

Other numbers--Test Well No. 5.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1939 Cont'd.		1939 Cont'd.	
Sep. 11	9.7	Oct. 2	9.2	Nov. 1	9.0
Sep. 13	9.6	Oct. 12	9.1	Nov. 15	8.9
Sep. 15	9.5	Oct. 23	9.1	Dec. 15	8.3



## 4S1W21C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1941 Cont'd.	
Jan. 17	8.1	Jan. 16	8.9	Oct. 15	7.7
Mar. 21	7.5	Feb. 27	8.2	Nov. 11	7.4
June 6	8.1	Mar. 17	5.8	Dec. 12	7.2
July 25	9.1	Apr. 18	5.3		
Sep. 18	9.7	May 15	5.7	1942	
Oct. 24	9.9	June 19	6.2		
Nov. 27	9.8	July 15	6.7	Jan. 13	6.9
		Sep. 10	7.5		

---

Measurements from Metropolitan Water District.

## MAP 9

4S1W21D

S.V. 138

Location--25 feet west and 650 feet north of south quarter corner of Section 21.

Reference point--Top of 2 inch coupling 0.5 foot above ground.

Elevation of reference point--1497.2, from levels by M.W.D.

Use--Test.

Depth--18.3 feet.

Casing--2 inches.

Other numbers--Test Well No. 23.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Oct. 18	11.6	Jan. 17	9.8	Jan. 16	9.6
Oct. 23	10.8	Mar. 21	9.5	Feb. 27	9.5
Oct. 26	10.5	May 1	9.3	Mar. 17	8.9
Nov. 1	10.3	June 6	9.2	Apr. 18	8.4
Nov. 15	9.9	July 25	9.2	May 15	6.6
Dec. 15	9.7	Sep. 18	9.8	June 19	6.8
		Oct. 24	10.1	July 15	7.0
		Nov. 27	9.7	Sep. 10	7.8
				Oct. 15	8.2
				Nov. 11	8.1
				Dec. 12	7.8
				1942	
				Jan. 14	7.4

---

Measurements from Metropolitan Water District.

## MAP 9

4S1W21E

MRS. MARK WORDEN

S.V. 23

Location--465 feet south and 150 feet west of the east quarter corner of Section 21, on northeast side of Idyllwild Road (North Central Avenue), 1500 feet southeast of angle in west end. Three feet northeast of Well 4S1W21F.

Reference point--Top of casing, 1.3 feet above ground.

Elevation of reference point--1501.0, from levels by M.W.D.

Use--Not used. Depth--159 feet. Casing--2 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1940	
June 10	11.8	Jan. 19	0.2	Jan. 10	Flowing
Aug. 12	13.4	Apr. 13	0.5		
Oct. 22	11.1	July 26	4.6	1941	
Dec. 19	7.4	Nov. 30	0.05		
				Jan. 16	0.4
1937		1939		1942	
Feb. 2	5.5	Mar. 21	Flowing		
Mar. 29	2.6	July 20	7.7	Jan. 13	Flowing
June 22	5.0				
Oct. 6	7.4				

Measurements from Metropolitan Water District.

## MAP 9

4S1W22A

MRS. MARK WORDEN

S.V. 22

Location--1110 feet north and 1015 feet east of the southwest corner of Section 22, 0.4 mile northwest along Idyllwild Road from Highway 79.

Reference point--Top of casing 1.3 feet above ground.

Elevation of reference point--1510.4, from levels by M.W.D.

Use--Not used. Depth--122 feet. Casing--7 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1937		1938	
June 10	17.8	Feb. 2	10.6	Jan. 19	3.5
Aug. 12	19.1	Mar. 29	7.1	Apr. 13	5.5
Oct. 22	16.3	June 22	10.6	July 26	9.5
Dec. 19	12.4	Oct. 7	10.9	Nov. 30	2.8

## 4S1W22A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Mar. 21	1.4	Jan. 10	1.1	Jan. 16	3.3
July 20	13.5			June 19	10.4
				July 15	11.2
				Sep. 10	6.0

---

Measurements from Metropolitan Water District.

## MAP 9

4S1W22B

S.V. 136

Location--75 feet west and 20 feet south of north quarter corner of  
Section 22.

Reference point--One inch hole in top of reducer 0.4 foot above ground.

Elevation of reference point--1505.0, from levels by M.W.D.

Use--Test.

Depth--16.6 feet.

Casing--2 inches.

Other numbers--Test Well No. 3.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Oct. 13	12.6	Jan. 17	11.9	Jan. 16	12.2
Oct. 18	12.6	Mar. 21	10.9	Feb. 27	11.4
Nov. 1	12.5	May 1	10.8	Mar. 17	9.9
Nov. 15	12.5	June 6	11.3	Apr. 18	9.0
Dec. 15	12.2	July 25	12.0	May 15	8.5
		Sep. 18	12.7	June 19	8.4
		Oct. 24	13.0	July 15	8.6
		Nov. 27	12.9	Sep. 10	9.0
				Oct. 15	9.3
				Nov. 11	9.2
				Dec. 12	9.0
				1942	
				Jan. 13	8.7

---

Measurements from Metropolitan Water District.

## MAP 9

4S1W22C

S.V. 237

Location--50 feet west and 1800 feet south of north quarter corner of  
Section 22.

Reference point--Top 2" x 10" cribbing, north side, at ground.

Elevation of reference point--

Use--Domestic.

Depth--

Casing--4' x 4'.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 16	9.6	Jan. 13	7.8		

---

Measurements from Metropolitan Water District.

## MAP 9

4S1W23A

HOPKINS

S.V. 2

Location--535 feet north and 910 feet west of the southeast corner of  
Section 23, about 225 feet southwest of 4S1W23D.

Reference point--Top of casing, 2.0 feet above ground.

Elevation of reference point--1551.2, from levels by M.W.D.

Use--Stock.

Depth--473 feet.

Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1940	
May 23	31.9	Jan. 19	3.6	Jan. 10	Flowing
Aug. 13	38.0	Apr. 13	Flowing		
Oct. 22	35.7	July 26	2.9	1941	
Dec. 19	26.6	Nov. 29	Flowing	Jan. 14	4.8
1937		1939		1942	
Feb. 2	23.5	Mar. 21	Flowing		
Mar. 29	12.2	July 20	10.1	Jan. 9	Flowing
June 22	1.8				
Oct. 7	14.6				

---

Measurements from Metropolitan Water District.

## MAP 9

4S1W23B

J. H. SCHROEDER

S.V. 4A

Location--1090 feet north and 640 feet east of the south quarter corner of Section 23.

Reference point--Top of casing 0.7 foot above ground.

Elevation of reference point--1545.4, from levels by M.W.D.

Use--Not used.

Depth--101 feet.

Casing--2 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1940	
June 28	31.8	Jan. 19	15.4	Jan. 10	12.0
Aug. 13	34.0	Apr. 13	11.7		
Oct. 22	36.4	July 26	14.5	1941	
Dec. 19	31.8	Nov. 29	13.4	Jan. 14	15.4
1937		1939		1942	
Feb. 2	29.4	Mar. 21	9.5		
Mar. 29	24.3	July 20	18.4	Jan. 9	6.0
June 22	19.6				
Oct. 7	24.3				

Measurements from Metropolitan Water District.

## MAP 9

4S1W23C

S.V. 104A

Location--1300 feet east and 700 feet south of northwest corner of Section 23.

Reference point--Top of 15 inch stand-pipe, 2.4 feet above ground.

Elevation of reference point--

Use--

Depth--

Casing--3 feet diameter.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1942			
July 26	12.0	Jan. 9	12.0		

Measurements from Division of Water Resources.



## MAP 9

4S1W25A

J. H. SCHROEDER

S.V. 56

Location--1320 feet north and 450 feet east of the west quarter corner of Section 25.

Reference point--Top of casing at ground.

Elevation of reference point--1566, from M.W.D. topog.

Use--Not used. Depth--237.5 feet. Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1941	
July 8	51.7	Jan. 18	23.0	Jan. 15	24.3
Aug. 13	53.6	Mar. 31	14.6	Mar. 18	17.3
Oct. 22	51.0	July 27	21.4	Apr. 16	9.9
Dec. 19	46.1	Nov. 28	19.3	May 15	6.4
				June 19	11.8
1937		1939		July 15	15.1
Feb. 2	44.2	Mar. 20	17.4	Aug. 27	16.8
Mar. 29	32.6	July 25	29.8	Oct. 7	15.2
June 22	24.0			Nov. 11	11.3
July 9	25.2	1940		Dec. 12	11.0
Oct. 7	30.6			1942	
		Jan. 10	18.4		
		Feb. 28	16.7	Jan. 7	10.6
		Aug. 14	37.0		

Measurements from Metropolitan Water District.

## MAP 9

4S1W26A

TEMPLE

S.V. 228

Location--About 1700 feet north and 1100 feet east of southwest corner of Section 26.

Reference point--(a) Plug in elbow of suction pipe 0.5 foot above ground through November 6, 1922; then (b) top of flange on 4 inch casing 5.2 feet below ground.

Elevation of reference point--(a) 1552.4; (b) 1546.7; from levels by D.W.R.

Use-- Depth-- Casing--4 inches.  
Other numbers--Harding 235.

## 4S1W26A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1941	
Oct. 13	5.0	Apr. 18	+5.7	Jan. 14	a 14.0
Oct. 19	4.6	May 8	0.6	Apr. 16	a 4.0
Oct. 31	3.5	May 23	+0.6	May 15	a 5.6
Nov. 7	4.2	June 12	0.7	July 15	a 13.4
Nov. 22	3.2	July 1	0.3	Sep. 9	a 13.9
Dec. 9	4.2	July 20	3.1	Oct. 7	a 9.4
Dec. 29	0.0	Aug. 14	6.3	Nov. 11	a 4.6
		Sep. 5	4.7	Dec. 12	a 4.0
1922		Sep. 29	7.2		
Jan. 19	+3.0	Oct. 19	1.7	1942	
Feb. 3	+3.8	Nov. 6	+2.2	Jan. 9	a 3.4
Feb. 24	+5.0	1940			
Mar. 14	+4.9				
Mar. 31	+5.1	June 27	a 27.6		

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S1W26B

S.V. 265

Location--1300 feet east and 400 feet south of northwest corner of Section 26, 6100 feet north of town of San Jacinto, 50 feet west of San Jacinto Street.

Reference point--Top of 2 inch pipe 0.9 foot above ground.

Elevation of reference point--

Use--Not used.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 14	10.9	Jan. 9	2.9		

Measurements from Metropolitan Water District.

## MAP 9

4S1W26C

E. O. INGALLS

S.V. 13

Location--80 feet south and 1270 feet east of the northwest corner of Section 26, on west side of San Jacinto Street, one and one-fourth miles north of Main Street, San Jacinto.

Reference point--Top of casing in 3' x 3' concrete block, 1.2 feet above ground.

Elevation of reference point--1542.7, from levels by M.W.D.

Use--Not used. Depth--183 feet. Casing--7 inches.

Other numbers--Harding 236.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1936	
Oct. 13	1.8	Jan. 19	Flowing	May 23	a 31.2
Oct. 19	1.4	Feb. 3	+4.2	Aug. 13	a 35.3
Oct. 31	0.8	Feb. 24	+4.7	Oct. 22	a 32.4
Nov. 7	0.8	Mar. 14	+5.2	Dec. 19	a 27.8
Nov. 22	0.3	Mar. 31	+5.6		
Dec. 9	Flowing	Apr. 13	+5.8	1937	
Dec. 29	"	May 8	+0.1		
		May 23	+3.5	Feb. 2	a 25.6
		June 12	0.0	Mar. 29	a 18.8
		July 1	+0.5	June 22	a 17.9
		July 20	1.1	Oct. 7	a 18.7
		Aug. 14	5.3		
		Sep. 5	3.3	1938	
		Sep. 29	3.0		
		Oct. 19	+1.3	Jan. 19	ab
		Nov. 6	+3.0		

a Measurement from Metropolitan Water District.

b Sealed.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S1W27A

J. M. FENLIFY

S.V. 65

Location--1880 feet north and 1750 feet west of southeast corner of Section 27, on northeast side of Ramona Boulevard (Central Avenue), 0.85 mile northwest of Main Street.

Reference point--Top of curb, northwest corner, 0.6 foot above ground.

Elevation of reference point--1537.8, from levels by D.W.R.

Use-- Depth--400+ feet. Casing--7 inches.

Other numbers--Harding 242.

## 4S1W27A Continued

Date		Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921			1936		1940	
Oct. 14	a	1.8	Aug. 14	16.2	Jan. 10	8.7
Nov. 10	a	0.6	Oct. 23	11.7	Feb. 28	7.8
Dec. 15	a	Flowing	Dec. 19	7.7		
1922			1937		1941	
Jan. 24	a	+5.6	Feb. 2	5.9	Jan. 15	10.5
Feb. 22	a	+6.1	Mar. 29	1.0	Mar. 18	7.8
Mar. 22	a	+7.2	June 22	2.3	Apr. 16	5.5
Apr. 17	a	+6.6	July 9	4.0	May 15	6.0
May 15	a	+3.1	Oct. 7	1.1	June 19	13.0
June 6	a	+1.0			July 15	13.3
June 30	a	1.2	1938		Aug. 27	12.3
July 22	a	1.9			Oct. 7	9.2
Aug. 15	a	3.8	Jan. 18	12.1	Nov. 11	5.8
Sep. 9	a	4.2	Mar. 31	9.2	Dec. 12	5.0
Oct. 7	a	1.9	July 27	17.0	1942	
Nov. 13	ab		Nov. 28	11.0	Jan. 9	4.8
			1939			
			Mar. 20	9.1		

---

a Measurement from Division of Water Resources.

b Flowing - seal broken.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S1W27B

R. E. KING

S.V. 74

Location--220 feet north and 700 feet east of south quarter corner of Section 27, northeast side of De Anza (South Central Avenue), 400 feet southeast of Grand Avenue.

Reference point--(a) Top of valve seat, 2.1 feet above ground through December 18, 1925; then (b) top of 2 inch casing 1.0 foot above ground.

Elevation of reference point--(a) 1539.6; (b) 1538.5; from levels by D.W.R.

Use--Not used.

Depth--18 feet.

Casing--2 inches.

Other numbers--Harding 448.

---



## 4S1W27B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1924		1939	
Nov. 18	3.4	Dec. 10	-0.9	Mar. 21 b	10.5
Dec. 15	+0.2				
		1925		1940	
1922		Dec. 18	-4.7	Jan. 10 b	6.3
Jan. 19	+4.1				
Feb. 22	+5.5	1936		1941	
Mar. 22	+6.0				
Apr. 17	+4.8	Oct. 23 bc		Jan. 16 b	9.8
May 15	+2.9				
June 6	-0.6	1938		1942	
June 30 a	-5.2				
July 22	-1.7	Apr. 12 b	14.4	Jan. 9 b	2.0
Aug. 15	-5.5	July 26 b	17.9		
Sep. 9	-5.3	Nov. 29 b	9.1		
Oct. 7	-2.5				

a Irrigation well 500 feet northeast pumping.

b Measurement from Metropolitan Water District.

c Dry at 18 feet.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S1W28A

S.V. 133

Location--15 feet west and 300 feet north of center of Section 28, 0.64 mile south on Lyons Avenue from De Anza Drive.

Reference point--Top of casing 0.5 foot above ground.

Elevation of reference point--1501.6, from levels by M.W.D.

Use--Test. Depth--15.8 feet.

Casing--2 inches.

Other numbers--Test Well No. 8.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1939 Cont'd.		1939 Cont'd.	
Sep. 13	9.5	Oct. 13	8.7	Nov. 15	8.8
Sep. 15	9.5	Oct. 23	8.8	Dec. 15	8.6
		Nov. 1	8.7		



## 4S1W28A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1941 Cont'd.	
Jan. 17	8.4	Jan. 16	8.5	Oct. 15	7.0
Mar. 21	8.0	Feb. 27	8.1	Nov. 11	6.9
May 1	7.7	Mar. 17	6.1	Dec. 12	6.6
June 6	8.4	Apr. 18	5.5		
July 25	8.4	May 15	5.8	1942	
Sep. 18	9.1	June 19	5.3		
Oct. 24	9.0	July 15	6.6	Jan. 14	6.4
Nov. 27	8.6	Sep. 10	7.0		
Measurements from Metropolitan Water District.					

## MAP 9

4S1W28B

S.V. 139

Location--At southwest quarter corner of Section 28, 57 feet north of Cottonwood Avenue, 15 feet west of Lyon Avenue.

Reference point--Top of 2 inch coupling, 0.6 foot above ground.

Elevation of reference point--1514.5, from levels by M.W.D.

Use--Test.

Depth--26.5 feet.

Casing--2 inches.

Other numbers--Test Well No. 24.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940 Cont'd.		1941 Cont'd.	
Oct. 18	22.1	June 6	21.2	May 15	20.1
Oct. 23	22.1	July 25	21.7	June 19	19.8
Oct. 26	22.1	Sep. 18	22.4	July 15	19.8
Nov. 1	22.1	Oct. 24	22.6	Sep. 10	19.8
Nov. 15	22.0	Nov. 27	22.4	Oct. 15	19.9
Dec. 15	21.8			Nov. 11	19.3
		1941		Dec. 12	19.5
1940				1942	
Jan. 17	21.6	Jan. 16	22.1		
Mar. 21	21.1	Feb. 27	21.8	Jan. 14	19.3
May 1	21.1	Mar. 17	21.5		
		Apr. 18	20.7		
Measurements from Metropolitan Water District.					

## MAP 9

4S1W28B

S.V. 139

Location--At southwest quarter corner of Section 28, 57 feet north of Cottonwood Avenue, 15 feet west of Lyon Avenue.

Reference point--Top of 2 inch coupling, 0.6 foot above ground.

Elevation of reference point--1514.5, from levels by M.W.D.

Use--Test. Depth--26.5 feet.

Casing--2 inches.

Other numbers--Test Well No. 24.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940 Cont'd.		1941 Cont'd.	
Oct. 18	22.1	June 6	21.2	May 15	20.1
Oct. 23	22.1	July 25	21.7	June 19	19.8
Oct. 26	22.1	Sep. 18	22.4	July 15	19.8
Nov. 1	22.1	Oct. 24	22.6	Sep. 10	19.8
Nov. 15	22.0	Nov. 27	22.4	Oct. 15	19.9
Dec. 15	21.8			Nov. 11	19.8
		1941		Dec. 12	19.5
1940					
		Jan. 16	22.1	1942	
Jan. 17	21.6	Feb. 27	21.8		
Mar. 21	21.1	Mar. 17	21.5	Jan. 14	19.3
May 1	21.1	Apr. 18	20.7		

---

Measurements from Metropolitan Water District.

## MAP 9

4S1W28C

S.V. 148

Location--30 feet west and 1050 feet north of south quarter corner of Section 28. On west side Lyon Avenue, 0.93 mile south from De Anza.

Reference point--Top of 2 inch coupling, 0.9 foot above ground.

Elevation of reference point--1507.8, from levels by M.W.D.

Use--Test. Depth--19.7 feet.

Casing--2 inches.

Other numbers--Test Well No. 32.

---

## 4S1W28C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Oct. 26	13.0	Jan. 17	12.5	Jan. 16	12.5
Nov. 1	13.1	Mar. 21	12.3	Feb. 27	12.4
Nov. 15	13.0	May 1	12.2	Mar. 17	12.1
Dec. 15	12.7	June 6	12.5	Apr. 18	11.7
		July 25	12.9	May 15	11.4
		Sep. 18	12.9	June 19	10.9
		Oct. 24	12.9	July 15	11.0
		Nov. 27	12.6	Sep. 10	10.8
				Oct. 15	10.7
				Nov. 11	10.5
				Dec. 12	10.3
				1942	
				Jan. 14	10.2

---

Measurements from Metropolitan Water District.

## MAP 9

4S1W29A

P. 5

Location--20 feet north and 100 feet west of the south quarter corner of  
 Section 29, northwest corner of Cottonwood Street and Sanderson Avenue.  
 Reference point--Top of casing, 0.5 foot above ground.  
 Elevation of reference point--1508.8, from levels by D.W.R.  
 Use--Domestic. Depth--120 feet. Casing--6 inches.  
 Other numbers--Harding 252.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Oct. 15 a	20.7	Jan. 3 a	17.9	May 30 a	16.4
Oct. 19 a	20.5	Jan. 25 a	16.8	July 10 a	18.0
Nov. 8 a	20.2	Feb. 15 a	15.6	Aug. 8 a	18.7
Nov. 25 a	20.0	Mar. 15 a	15.0	Aug. 30 e	19.3
Dec. 12 a	19.6	Apr. 3 a	14.9	Sep. 19 a	19.6
		Apr. 19 a	15.0	Oct. 17 a	19.4
		May 10 a	15.1	Nov. 7 a	18.5

## 4S1W29A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1935		1938		1941	
Apr. 23	34.4	Jan. 18	37.0	Jan. 20	37.9
		Apr. 12	35.9	Apr. 15	37.5
1936		Nov. 28	38.0	May 15	37.1
				June 19	37.2
Aug. 13	37.8	1939		July 15	37.5
Oct. 23	38.8			Sep. 10	38.2
Dec. 21	37.8	Mar. 21	37.4	Oct. 7	38.4
		July 19	37.8	Nov. 11	38.0
1937				Dec. 12	37.8
		1940			
Mar. 26	36.3			1942	
June 23	37.6	Jan. 12	37.5		
Oct. 8	38.3			Jan. 14	37.3

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S1W29B

MRS. EVANS

P. 6

Location--100 feet north and 150 feet west of center of Section 29,  
northwest corner Sanderson Avenue and Scott Street.

Reference point--Top of casing at ground.

Elevation of reference point--1502.0, from levels by D.W.R.

Use--Stock.

Depth--

Casing--12 inches.

Other numbers--Harding 253.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Oct. 15	15.0	Jan. 3	9.1	June 19	14.0
Oct. 26	14.4	Jan. 25	8.0	July 10	14.0
Nov. 8	14.0	Feb. 15	7.0	Aug. 4	14.4
Nov. 25	13.0	Mar. 15	6.2	Aug. 30	14.7
Dec. 12	11.2	Apr. 3	6.7	Sep. 19	16.0
		Apr. 19	6.8	Oct. 17	13.7
		May 10	10.8	Nov. 7	10.7
		May 30	11.7		

## 4S1W29B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1924		1938		1940	
Oct. 8	13.6	Jan. 18 a	30.9	Jan. 12 a	30.1
		Mar. 31 a	30.6	Feb. 28 a	30.6
1936		July 27 a	34.7	Aug. 14 a	37.7
		Nov. 28 a	36.4		
Oct. 23 a	33.8			1941	
Dec. 21 a	31.2	1939		Jan. 15 a	32.2
				Mar. 18 a	31.3
1937		Mar. 20 a	33.2	Aug. 27 a	35.2
		July 19 ab	43.2		
Mar. 26 a	29.4			1942	
June 23 a	38.1				
July 9 a	37.0			Jan. 14 a	31.3
Oct. 6 ab	38.6			Feb. 10 a	34.0

a Measurement from Metropolitan Water District.

b Pumping.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S1W30A

JOE AGUIRRE

P. 4

Location--150 feet north and 200 feet east of the west quarter corner of

Section 30, northeast corner of Scott Street and Warren Road.

Reference point--Top of casing 1.8 feet above ground.

Elevation of reference point--1492.2, from levels by D.W.R.

Use--Not used.

Depth--39 feet.

Casing--7 inches.

Other numbers--Harding 255, Waring 25.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1915		1921		1922	
Nov. a	6.0	Oct. 15	14.7	Jan. 25	11.1
		Oct. 26	14.7	Apr. 19	8.8
		Nov. 8	14.6	May 10	8.8
		Nov. 25	14.5	May 30	8.9
		Dec. 12	14.2	June 19	9.2



## 4S1W30A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1922 Cont'd.		1924		1935	
July 10	9.7	Oct. 8	15.5	May 16 b	25.2
Aug. 4	10.2				
Aug. 30	10.6	1925		1936	
Sep. 19	10.9				
Oct. 17	10.9	Dec. 5	15.7	Aug. 13 bc	
Nov. 7	10.6				

a Measurement from United States Geological Survey.

b Measurement from Metropolitan Water District.

c Dry at 20.1 feet.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S1W31A

P. 57

Location--420 feet north and 60 feet west of east quarter corner of

Section 31, at northwest corner of Cawston Avenue and 7th Street.

Reference point--Lower edge of seven and five-eighths inch discharge pipe, 1.3 feet above ground.

Elevation of reference point--1506.3, from M.W.D. estimate.

Use--Not used.

Depth--

Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
July 9	42.5	Mar. 20	38.6	Jan. 15	38.0
July 28	43.8	July 25	45.4	Mar. 18	36.9
Oct. 8	43.2			Apr. 15	36.4
		1940		May 15	37.8
1938				June 19	42.5
		Jan. 12	36.8	July 15	42.7
Jan. 18	35.6	Feb. 28	36.1	Aug. 27	42.1
Mar. 31	36.3	Aug. 14 a		Oct. 7	44.2
July 27	41.4			Nov. 11	38.6
Nov. 28	39.2			Dec. 12	37.2
				1942	
				Jan. 14	36.2

a Below 46.5 feet.

Measurements from Metropolitan Water District.

## MAP 9

4S1W32A

H. E. EMERY

P. 10

Location--300 feet north and 1300 feet east of southwest corner of Section 32, 100 feet north of Esplanade Avenue, one-fourth mile west of Sanderson Avenue.

Reference point--(a) Top of casing, 1.0 foot above ground through December 5, 1925; then (b) base of hand pump, 0.5 foot above ground.

Elevation of reference point--(a) 1514.3; (b) 1513.8; from levels by D.W.R.

Use--Domestic.

Depth--165 feet.

Casing--7 inches.

Other numbers--Harding 246.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1941	
Oct. 14	18.0	Aug. 4	16.3	Jan. 20 a	38.3
Oct. 26	16.8	Sep. 19	14.6	Apr. 15 a	37.4
Nov. 8	16.8	Oct. 17	14.6	May 15 a	41.8
Nov. 25	17.0			June 19 a	40.1
		1924		July 15 a	38.6
1922		Oct. 8	17.6	Sep. 9 a	38.1
Jan. 4	15.2			Oct. 7 a	37.8
Jan. 25	13.5	1925		Nov. 11 a	37.4
Feb. 15	12.6			Dec. 12 a	37.5
Mar. 16	12.3	Dec. 15	20.9	1942	
Apr. 3	14.0				
May 29	13.1	1940		Jan. 16 a	37.0
June 19	14.2				
July 10	15.7	Jan. 12 a	30.3		

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S1W32B

MANG BROTHERS

P. 43

Location--25 feet west and 300 feet north of southeast corner of Section 32, 25 feet west of Kirby Road, 300 feet north of Esplanade Avenue, northwest of Hemet.

Reference point--Top of pump base at ground.

Elevation of reference point--1527.5, interpolated by M.W.D.

Use--Irrigation.

Depth--500 feet.

Casing--12 or 14 inches.

## 4S1W32B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1940	
July 8 a	72.4	Jan. 18	53.6	Jan. 12	51.0
		July 27 b	103.7		
1937		Nov. 28	54.6	1942	
Feb. 5	48.6	1939		Jan. 14	53.2
Mar. 26	47.6	Mar. 20	57.1		
		Dec. 4 a	59.		

---

a Power company test.

b Pumping.

Measurements from Metropolitan Water District.

## MAP 9

4S1W33A

P. 7

Location--100 feet south and 450 feet east of the northwest corner of

Section 33. Near intersection of Kirby and Lakeview Avenue.

Reference point--Top of casing, 2.5 feet above ground.

Elevation of reference point--1522.5, interpolated by M.W.D.

Use--Not used.

Depth--

Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1940	
Aug. 13	53.9	Jan. 18	49.3	Jan. 12	49.1
Oct. 23	54.3	Apr. 12	46.6		
Dec. 21	49.0	July 27	50.6	1941	
1937		1939		Jan. 20	51.1
Mar. 26	45.9	Mar. 21	47.6	1942	
June 23	49.5	July 19	51.2		
Oct. 5	53.6			Jan. 14	49.9

---

Measurements from Metropolitan Water District.

## MAP 9

4S1W33B

ALIVN

P. 34

Location--750 feet north and 600 feet west of southeast corner of Section 33, 1100 feet northwest of intersection of Palm and Esplanade Avenues.

Reference point--Top of concrete curb at southeast side at ground.

Elevation of reference point--1527.8, from levels by D.W.R.

Use--Irrigation.

Depth--112 feet.

Casing--12 inches.

Other numbers--Harding 257, Waring 109.

Date		Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921			1936		1940	
Oct. 26	a	25.3	Nov. 3	51.7	Jan. 12	50.9
Nov. 10	a	24.9	Dec. 21	49.9		
Nov. 25	a	24.7			1941	
Dec. 12	a	24.4	1937			
					Jan. 20	51.6
1922			Mar. 29	48.9	Apr. 15	49.9
			June 23	49.6	June 19	50.5
Jan. 3	a	23.8			July 15	50.8
Jan. 25	a	23.2	1938		Sen. 9	51.6
Feb. 15	a	22.5			Oct. 7	51.7
Mar. 15	a	21.6	Jan. 20	51.2		
Apr. 3	a	21.0	Apr. 12	49.3	1942	
May 10	a	21.5	July 27	51.8		
May 30	a	22.0	Nov. 28	51.9	Jan. 14	49.8
July 10	a	22.9				
Aug. 4	a	23.2	1939			
Sep. 19	a	24.1				
Oct. 16	a	23.8	Mar. 21	49.6		
			July 19	51.8		

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S1W33C

W. C. MANN

P. 36

Location--100 feet south and 100 feet west of north quarter corner of Section 33. At southwest corner of Cottonwood (Lakeview) Avenue and Lyon Avenue.

Reference point--(a) Top of 2 inch block on casing 1.1 feet above ground through November 13, 1922; then (b) top of casing 0.9 foot above ground.

Elevation of reference point--(a) 1515.1; (b) 1514.9; from levels by D.W.R.

Use--Domestic.

Depth--150 feet.

Casing--5 inches.

Other numbers--Harding 451, Waring 101.



## 4S1W33C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1915		1922 Cont'd.		1939	
Nov. a	12.	Sep. 9	8.5	Mar. 21	b 23.3
		Oct. 7	8.7	July 19	bc 27.4
1921		Nov. 13	7.7		
				1940	
Nov. 18	9.2	1936			
Dec. 15	8.6			Jan. 12	b 22.9
		Dec. 21	b 26.2		
1922		1937		1941	
Jan. 19	6.2			Jan. 20	b 23.4
Feb. 22	4.4	Mar. 29	b 24.4	Apr. 15	bc 22.1
Mar. 22	3.8	June 23	b 32.2	May 15	b 21.7
Apr. 17	3.8				
May 15	4.9	1938		1942	
June 6	5.6				
June 30	6.6	Jan. 18	b 25.3	Jan. 14	b 20.9
July 22	7.2	July 27	bc 28.9		
Aug. 15	7.8	Nov. 29	b 24.4		

a Measurement from United States Geological Survey.

b Measurement from Metropolitan Water District.

c Pumping.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S1W33D

P. 69

Location--100 feet east and 200 feet north of center of Section 33,

100 feet east of Lyon Avenue, 200 feet north of 7th Street.

Reference point--Top of casing, 1.5 feet above ground.

Elevation of reference point--1533.5, from M.W.D. topog.

Use--Not used.

Depth--242 feet.

Casing--7 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1941		1942	
July 19	63.7	Jan. 20	58.7	Jan. 14	56.9
1940					
Jan. 12	57.7				

Measurements from Metropolitan Water District.



## MAP 9

4S1W33E

INTRICAN

P. 74

Location--700 feet south and 30 feet west of center of Section 33, 30 feet west of Lyon Avenue, 700 feet south of Seventh Street.

Reference point--(a) Top of 12" x 12" pump support, 1.0 foot above ground through November 7, 1922; then (b) top of well pit at ground.

Elevation of reference point--(a) 1534.3; (b) 1533.3; from levels by D.W.R.

Use--Irrigation. Depth--181 feet. Casing--12 inches.

Other numbers--Harding 256.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1940	
Oct. 15	38.2	Jan. 3	35.3	Jan. 5 a	57.2
Oct. 26	37.6	Jan. 25	34.4		
Nov. 10	37.4	Feb. 15	33.5	1942	
Nov. 25	37.1	Mar. 15	32.4		
Dec. 12	38.2	Apr. 3	32.1	Jan. 14 a	55.0
		May 10	36.0		
		June 19	37.2		
		July 10	38.0		
		Aug. 4	37.7		
		Aug. 30	37.7		
		Sep. 19	37.8		
		Oct. 15	38.0		
		Nov. 7	37.1		

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S1W34A

S.V. 239

Location--0.29 mile east and 260 feet south of center of Section 34, 260 feet south of Seventh Street, 0.29 mile east of State Street, San Jacinto.

Reference point--Top of casing, 1.2 feet above ground.

Elevation of reference point--1542.7, from levels by D.W.R.

Use--Not used. Depth--146 feet. Casing--10 inches.

Other numbers--Harding 446.

---

## 4S1W34A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 18	3.3	Jan. 3	1.9	Sep. 19	5.3
Dec. 12	3.0	Jan. 25	1.3	Oct. 17	2.5
		Feb. 15	1.2	Nov. 7 a	2.0
		May 30	1.4		
		June 19	1.5	1942	
		July 10	2.0		
		Aug. 4	1.6	Jan. 9	6.9
		Aug. 30	4.6		

a Flowing out into pool for cattle.

Measurements from Division of Water Resources.

## MAP 9

4S1W35A

FRUITVALE WATER COMPANY

S.V. 32

Location--900 feet west and 100 feet south of east quarter corner of Section 35, 110 feet south of 7th Street, 878 feet east of Hewitt Street, San Jacinto.

Reference point--(a) Top of west 3" x 12" of pump seat 2.3 feet above ground through November 6, 1922; then (b) top of casing 0.3 foot above ground.

Elevation of reference point--(a) 1586.1; (b) 1584.1; from levels by D.W.R.

Use--Irrigation.

Depth--400 feet.

Casing--10 inches.

Other numbers--Harding 202.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Oct. 12	22.5	Jan. 19	12.7	July 1	9.6
Oct. 19	22.4	Feb. 3	10.1	July 20	12.2
Oct. 31	21.6	Feb. 23	8.6	Aug. 14	14.0
Nov. 7	21.8	Mar. 14	7.9	Oct. 19	17.8
Nov. 22	21.1	Mar. 31	7.2	Nov. 6	17.4
Dec. 30	17.2	Apr. 18	6.8		
		May 8	7.8	1942	
		May 23	8.4		
		June 12	7.8	Jan. 7 a	20.8

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S1W35B

H. WILLIAMS

S.V. 62

Location--1350 feet north and 1240 feet west of east quarter corner of Section 35. On north side of Main Street, 350 feet east of Hewitt Street.

Reference point--(a) Top of pit, east side, 0.7 foot above ground through November 3, 1922; then (b) top of 2" x 12" 0.16 foot above top concrete through January 10, 1940; then (c) top of 3" x 12" cross piece, 1.7 feet above concrete curb.

Elevation of reference point--(a) 1576.8; (b) 1577.0; (c) 1578.5; from levels by D.W.R.

Use--Not used.

Depth--400 feet.

Casing--6 foot diameter concrete lined pit.

Other numbers--Harding 200.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1940	
Oct. 11	16.0	June 12	4.6	Jan. 10 a	25.7
Oct. 19	15.3	July 1	6.2		
Oct. 31	14.4	Aug. 14	11.5	1941	
Nov. 7	14.4	Sep. 29	13.2		
Nov. 22	12.8	Oct. 19	9.6	Jan. 14 a	31.6
Dec. 30	8.6	Nov. 6	7.0	Apr. 16 a	24.1
				June 19 a	22.6
1922		1935		July 15 a	25.0
Jan. 19	4.6	May 4 a	23.8	Sep. 9 a	27.2
Feb. 3	3.2	July 26 ab		Oct. 7 a	25.9
Feb. 23	3.6			Nov. 11 a	23.5
Mar. 14	3.0	1939		Dec. 12 a	23.9
Mar. 31	2.4			1942	
Apr. 17	4.6	Mar. 21 a	23.9		
May 8	4.2			Jan. 7 a	22.9

a Measurement from Metropolitan Water District.

b Dry at 25.7 feet.

Measurements from Division of Water Resources except as noted.

## MAP 9

4S1W35D

C. A. HOLMFS

S.V. 103

Location--800 feet east and 1400 feet north of south quarter corner of Section 35, 145 feet south of Eighth Street and 80 feet west of Hewitt Street, San Jacinto.

Reference point--(a) Base of old hand pump at top of casing 2.3 feet above ground through June 19, 1941; then (b) top of 4" x 4" clamp 2.5 feet above ground.

Elevation of reference point--(a) 1578.3; (b) 1578.5; from levels by D.W.R.

Use--Domestic.

Depth--

Casing--4 inches.

Other numbers--Waring No. 125.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1904		1909		1916	
Mar. 14	3.0	Apr. 3	Flowing	May 5	Flowing
Oct. 19	7.6	July 11	"	Nov. 15 b	2.0
Nov. 19	7.8	Oct. 14	"		
Dec. 16	8.0			1917	
		1910			
1905				May 20	Flowing
		Feb. 3	Flowing	Nov. 25 c	
Jan. 14	8.1	Aug. 11 a	1.0		
Feb. 22	6.7			1918	
Mar. 26	4.2	1911			
Apr. 18	2.3			May 4 d	
May 19	Flowing	Jan. 5 a	1.0	Oct. 12	7.1
June 21	"				
July 22	"	1912		1919	
Aug. 18	3.7				
Sep. 2	2.5	May 28 a	3.0	May 11	8.7
Nov. 10	2.7			Oct. 12	13.2
Dec. 22	3.1	1913			
				1920	
1906		Oct. 18	10.7		
				May 18	22.3
Jan. 30	2.7	1914		Oct. 13	11.1
Mar. 17	2.7				
May 11	Flowing	Feb. 5	6.2	1921	
Aug. 3	"	Apr. 17	4.7		
Sep. 26	"	June 25	5.7	Feb. 10	7.8
Dec. 20	"	Nov. 21	5.7	May 13	10.6
				July 25	18.5
1907		1915		Nov. 29 c	
Feb. 13	Flowing	May 21	Flowing		
May 18	"	Oct. 31	4.8		
Aug. 30	"				
Dec. 31	"				



## 4S1W35D Continued

Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet
1938			1939			1941		
Apr. 12	e	30.0	Mar. 21	e	26.0	Jan. 14	e	32.5
July 26	e	30.9	July 20	e	31.2	Apr. 16	e	24.5
Nov. 29	e	29.1				May 15	e	21.6
			1940			June 19	e	22.2
			Jan. 10	e	27.6	Nov. 11	e	21.6
						Dec. 12	e	21.1
						1942		
						Jan. 7	e	20.4

a Approximate measurement.

b Flowing.

c Sealed.

d Would flow; capped.

e Measurement from Metropolitan Water District.

Measurements from United States Geological Survey except as noted.

## MAP 9

4S1W35E

L. E. MULLENIX

S. V. 105

Location--900 feet south and 50 feet west of northeast corner of Section

35, 40 feet west of Bath Avenue and 585 feet north of Main Street.

Reference point--Top of 2 inch pipe 1.8 feet above ground.

Elevation of reference point--

Use--Not used.

Denth--

Casing--2 inches.

Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet
1938			1939			1941		
Apr. 13		27.7	Mar. 21		26.8	Jan. 14		33.7
July 26		27.8	July 20		32.5			
Nov. 29		27.3				1942		
			1940			Jan. 7		20.9
			Jan. 10		22.5			

Measurements from Metropolitan Water District.



## MAP 9

4S1W35F

S.V. 158

Location--1200 feet east, 350 feet south of west quarter corner of Section 35, 190 feet west of San Jacinto Avenue, 350 feet south of 7th Street.

Reference point--Top of casing, 1.0 foot below ground.

Elevation of reference point--1552.6, from levels by D.W.R.

Use--Not used.

Depth--

Casing--12 inches.

Other numbers--Harding 222, Waring 120.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1915		1922		1940	
Nov. a	Flows	Jan. 19	2.6	Jan. 5 b	18.4
		Feb. 3	1.3		
1921		Feb. 23	+0.2	1941	
		Mar. 31	+1.0		
Oct. 12	8.8	Apr. 18	+1.0	Jan. 14 b	23.0
Oct. 19	8.1	June 12	+0.9		
Oct. 31	7.3	July 1	+0.9		
Nov. 8	6.9	July 20	+0.7		
Nov. 23	6.1	Aug. 14	0.4		
Dec. 9	5.5	Sep. 5	2.5		
Dec. 29	4.1	Sep. 29	3.6		
		Oct. 19	3.0		
		Nov. 6	1.7		

a Measurement from United States Geological Survey.

b Measurement from Metropolitan Water District.

Measurement from Division of Water Resources except as noted.

## MAP 9

4S1W36A

HOWARD ROSE COMPANY

S.V. 88

Location--600 feet north and 500 feet east of south quarter corner of Section 36, 150 feet south of Eighth Street on southwest side of Mountain Avenue, 50 feet from edge of road.

Reference point--(a) Square hole in cover welded on top of casing, 0.1 foot above ground through March 17, 1941; then (b) top of casing at ground.

Elevation of reference point--(a) 1608.1; (b) 1608.0; from M.W.D. topog.

Use--Not used.

Depth--739 feet.

Casing--14 inches.

## 4S1W36A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
Feb. 5	75.3	Jan. 9	42.3	Jan. 13	52.0
Mar. 4	70.7	Feb. 6	41.5	Feb. 19	49.7
Apr. 6	52.5	Aug. 28	55.2	Mar. 17	41.5
July 1	44.6	Sep. 4	53.9	Apr. 16	29.2
Oct. 1	63.6	Oct. 2	48.9	May 12	24.9
Oct. 7	59.2	Oct. 12	47.7	Dec. 12	35.2
Dec. 30	49.9	Nov. 6	49.8		
		Dec. 4	46.4	1942	
1938		1940		Jan. 7	34.4
Jan. 11	49.4	Jan. 2	45.2		
Feb. 12	48.8	Feb. 5	43.6		
Mar. 9	46.0	Mar. 5	42.9		
May 16	29.1	Apr. 1	51.1		
June 13	33.0	May 6	44.6		
Aug. 1	44.0	July 15	58.2		
Oct. 10	49.1	Nov. 12	56.0		
Nov. 14	45.9	Dec. 17	54.0		
Nov. 29	44.0				
Dec. 12	45.0				

---

Measurements from Metropolitan Water District.

## MAP 9

4S1W36B

FRUITVALE MUTUAL WATER COMPANY

S.V. 101

Location--2500 feet west and 2100 feet north of southeast corner of Section 36.

Reference point--(a) Top of brick curb at ground through July 13, 1927; then (b) top of clamps, 1.0 foot above ground and concrete slab around brick curb.

Elevation of reference point--(a) 1602.5; (b) 1603.5; from levels by M.W.D.

Use--Domestic.

Depth--

Casing--18 inches  
below 18 feet.

Other numbers--Harding 205.

---

## 4S1W36B Continued

Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet
1921			1926			1939 Cont'd.		
Oct. 12	a	30.2	Jan. 26	a	42.0	Sep. 11		43.8
Oct. 19	a	29.8				Oct. 2	c	42.6
Oct. 31	a	29.3	1927			Nov. 6		42.3
Nov. 7	a	29.3				Dec. 4		41.0
Nov. 22	a	28.8	July 13	ab	18.0			
Dec. 9	a	28.8	1938			1940		
Dec. 30	a	22.8				Jan. 2		40.2
1922			Apr. 11		30.7	Feb. 5		38.9
Jan. 19	a	16.2	Apr. 29		26.4	Mar. 5		37.6
Feb. 3	a	13.8	May 16		23.8	Apr. 1		40.8
Feb. 23	a	10.1	May 30	c	22.8	May 6		39.4
Mar. 14	a	8.6	June 13		25.5	June 19		45.5
Mar. 31	a	7.8	June 27	c	28.8	July 15		48.0
Apr. 18	a	7.4	July 28		32.4	Aug. 19		51.0
May 8	a	8.1	Aug. 1	c	33.3	Sep. 16		53.1
May 23	a	7.8	Sep. 12		38.5	Oct. 14		52.3
June 12	a	7.5	Nov. 14		38.7	Nov. 12		50.4
July 1	a	8.9	Nov. 29		38.0	Dec. 17		48.8
July 20	a	11.0	Dec. 12		38.4			
Aug. 14	a	12.2	1939			1941		
Sep. 5	a	14.3				Jan. 13		47.1
Sep. 29	a	15.9	Jan. 9		37.0	Feb. 19		45.2
Oct. 19	a	16.1	Feb. 6		36.5	Mar. 17		38.6
Nov. 6	a	16.5	Mar. 21		36.5	Apr. 16		25.4
1924			May 8		32.3	May 12		20.5
Dec. 10	a	31.4	July 19		41.4	June 16		19.5
			Aug. 7		42.7	July 16	c	25.0
			Aug. 14		43.2	Oct. 7		32.1
			Aug. 21		43.3	Nov. 11		30.1
			Aug. 28		44.1	Dec. 12		30.4
			Sep. 4		44.2			

a Measurement from Division of Water Resources.

b Measurement doubtful.

c Windmill pumping.

Measurements from Metropolitan Water District except as noted.

## MAP 9

4S1E31A

UNITED STATES INDIAN SERVICE

S.V. 75

Location--400 feet north and 200 feet west of southeast corner of Section 31, about 100 feet east of Soboba Indian Hospital.  
 Reference point--Bottom of cast iron pump base, on top of concrete blocks, or top of casing, about 1.5 feet above ground.  
 Elevation of reference point--1675.0, from levels by M.W.D.  
 Use--Domestic. Depth--110 feet. Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1938 Cont'd.		1941	
Nov. 5	26.7	Oct. 10	26.2	Jan. 13	24.1
Dec. 8	26.4	Nov. 7	26.4	Apr. 16	16.2
		Nov. 21	25.7	May 15	15.7
1938		Dec. 5	26.0	June 19	16.7
		Dec. 27	25.2	July 15	17.7
Jan. 11	26.8			Sep. 10	21.4
Mar. 25	20.3	1939		Dec. 16	21.3
May 16	18.7				
May 30	21.8	Jan. 9	25.0	1942	
July 11	20.6	Jan. 23	24.6		
Aug. 1	25.4	Mar. 20	20.8	Jan. 7	19.6
Aug. 15	22.6	Apr. 10	20.6		
Sep. 12	24.5	May 15	20.0		

Measurements from Metropolitan Water District.

## MAP 9

4S1E31B

MR. JESTER

S.V. 94

Location--900 feet north and 100 feet east of west quarter corner of Section 31, on river bank 1000 feet southeast of Soboba-San Jacinto highway.

Reference point--Top of casing at ground.

Elevation of reference point--1606.9, from levels by M.W.D.

Use--Not used. Depth--400 feet. Casing--12 inches.

## 4S1E31E Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
Nov. 9	45.0	Jan. 9	36.6	Jan. 13	46.0
Nov. 23	45.1	Jan. 23	36.5	Feb. 19	45.0
Dec. 3	44.8	Feb. 6	36.2	Mar. 18	32.6
Dec. 21	44.1	Feb. 27	35.8	Apr. 16	18.6
		Mar. 20	36.1	May 19	13.8
1938		Apr. 10	32.7	July 16	22.5
		May 15	30.3	Aug. 20	25.9
Jan. 11	43.4	Aug. 14	43.8	Sep. 10	28.0
Jan. 28	43.4	Aug. 21	44.5	Dec. 15	29.0
Feb. 18	43.0	Aug. 28	44.0		
Mar. 25	29.6	Sep. 4	43.9	1942	
Apr. 12	26.7	Sep. 11	43.9		
Apr. 29	21.3	Sep. 18	44.5	Jan. 7	28.8
May 16	18.7	Sep. 25	43.0		
May 30	19.6	Oct. 2	41.9		
June 13	22.3	Nov. 6	42.2		
June 27	27.3	Dec. 12	40.5		
July 11	29.5				
July 26	31.7	1940			
Aug. 1	33.6				
Aug. 15	35.9	Jan. 2	40.1		
Sep. 12	39.9	Feb. 5	38.5		
Sep. 26	41.9	Mar. 5	36.8		
Oct. 10	39.4	Apr. 1	40.8		
Oct. 24	39.6	May 6	37.6		
Nov. 7	38.5	June 19	45.8		
Nov. 21	37.9	July 16	48.6		
Nov. 28	37.6	Aug. 16	51.4		
Dec. 5	37.7	Sep. 18	52.5		
Dec. 27	37.2	Oct. 16	52.5		
		Nov. 19	49.8		

---

Measurements from Metropolitan Water District.



## MAP 9

4S1E31C

GIBSON

S.V. 215

. Location--In northwest quarter of Section 31, north side of river in line of 7th Street, produced.

Reference point--Top of curb, north side, 0.9 foot above ground.

Elevation of reference point--1610.4, from levels by D.W.R.

Use--Irrigation. Depth--290 feet. Casing--

Other numbers--Harding 209.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1924	
Oct. 28	30.9	Jan. 19	4.5	Dec. 10	32.3
Nov. 7	30.8	Feb. 3	2.1		
Nov. 22	30.7	Mar. 31	3.4	1926	
Dec. 30	22.3			Jan. 26	42.8

---

Measurements from Division of Water Resources.

## MAP 10

5S3W1A

CARL GUNTHER

P.V. 96

Location--0.19 mile north and 0.19 mile east of southwest corner of Section 1.

Reference point--Top planks over well at windmill column, 0.38 foot above top of concrete curb at east side of well, 0.8 foot above ground.

Elevation of reference point--

Use--Domestic and stock.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 18	20.6	Jan. 14	20.8	Jan. 8	20.0

Measurements from Division of Water Resources.

## MAP 10

5S3W2A

F. W. HILLS

P.V. 94

Location--75 feet west and 175 feet north of southeast corner of Section 2.

Reference point--Top concrete curb at pump column, 0.33 foot above top of concrete well platform.

Elevation of reference point--

Use--Domestic.

Depth--99 feet.

Casing--30 inches  
concrete to 30'.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 18	27.0	Jan. 14	26.7	Jan. 8	22.4

Measurements from Division of Water Resources.

## MAP 10

5S3W2B

ED PORTER

P. V. 100

Location--0.51 mile east and 340 feet north of southwest corner of Section 2.

Reference point--Bottom of pump base flange 0.18 foot above top of casing, 0.60 foot above top of concrete platform, 1.0 foot above ground.

Elevation of reference point--

Use--Domestic.

Depth--104 feet.

Casing--10 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 18	85.8	Jan. 15	86.3	Jan. 8	84.8
Jan. 18	85.7				

---

Measurements from Division of Water Resources.

## MAP 10

5S3W2C

HOME FARMS WATER COMPANY

P. V. 257

Location--65 feet east and .68 mile south of northwest corner of Section 2, 65 feet east of Antelope Road, 0.68 mile south of Ellis Avenue.

Reference point--Bottom edge pump base at southwest side level with concrete foundation 0.3 foot above dirt floor in pump house, 0.5 foot above ground.

Elevation of reference point--

Use--Irrigation.

Depth--300 feet.

Casing--

Other numbers--Owner No. 5, New Well.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 16	124.0	Jan. 8	129.5		

---

Measurements from Division of Water Resources.

## MAP 10

5S3W3A

HOME FARMS WATER COMPANY

P. V. 122

Location--50 feet north and 50 feet west of the south quarter corner of Section 3.

Reference point--Bottom edge of pump base at south side, level with top of concrete base and ground.

Elevation of reference point--

Use--Irrigation.

Depth--

Casing--

Other numbers--Owner No. 7.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 23	110.2	Jan. 16	112.7	Jan. 8	111.5

---

Measurements from Division of Water Resources.

## MAP 10

5S3W3B

TEMESCAL WATER COMPANY

P.V. 163

Location--225 feet east of center of Section 3.

Reference point--Top of concrete foundation at ground and 1.65 feet above top of casing.

Elevation of reference point--1422.7, from levels by D.W.R.

Use--Not used.

Depth--335 feet.

Casing--

Other numbers--Harding 348, Owner's Plant 7.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 1	85.2	Jan. 26	84.7	July 21	82.4
Nov. 16	85.3	Feb. 27	84.0	Aug. 21	82.8
Nov. 26	85.3	Mar. 23	83.5	Sep. 20	83.1
Dec. 31	85.2	Apr. 21	82.9	Oct. 24	83.5
		May 22	82.7	Nov. 15	83.5
		June 20	82.5		

## 5S3W3B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1924		1941		1942	
Oct. 7	89.0	Jan. 15	107.9	Jan. 8	107.2
		Apr. 7 a	106.0		
1925		May 14 a	105.7		
		June 18 a	107.7		
Dec. 3	91.7	July 16 a	108.0		
		Sep. 9 a	108.7		
		Oct. 8 a	109.4		

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S3W5A

STATE OF CALIFORNIA

P.V. 101

Location--1500 feet north and 60 feet east of southwest corner of Section 5.

Reference point--Top of westerly end of south 4" x 6" supporting pump 1 foot above ground.

Elevation of reference point--1415.8, from M.W.D. topog.

Use--Windmill.

Depth--

Casing--

Other numbers--Waring 36.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 17	25.2	Jan. 17	27.6	Jan. 7	22.7

Measurements from Division of Water Resources.

## MAP 10

5S3W5B

P.V. 200

Location--1300 feet east and 40 feet south of north quarter corner of Section 5, one-half mile east of railroad track.

Reference point--Pump base, south side, 0.5 foot above ground.

Elevation of reference point--1413.5, from M.W.D. topog.

Use--Irrigation.

Depth--

Casing--12 inches.



## 5S3W5E Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Mar. 19	98.1	Jan. 15 a	102.0	Jan. 7 a	99.9
Aug. 9	103.0	Apr. 7	100.2		
		July 16	104.7		

a Measurement from Division of Water Resources

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S3W6A

STROBL

P.V. 130

Location--2500 feet west and 1900 feet south of northeast corner of  
Section 6.

Reference point--Top of clamp, 1.3 feet above ground.

Elevation of reference point--

Use--Domestic.

Depth--56 feet.

Casing--4' x 6' dug.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 23 a	48.7	Jan. 17	48.3	Jan. 8	46.1

a Windmill pumping slowly.

Measurement from Division of Water Resources.

## MAP 10

5S3W6P

BEN EDDING

P.V. 131

Location--1200 feet north and 1600 feet east of southwest corner of  
Section 6, 100 feet southwest of road "T", 75 feet northwest of house.

Reference point--Top of 8 x 8 iron plate on top of wooden 6 x 6's  
covering pit, 1 foot above ground.

Elevation of reference point--

Use--Domestic.

Depth--

Casing--5 foot pit.

## 5S3W6B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 23	36.1	Jan. 17	34.7	Jan. 7	26.5

---

Measurements from Division of Water Resources.

## MAP 10

5S3W6C

SCHMIDT

P.V. 145

Location--1200 feet north and 200 feet west of south quarter corner of Section 6.

Reference point--(a) At ground through November, 1915; then (b) cut in top of platform, 1.1 foot above ground.

Elevation of reference point--(a) 1433.4; (b) 1434.5; from levels by D.W.R.

Use-- Depth--40 feet dug. Casing--

Other numbers--Waring 35, Harding 369.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1915		1922		1922 Cont'd.	
Nov. a	31.	Jan. 18	27.8	Aug. 22	25.3
		Feb. 20	27.4	Sep. 18	25.1
1921		Mar. 24	27.1	Oct. 20	25.1
		Apr. 25	26.6	Nov. 17	26.0
Nov. 2	29.0	May 24	26.2		
Nov. 15	29.1	June 26	25.8		
Dec. 10	29.2	July 24	26.0		

a Measurement from United States Geological Survey.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S3W6D

P.V. 173

Location--1800 feet north and 250 feet west of southeast corner of

Section 6, 250 feet west of road.

Reference point--Top of casing, 0.9 foot above ground.

Elevation of reference point--1416.8, from levels by D.W.R.

Use--Not used.

Depth--41 feet.

Casing--

Other numbers--Harding 366.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922	
Nov. 2	25.3	Jan. 18	24.2	July 24	22.2
Nov. 15	25.4	Feb. 20	23.1	Aug. 22	22.4
Dec. 10	25.4	Mar. 24	22.7	Sep. 18	22.5
		Apr. 25	22.8	Oct. 20	22.7
		May 24	22.6	Nov. 17	23.0
		June 26	22.2		

Measurements from Division of Water Resources.

## MAP 10

5S3W7A

P.V. 256

Location--35 feet south and 500 feet west of east quarter corner of

Section 7.

Reference point--Top of casing east side, at top of band around casing,  
2.0 feet above ground.

Elevation of reference point--

Use--Not used.

Depth--

Casing--10 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 17 a	15.5	Jan. 7 a	12.0		

a Water ponded in river channel.

Measurements from Division of Water Resources.

## MAP 10

5S3W7B

P.V. 303

Location--1100 feet west and 40 feet south of center of Section 7.  
 Reference point--Top planking around pit at north side 0.1 foot above  
 ground at well, 0.5 foot above average ground.  
 Elevation of reference point--  
 Use--Not used. Depth-- Casing--Dug.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 17	20.0	Jan. 7	14.7		

Measurements from Division of Water Resources.

## MAP 10

5S3W8A

P.V. 103

Location--0.32 mile north and 200 feet west of southeast corner of Sec-  
 tion 8. Well is east of southerly of two pits 300 feet apart.  
 Reference point--Top of casing 0.7 foot above ground.  
 Elevation of reference point--1412.4.  
 Use--Stock. Depth-- Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 17 a	91.5	Jan. 15 a	92.5	Jan. 7 a	93.6
Mar. 19	94.7	Apr. 3	60.6		
Aug. 9	99.8	May 14	91.7		
		June 18	98.0		
		July 16	98.1		
		Oct. 8	98.9		
		Nov. 14	97.5		
		Dec. 9	97.7		

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S3W8B

DR. REFSE

P.V. 151

Location--Approximately one-fourth mile north and one-eighth mile west of south quarter corner of Section 8.

Reference point--Top of casing at ground.

Elevation of reference point--1413, estimated from topog.

Use--Abandoned.

Depth--

Casing--

Other numbers--Waring 42, U.S.G.S. 76.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1904		1908		1914	
Mar. 3	15.0	Apr. 23	17.9	Feb. 5	31.2
Oct. 18	21.8	June 25	16.7	May 15	31.4
Nov. 18	19.0	Oct. 15	17.7	June 25	31.8
Dec. 15	18.7	Dec. 28	18.0	Aug. 14	32.2
				Sep. 15	32.5
1905		1909		Nov. 21	33.1
Jan. 13	18.4	Apr. 2	17.9	1915	
Feb. 22	10.7	July 11	18.5		
Mar. 26	9.6	Oct. 14	18.6	May 21	31.8
May 19	11.9			Oct. 31	32.2
June 20	13.3	1910			
July 23	13.2			1916	
Aug. 19	13.3	Feb. 3	18.2		
Sep. 23	15.5	Aug. 10	19.5	May 6	10.6
Nov. 10	15.7			July 30	13.6
Dec. 22	15.8	1911		Nov. 15	14.6
1906		Jan. 5	20.7	1917	
Jan. 29	15.7				
Mar. 16	15.6	1912		Nov. 25	20.4
May 12	15.2				
June 28	15.4	May 29 a	27.7	1918	
Sep. 27	16.2	July 30	25.1		
		Oct. 18	26.3	Oct. 12 b	
1907		1913			
Feb. 14	15.7				
May 28	15.7	Oct. 18	30.3		
Dec. 31	16.6				

a Pumped slowly.

b Filled.

Measurements from United States Geological Survey.



## MAP 10

5S3W8C

P.V. 166

Location--1200 feet north and 300 feet west of southeast corner of

Section 8, 300 feet west of road.

Reference point--Top of casing, 0.7 foot above ground.

Elevation of reference point--1412.4, from levels by D.W.R.

Use--Not used.

Depth--206 feet.

Casing--12 inches.

Other numbers--Harding 356.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 1	71.9	Jan. 18	70.3	July 24	69.3
Nov. 15	72.1	Feb. 20	69.4	Aug. 22	68.8
Dec. 10	72.4	Mar. 24	68.8	Sep. 18	69.0
		Apr. 25	68.6	Oct. 20	69.0
		May 24	68.4	Nov. 17	68.6
		June 26	69.0		

---

Measurement from Division of Water Resources.

## MAP 10

5S3W9A

P.V. 102

Location--100 feet northwest of east quarter corner of Section 9.

Reference point--Top of casing set in concrete east side, 1 foot above ground surface.

Elevation of reference point--

Use--Not used.

Depth--

Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 17	101.9	Jan. 15	105.3	Jan. 7	104.3
Aug. 9 a	107.5				

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S3W9B

TENESCAL WATER COMPANY

P.V. 161

Location--About 1300 feet north of southeast corner of Section 9, on west side of Bradley Road.

Reference point--Top of concrete cribbing, north side, at ground.

Elevation of reference point--1421.3, from levels by D.W.R.

Use--Not used.

Depth--

Casing--

Other numbers--Harding 353, Owner's Plant E.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1941	
Nov. 1	89.6	Aug. 22	84.3	Apr. 3 a	104.1
Nov. 15	89.9	Sep. 18	84.0	May 14 a	105.9
Dec. 10	90.2	Oct. 20	83.3	June 18 a	107.8
		Nov. 17	82.5	July 16 a	106.1
1922				Sep. 9 a	106.5
		1924		Oct. 8 a	106.4
Jan. 18	87.5			Nov. 14 a	106.2
Feb. 20	86.1	Oct. 7	94.6	Dec. 9 a	105.8
Mar. 24	84.9				
Apr. 25	84.7	1925		1942	
May 24	84.3				
June 26	84.2	Dec. 3	97.3	Jan. 7	105.3
July 24	84.2				

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S3W9C

TENESCAL WATER COMPANY

P.V. 152

Location--Approximately 800 feet east of southwest corner of Section 9, north of section line road.

Reference point--Top of casing, 2 feet above ground.

Elevation of reference point--1417, estimated from topog.

Use--Not used.

Depth--

Casing--

Other numbers--Warine 43, U.S.G.S. 75.

## 5S3W9C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1904		1906		1909	
Mar. 3	24.0	Jan. 29	29.6	Apr. 2	33.7
Oct. 18	29.8	Mar. 16	28.7	July 11	35.1
Nov. 18	30.3	May 12	27.7	Oct. 14	36.2
Dec. 15	30.6	June 28	27.7		
		Aug. 4	28.6	1910	
1905		Sep. 27	30.1		
		Dec. 21	30.2	Feb. 3	35.3
Jan. 13	30.2			Aug. 10	39.0
Feb. 22	26.8	1907			
Mar. 26	25.8			1911	
June 20	28.0	Feb. 14	29.2		
July 23	28.7	May 18	27.9	Jan. 5	41.7
Aug. 19	29.4	Aug. 31	31.0		
Sep. 23	29.7	Dec. 31	31.9	1912	
Nov. 10	30.2				
Dec. 22	29.7	1908		May 29	47.2
				July 30	48.0
		Apr. 23	31.6	Oct. 18	49.9
		June 25	33.4		
		Oct. 15	35.0	1913	
		Dec. 28	35.2		
				Oct. 18	a

---

a Filled up.

Measurements from United States Geological Survey.

## MAP 10

5S3W10A

HOME FARMS WATER COMPANY

P.V. 120

Location--1200 feet east and 1450 feet north of southwest corner of  
Section 10.

Reference point--Bottom edge pump base near north side, 0.17 foot above  
concrete floor of pump house, 0.5 foot above ground.

Elevation of reference point--1424, from N.W.D. topog.

Use--Irrigation.

Depth--

Casing--16 inches.

Other numbers--Waring 45, U.S.G.S. 74, Owner No. 23.

---

## 5S3W10A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1904		1906 Cont'd.		1910	
Jan. 29	44.2	June 28	44.8	Feb. 3	50.6
Feb. 27	41.3	Aug. 4	45.0		
Mar. 27	40.4	Sep. 27	47.5	1915	
May 27	41.6	Dec. 21	45.2		
July 2	46.0			Nov. 8 a	80.
		1907		1940	
1905		Feb. 14	43.2		
Feb. 20	44.7	Aug. 31	49.0	Jan. 24 b	107.8
Apr. 5	43.1	Dec. 31	47.9	Jan. 24 b	107.7
June 18	45.4				
Aug. 5	46.9	1908		1941	
Sep. 1	47.5				
Oct. 1	47.8	Apr. 23	39.1	Jan. 16 b	111.2
Nov. 6	48.2	June 25	45.6		
Dec. 22	44.7	Oct. 15	46.2	1942	
		Dec. 28	45.3		
1906				Jan. 13 b	110.4
		1909			
Jan. 29	42.8				
Feb. 4	42.3	Apr. 3	48.3		
Mar. 16	42.7	July 11	53.4		
May 12	41.1	Oct. 14	55.2		

a Approximate measurement.

b Measurement from Division of Water Resources.

Measurements from United States Geological Survey except as noted.

## MAP 10

5S3W11A

A. E. HAVENS

P.V. 93

Location--110 feet north and 55 feet west of southeast corner of  
Section 11.

Reference point--Top of casing 3.9 feet above ground.

Elevation of reference point--1480.2, from levels by D.W.R.

Use--Not used.

Depth--135 feet.

Casing--12 inches.

Other numbers--Harding 362.

## 5S3W11A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1924		1941	
Nov. 2	59.2	Nov. 20	60.0	Jan. 14	70.8
Nov. 15	59.2			Apr. 3 a	71.2
Nov. 26	59.2	1925		May 14 a	71.5
Dec. 31	58.9			June 18 a	72.2
		Dec. 4	58.0	July 16 a	71.1
1922		1940		Aug. 27 a	71.4
Jan. 26	58.7			Sep. 9 a	71.4
Feb. 27	58.5	Jan. 17	69.2	Oct. 8 a	71.5
Mar. 23	58.4	Aug. 9 a	70.5	Nov. 14 a	71.7
Apr. 21	58.3			1942	
May 22	58.2				
June 20	58.2			Jan. 7	71.9
July 21	58.4				
Aug. 21	58.4				
Sep. 20	58.4				
Oct. 24	58.5				
Nov. 15	58.4				

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S3W11B

HOME FARMS WATER COMPANY

P.V. 118

Location--40 feet south and 350 feet east of center of Section 11.

Reference point--Bottom edge pump base level with top of concrete base,  
0.2 foot above ground.

Elevation of reference point--1482.6, from levels by M.W.D.

Use--Irrigation.

Depth--

Casing--

Other numbers--Owner No. 13.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 24	168.8	Jan. 18	175.2	Jan. 13	171.4
Measurements from Division of Water Resources.					



## MAP 10

5S3W11C

HOME FARMS WATER COMPANY

P.V. 125

Location--0.49 mile south and 350 feet east of northwest corner of  
Section 11.

Reference point--Bottom edge of air line clamp north side of pump head  
at level of concrete base, 0.3 foot above ground.

Elevation of reference point--1458.6, from M.W.D.

Use--Irrigation.

Depth--

Casing--

Other numbers--Owner No. 11.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1941		1942	
Dec. 10 a	134.	Jan. 16	150.1	Jan. 13	147.5
1940					
Jan. 23	148.5				
Jan. 24	145.7				

a Measurement from Nevada California Electric Corporation.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S3W13A

A.T. &amp; S.F. RAILWAY

P.V. 246

Location--1100 feet east and 500 feet north of southwest corner of  
Section 13, 40 feet southwest of A.T. & S.F. tracks, 100 feet west of  
Cumming Avenue.

Reference point--Top of hole in pump base plate at northeast edge 0.16  
foot above concrete pump base 0.70 foot above pump house floor, 1+  
foot above ground.

Elevation of reference point--1474.4, from levels by M.W.D.

Use--Domestic.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 14	45.6	Jan. 7 a	44.4		
Feb. 5	45.6				

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S3W14A

P.V. 115

Location--75 feet north and 200 feet west of south quarter corner of Section 14.

Reference point--Top of concrete pump foundation under pump discharge 0.50 foot above average ground surface.

Elevation of reference point--1446.2, from levels by M.W.D.

Use--Not used. Depth--145 feet to pump bowls. Casing--8 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 19	72.5	Jan. 14	71.6	Jan. 7	67.6
Jan. 22	72.1				

---

Measurements from Division of Water Resources.

## MAP 10

5S3W16A

TEHESCAI WATER COMPANY

P.V. 157

Location--0.4 mile east and 600 feet north of southwest corner of Section 16.

Reference point--1 inch hole in cover over casing at ground.

Elevation of reference point--1423.3, from M.W.D.

Use--Not used. Depth-- Casing--

Other numbers--Waring 48.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1915		1941		1942	
Nov. a	75.	Jan. 15 b	103.4	Jan. 7 b	103.1
		Apr. 3	101.5		
1940		May 14	100.9		
		June 18	102.5		
Mar. 19	98.7	July 16	103.4		
Aug. 9	103.2	Aug. 27	104.7		

---

a Measurement from United States Geological Survey.

b Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S3W17A

MR. GUTHRIDGE

P.V. 119

Location--125 feet north and 125 feet west of southeast corner of Section 17.

Reference point--Top of casing at west side, 0.10 feet above concrete base, 0.3 foot above ground.

Elevation of reference point--1444.3, from levels by M.W.D.

Use--Not used. Depth-- Casing--16 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 24	114.9	Jan. 15	118.4	Jan. 7	117.2

---

Measurements from Division of Water Resources.

## MAP 10

5S3W17B

HOME FARMS WATER COMPANY

P.V. 119A

Location--50 feet north and 50 feet west of southeast corner of Section 17, about 50 feet southeast of 5S3W17A.

Reference point--Top of 7 inch casing, 2.7 feet above ground.

Elevation of reference point--1445.6, from levels by D.W.R.

Use--Not used. Depth--181 feet. Casing--12 inches.

Other numbers--Harding 358.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1924	
Nov. 1	95.6	Jan. 18	93.2	Oct. 7	107.0
Nov. 15	95.7	Feb. 20	91.8		
Dec. 10	95.5	Mar. 24	90.9	1925	
		Apr. 25	91.2		
		May 24	91.2	Dec. 3	112.9
		June 26	92.0		
		July 24	91.4	1940	
		Aug. 22	92.0		
		Sep. 18	91.3	Feb. 8 a	108.8
		Oct. 20	90.0		
		Nov. 17	89.0	1941	
				Jan. 29 a	110.4

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources.

## MAP 10

5S3W20A

A. P. MILLER

M-3

Location--0.32 mile north and 60 feet west of southeast corner of Section 20.

Reference point--Center of air gauge, 3.4 feet above ground.

Elevation of reference point--1474.7, from levels by M.W.D.

Use--Irrigation. Depth--303 feet. Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1941		1942	
Oct. 26 a	98.	Jan. 15 b	119.	Jan. 27 c	109.0
		Jan. 29	119.		
1940					
Jan. 18 b	117.				

---

a Measurement by owner.

b Measurement from Division of Water Resources.

c Tape measurement.

Measurements from Metropolitan Water District except as noted.

## MAP 10 .

5S3W21A

M-29

Location--0.34 mile east and 75 feet south of northwest corner of Section 21.

Reference point--Top of pump column in pit 1.5 feet above ground.

Elevation of reference point--1425.5, from levels by M.W.D.

Use-- Depth-- Casing--

Other numbers--Waring 49.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1915		1941		1941 Cont'd.	
Nov. a	65.	Jan. 16 b	105.1	Nov. 14	108.9
		May 14	103.6	Dec. 9	105.8
1940		June 18	104.3		
		July 16	105.2	1942	
Mar. 19	100.4	Aug. 27	107.7		
		Oct. 8	107.1	Jan. 7 b	104.8

---

a Measurement from United States Geological Survey.

b Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.



## MAP 10

5S3W21B

TEMESCAL WATER COMPANY

M-19

Location--1300 feet north and 1300 feet west of south quarter corner of Section 21.

Reference point--Top of casing, 2.5 feet above ground.

Elevation of reference point--1421.2, from levels by D.W.R.

Use--Abandoned.

Depth--

Casing--

Other numbers--Harding 359.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 1	84.0	Jan. 13	82.5	June 26	77.0
Nov. 15	84.1	Feb. 14	80.5	July 24	77.7
Dec. 13	83.9	Mar. 16	78.7	Aug. 22	78.0
		Apr. 13	77.5	Sep. 18	78.0
		May 1	77.6	Oct. 20	77.1
		May 24	76.9	Nov. 17	75.8

Measurements from Division of Water Resources except as noted.

## MAP 10

5S3W22A

HARRY GOETZ

M-1

Location--200 feet east and 230 feet south of northwest corner of Section 22.

Reference point--Top of casing, east side, 0.6 foot above ground.

Elevation of reference point--1425.0, from levels by M.W.D.

Use--Domestic.

Depth--110 feet.

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 18	100.4	Jan. 16	100.7	Jan. 7 b	
Feb. 7 a	99.5				

a Measurement from Metropolitan Water District.

b Obstructed at 100 feet.

Measurements from Division of Water Resources except as noted.



## MAP 10

5S3W22B

WILLIAM NEWPORT

M-30

Location--About 1000 feet north and 100 feet east of southwest corner of Section 22. East side of Bradley Road.

Reference point--Top of casing, 1.0 foot above ground.

Elevation of reference point--1429.7, from levels by M.W.D.

Use--Abandoned.

Depth--

Casing--

Other numbers--Waring 51; U.S.G.S. 77.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1904		1906 Cont'd.		1910	
Oct. 18	37.2	June 28	36.2	Feb. 3	43.8
Nov. 18	37.8	Aug. 4	37.0	Aug. 10	45.4
Dec. 15	38.2	Sep. 27	38.0		
		Dec. 21	38.4	1911	
1905		1907		Jan. 5	49.1
Jan. 13	38.7				
Feb. 22	38.0	Feb. 14	38.7	1912	
Mar. 26	37.0	Aug. 31	38.8		
Apr. 18	36.6	Dec. 31	40.4	May 29	53.2
May 19	36.1			July 30	56.1
June 20	36.7	1908		Oct. 18	57.7
July 23	37.7				
Aug. 19	38.2	Apr. 23	39.5	1913	
Sep. 23	38.6	June 25	40.5		
Nov. 10	39.4	Oct. 15	42.7	Oct. 18	63.4
Dec. 22	39.3	Dec. 28	43.6		
				1914	
1906		1909			
				Feb. 5	64.3
Jan. 29	38.5	Apr. 2	43.0	Apr. 17	63.0
Mar. 16	38.4	July 11	42.6	June 25 a	
May 12	37.3	Oct. 14	43.6		

a Filled up.

Measurements from United States Geological Survey.

## MAP 10

5S3W24A

BURRIS

W-13

Location--0.25 mile west and 60 feet north of southeast corner of Section 24.

Reference point--Top of 3' x 3' concrete block, 0.5 foot above ground.

Elevation of reference point--1459.9, from levels by M.W.D.

Use--Not used.

Depth--

Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 23	42.6	Jan. 14	42.7	Jan. 8	41.1

---

Measurements from Division of Water Resources.

## MAP 10

5S3W24B

BURRIS

W-17

Location--0.46 mile north and 0.23 mile east of southwest corner of Section 24.

Reference point--Top of 3' x 3' concrete platform around casing north side at ground.

Elevation of reference point--1465.7, from levels by M.W.D.

Use--Irrigation.

Depth--

Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 22	56.8	Jan. 15	56.6	Jan. 9	55.2

---

Measurements from Division of Water Resources.

## MAP 10

5S3W24C

BURRIS

W-48

Location--0.19 mile east and 400 feet north of southwest corner of Section 24.

Reference point--Top of concrete base north side at ground.

Elevation of reference point--1456.9, from levels by M.W.D.

Use--Irrigation. Depth-- Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 14	45.6	Jan. 9	45.2		

---

Measurements from Division of Water Resources.

## MAP 10

5S3W25A

MILLER

W-12

Location--500 feet east and 140 feet south of center of Section 25.

Reference point--Top of 12 inch casing around 6 inch casing, 0.2 foot below ground.

Elevation of reference point--1445.7, from M.W.D. topo.

Use--Not used. Depth-- Casing--6 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 19	26.6	Jan. 14	27.3	Jan. 8	24.8

---

Measurements from Division of Water Resources.

## MAP 10

5S3W25B

I. C. BECHENRDIGE

W-43

Location--1600 feet west of northeast corner of Section 25.

Reference point--Top of casing, 1.1 feet above ground.

Elevation of reference point--1459.9, from levels by D.W.R.

Use--Irrigation.

Depth--57 feet.

Casing--12 inches.

Other numbers--Harding 386.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 4	38.8	Jan. 26	37.4	July 21 b	34.8
Nov. 16	38.8	Feb. 27	36.0	Aug. 21 b	34.8
Dec. 31	38.2	Mar. 23 a	36.1	Sep. 20 b	34.6
		Apr. 21 b	35.0	Oct. 24 b	35.7
		May 22	34.4	Nov. 15	34.5
		June 20 b	34.6		

---

a Pumped 200 feet west 2 $\frac{1}{2}$  hours ago.

b Pump one-fourth mile north running.

Measurements from Division of Water Resources.

## MAP 10

5S3W25C

F. H. MARTIN

W-47

Location--Near center of Section 25.

Reference point--Top of casing at ground.

Elevation of reference point--1445.7, from levels by D.W.R.

Use--

Depth--About 27 feet.

Casing--12 inches.

Other numbers--Waring 55; Harding 387.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1905		1906		1906 Cont'd.	
Nov. 10	18.2	Jan. 29	17.2	Aug. 4	17.0
Dec. 22	18.6	Mar. 16	16.2	Sep. 27	17.4
		May 12	16.8	Dec. 21	17.9
		June 28	16.7		

---

## 5S3W25C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1907		1910		1922	
Feb. 14	15.9	Feb. 3	17.0	Jan. 17 a	23.9
May 18	14.7	Aug. 10	17.0	Feb. 14 a	20.9
Aug. 31	15.9			Mar. 16 a	18.4
Dec. 31	16.7	1911		Apr. 13 a	17.5
				May 1 a	17.3
1908		Jan. 5	18.2	May 24 a	17.3
				June 26 a	17.7
Apr. 23	15.7	1915		July 24 a	18.0
June 25	16.2			Aug. 22 a	18.6
Oct. 15	16.5	Nov. 8	20.2	Sep. 18 a	19.6
Dec. 28	17.3			Oct. 20 a	19.3
		1916		Nov. 17 a	19.5
1909					
		July 30	17.7	1924	
Apr. 2	16.9				
July 11	16.7	1921		Oct. 11 a	25.5
Oct. 14	17.6				
		Nov. 4 a	25.7	1925	
		Nov. 16 a	25.7		
		Dec. 13 a	25.8	Dec. 4 a	27.6

a Measurement from Division of Water Resources.

Measurements from United States Geological Survey except as noted.

## MAP 10

5S3W27A

A. B. MILLER

M-2

Location--0.38 mile east and 0.47 mile north of southwest corner of Section 27.

Reference point--Top of pump flange west side 0.3 foot above concrete base, 1.3 feet above ground.

Elevation of reference point--1525.5, from M.W.D. topog.

Use--Domestic.

Depth--

Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940					
Jan. 18	14.6				

Measurement from Division of Water Resources.



## MAP 10

5S3W27B

TRUMBEL

M-20

Location--Northwest corner of Section 27.

Reference point--Top of casing in bottom of pit, 71.3 feet below ground.

Elevation of reference point--1357.2, from levels by D.W.R.

Use--Abandoned.

Depth--

Casing--10 inches.

Other numbers--Harding 360.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1925	
Nov. 1	9.1	Jan. 13	7.8	Dec. 5	13.9
Nov. 15	9.2	July 24	5.8		
Dec. 13	9.2	Aug. 22	2.6	1940	
		Sep. 18	3.0		
		Oct. 20	2.4	Feb. 8	ab
		Nov. 17	1.8		

---

a Measurement from Metropolitan Water District.

b Destroyed.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S3W28A

TRUMBELL

M-21

Location--1200 feet north and 50 feet east of southwest corner of  
Section 28, 50 feet east of road.

Reference point--Top of casing at ground.

Elevation of reference point--1413.0, from levels by D.W.R.

Use--Abandoned.

Depth--350 feet.

Casing--12 inches.

Other numbers--Harding 427.

## 5S3W29A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1940	
Nov. 16	60.4	Jan. 13	59.2	Feb. 8	ab
Dec. 13	60.2	Feb. 14	56.3		
		Mar. 16	53.7		
		Apr. 13	53.0		
		May 1	52.6		
		May 24	52.4		
		June 26	52.7		
		July 24	54.7		
		Aug. 22	55.1		
		Sep. 18	55.5		
		Oct. 20	55.0		
		Nov. 17	53.7		

a Measurement from Metropolitan Water District.

b No trace of well.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S3W29A

M-45

Location--60 feet west and 60 feet north of southeast corner of Section 29.

Reference point--Top of uncased 20 inch hole at ground.

Elevation of reference point--1410.4, from levels by M.W.D.

Use--Not used.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 28	64.6	Jan. 7	56.6		

Measurements from Metropolitan Water District.

## MAP 10

5S3W29B

M-46

Location--54 feet north 0.39 mile west of southeast corner of Section 29.

Reference point--Top of casing and 4' x 4' concrete box, 1.7 feet above ground.

Elevation of reference point--1429.6, from levels by M.W.D.

Use-- Depth-- Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 28	89.7	Jan. 7	ab		
Feb. 4	89.7				

---

a Measurement from Division of Water Resources.

b Locked.

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S3W29C

M-47

Location--900 feet west and 0.27 mile north of southeast corner of Section 29.

Reference point--Top of I-beam across top of open pit, 0.39 foot above top of curb, 0.4 foot above ground.

Elevation of reference point--1430.6, from levels by M.W.D.

Use-- Depth-- Casing--6 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 29	96.8	Jan. 27	94.6		

---

Measurements from Metropolitan Water District.

## MAP 10

5S3W33A

A. B. MILLER

M-8

Location--0.49 mile east and 0.39 mile south of northwest corner of Section 33.

Reference point--Top of flange of pump base, 1.2 feet below ground.

Elevation of reference point--1411.3, from levels by M.W.D.

Use--Irrigation.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 18	55.6	Jan. 15	59.1	Jan. 7	47.8

---

Measurements from Division of Water Resources.

## MAP 10

5S3W33B

A. B. MILLER

M-9

Location--0.49 mile east and 0.69 mile south of northwest corner of Section 33.

Reference point--Bottom of upper pump base flange northeast side at ground.

Elevation of reference point--1416.0 from levels by M.W.D.

Use--Irrigation.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 18	57.9	Jan. 15	60.6	Jan. 7	52.3

---

Measurements from Division of Water Resources.

## MAP 10

5S3W33C

A. B. MILLER

M-31

Location--At southeast corner of Section 33, west side of Bradley Road.

Reference point--Top of casing, 0.5 foot above ground.

Elevation of reference point--1422.1, from levels by M.W.D.

Use--Abandoned.

Depth--

Casing--

Other numbers--Waring 53, U.S.G.S. 78.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1904		1908		1914	
Oct. 18	28.2	Apr. 23	19.6	Feb. 5	31.9
Nov. 18	28.2	June 25	20.4	Apr. 17	31.5
Dec. 15	27.6	Oct. 15	21.5	June 25	29.4
		Dec. 28	21.9	Aug. 14	30.2
1905				Sep. 15	30.9
		1909		Nov. 21	31.8
Jan. 13	27.2				
Feb. 22	24.0	Apr. 2	21.5	1915	
Mar. 26	21.6	July 11	22.4		
Apr. 18	21.7	Oct. 14	23.3	May 21	26.7
May 19	21.5			Oct. 31	28.8
June 20	21.7	1910			
July 23	22.5			1916	
Aug. 19	22.2	Feb. 3	22.0		
Sep. 23	21.6	Aug. 10	22.9	May 6	23.4
Nov. 9	21.9			July 30	25.3
Dec. 22	22.9	1911		Nov. 15	26.8
1906		Jan. 5	23.7	1917	
Jan. 29	22.9	1912		May 19	27.9
Mar. 16	21.7			Nov. 25	31.2
May 12	19.8	May 29	25.2		
June 28	19.8	July 30	26.7	1918	
Aug. 4	21.0	Oct. 18	31.7		
Sep. 27	21.6			May 4	30.5
Dec. 21	21.8	1913		Oct. 12	32.2
1907		Oct. 18	30.2	1919	
Feb. 14	19.8			May 11 a	
May 18	18.2				
Aug. 30	19.7				
Dec. 31	20.7				

a Well destroyed.

Measurements from United States Geological Survey.



## MAP 10

5S3W33D

A. B. MILLER

M-33

Location--800 feet north and 150 feet west of southeast corner of Section 33.

Reference point--Base of pump at ground.

Elevation of reference point--1420.1, from levels by M.W.D.

Use--Irrigation.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Feb. 8 a	59.7	Jan. 15	63.4	Jan. 7	56.7

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S3W34A

M-49

Location--500 feet north and 150 feet east of west quarter corner of Section 34.

Reference point--Top of casing, 1.1 foot above ground.

Elevation of reference point--1416.8, from levels by M.W.D.

Use--

Depth--

Casing--10 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 31 a	60.7	Jan. 7 b	50.8		

a Measurement from Metropolitan Water District.

b Measurement from Division of Water Resources.

## MAP 10

5S3W34C

M-51

Location--1000 feet west of center of Section 34, 0.67 mile west from Antelope Road, 2650 feet north of Menifee School Road.

Reference point--Top of casing, 0.7 foot above ground.

Elevation of reference point--1417.4, from levels by M.W.D.

Use-- Depth-- Casing--16 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 31 a	58.3	Jan. 7 b	48.9		
a Measurement from Metropolitan Water District.					
b Measurement from Division of Water Resources.					

## MAP 10

5S3W35A

NINTH AND BROADWAY BUILDING COMPANY

M-10

Location--Near south quarter corner of Section 35, 0.45 mile west of Antelope Road, 50 feet north of Menifee School Road.

Reference point--Top of casing east side at ground.

Elevation of reference point--1423.2, from levels by M.W.D.

Use-- Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 24 a	50.0	Jan. 15 a	51.5	Jan. 7 a	45.5
Feb. 9	49.9	May 14	46.0		
		June 18	45.4		
		July 16	45.7		
		Aug. 27	45.1		
		Oct. 8	45.1		
		Nov. 14	44.9		
		Dec. 9	44.4		

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S3W35B

NEWPORT

M-26

Location--Southeast corner of Section 35.

Reference point--Bottom of base of pump west side, hole in concrete at ground.

Elevation of reference point--1425.8, from levels by D.W.R.

Use--Irrigation.

Depth--380 feet.

Casing--12 inches.

Other numbers--Harding 439.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 17	29.2	Jan. 17	20.1	Aug. 22	20.0
Dec. 13	29.4	Feb. 14	15.0	Sep. 18	21.0
		Mar. 16	15.4	Oct. 20	21.9
		Apr. 13	15.9	Nov. 17	22.5
		May 1	16.3		
		May 24	16.9	1940	
		June 26	18.0		
		July 24	19.0	Feb. 8	ab

---

a Measurement from Metropolitan Water District.

b Sealed.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S3W36A

FRED McCALL

M-11

Location--0.49 mile south and 0.24 mile east of northwest corner of Section 36.

Reference point--Top of casing east side, 1.2 feet above ground.

Elevation of reference point--1430.90, from levels by M.W.D.

Use--Not used.

Depth--270 feet.

Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 23	43.7	Jan. 14	47.0	Jan. 7	41.4
		Jan. 31	a 44.0		

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S3W36B

KATIE FOSTER

M-12

Location--0.3 mile south and 400 feet east of north quarter corner of Section 36.

Reference point--Top of casing, 1.0 foot above ground.

Elevation of reference point--1437.2, from M.W.D.

Use-- Depth--39 feet. Casing--8 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 23	36.9	Jan. 15	38.8	Jan. 7	32.6

Measurements from Division of Water Resources.

## MAP 10

5S3W36C

FRED McCALL

M-13

Location--270 feet east and 200 feet north of southwest corner of Section 36, 270 feet east of Menifee Road, 200 feet north of Menifee School Road.

Reference point--Air line hole in iron pump base at southeast corner.

Elevation of reference point--1424.8, from levels by M.W.D.

Use--Irrigation. Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 23	48.9	Jan. 14	49.7	Jan. 7	43.2
Feb. 9 a	48.7				

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S3W36D

FRED McCALL

M-14

Location--170 feet south and 150 feet east of northwest corner of Section 36.

Reference point--Hole in southeast corner of wooden platform at ground.

Elevation of reference point--1449.3, from levels by M.W.D.

Use--Domestic.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 23	31.8	Jan. 14	28.2	Jan. 7	28.5

---

Measurements from Division of Water Resources.

## MAP 10

5S3W36E

W. M. EASON

M-17

Location--1300 feet north and 900 feet west of center of Section 36.

Reference point--Top of curb, 0.2 foot above ground.

Elevation of reference point--1432.0, from levels by D.W.R.

Use--Abandoned.

Depth--

Casing--

Other numbers--Harding 210, U.S.G.S. 79a

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1914		1915		1917	
Feb. 5	13.8	May 21	8.7	May 19	11.0
Apr. 17	11.2	Oct. 31	11.2	Nov. 25	12.8
June 25	11.9				
Aug. 14	12.4	1916		1918	
Sep. 25	12.8				
Nov. 21	13.4	May 6	6.8	May 4	11.2
		Nov. 14	10.4	Oct. 12	13.7



## 5S3W36E Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1919		1921		1922 Cont'd.	
May 11	15.2	Feb. 10	b	Aug. 29	11.9
Oct. 12	17.7	May 13	b	Oct. 27	13.1
		July 25	b		
1920		Oct. 10	b	1923	
May 18	a	1922		Feb. 26	14.8
Oct. 16	b			June 6	16.1
		Apr. 7	8.4	Sep. 17	17.3
		May 16	9.4	Dec. 6	b

a Mud at 18.0 feet.

b Dry.

Measurements from United States Geological Survey.

## MAP 10

5S2W1A

W. F. OGRAN

P-123

Location--800 feet east and 75 feet north of center of Section 1.

Reference point--(a) Top of casing, 1.3 feet above ground through November 7, 1922; then (b) top of concrete collar at ground.

Elevation of reference point--(a) 1522.1; (b) 1520.8; from levels by D.W.R.

Use--Not used,

Depth--68 feet.

Casing--6 foot dia. dug well with 12 inch casing in bottom.

Other numbers--Harding 308.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1940	
Oct. 22	29.4	Apr. 3	27.8	Dec. 9	a 42.4
Nov. 8	29.5	Apr. 19	27.5		
Nov. 25	29.6	May 10	27.2	1941	
Dec. 12	29.5	May 30	26.8		
		June 19	26.6	Jan. 27	a 42.5
1922		July 10	26.4		
		Aug. 4	26.2	1942	
Jan. 4	29.6	Aug. 30	26.2		
Jan. 25	29.2	Sep. 19	26.2	Jan. 16	a 39.2
Feb. 15	28.9	Oct. 16	26.1		
Mar. 16	28.1	Nov. 7	26.2		

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S2W7A

HOME FARMS WATER COMPANY

P.V. 116

Location--800 feet north and 550 feet east of southwest corner of Section 7, northeasterly of three wells.

Reference point--Bottom edge of pump base at east side, level with top of concrete base, 0.5 foot above pump house floor, 0.3 foot above ground.

Elevation of reference point--1542.4, from levels by M.W.D.

Use--Irrigation.

Depth--

Casing--

Other numbers--Owner No. 18.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 24	144.3	Jan. 16	152.8	Jan. 9	154.8
Jan. 24	144.2				

---

Measurements from Division of Water Resources.

## MAP 10

5S2W7B

HOME FARMS WATER COMPANY

P.V. 248

Location--115 feet east and 500 feet north of southwest corner of Section 7.

Reference point--Top of casing 0.4 foot above ground.

Elevation of reference point--1531.3, from levels by D.W.R.

Use--Irrigation.

Depth--238 feet.

Casing--14 inches.

Other numbers--Harding 433.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 17	83.0	Jan. 18	83.0	July 25	83.1
Nov. 26	83.0	Feb. 20	82.9	Aug. 28	83.0
Dec. 13	82.9	Mar. 24	83.0	Sep. 23	83.1
		Apr. 25	83.0	Oct. 25	83.1
		May 25	83.0	Nov. 16	83.1
		June 28	83.1		

## 5S2W7B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1924		1925		1940	
Nov. 20	80.0	Dec. 3	78.6	Aug. 9	ab 151.8
a Measurement from Metropolitan Water District.					
b Pump removed.					
Measurements from Division of Water Resources except as noted.					

## MAP 10

5S2W11A

L. C. SPIZER

P-127

Location--At east quarter corner of Section 11, one-half mile north of  
Florida Avenue on California Avenue.

Reference point--Top of casing 1.5 feet above ground.

Elevation of reference point--1527.7, from levels by D.W.R.

Use--Not used.

Depth--70 feet.

Casing--12 inches.

Other numbers--Harding 313.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1940	
Oct. 22	33.3	Jan. 4	33.5	Dec. 9	ab
Nov. 8	33.4	Jan. 23	33.2		
Nov. 25	33.5	Feb. 15	33.0		
		Mar. 15	32.6		
		Apr. 3	32.4		
		Apr. 19	32.2		
		May 10	32.1		
		May 29	31.9		
		June 19	31.9		
		July 10	31.9		
		Aug. 30	32.1		
		Sep. 19	32.0		
		Oct. 16	31.9		
		Nov. 7	31.9		

a Measurement from Metropolitan Water District.

b Well house locked.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S2W12A

BLAIR

P-126

Location--0.2 mile west and 0.15 mile south of northeast corner of Section 12, 100 feet east of road.

Reference point--(a) Cut top of west post of pit, 0.4 foot above ground through November 7, 1922; then (b) top of casing 0.7 foot above ground.

Elevation of reference point--(a) 1507.4; (b) 1507.7; from levels by D.W.R.

Use--Domestic.

Depth--

Casing--

Other numbers--Harding 311.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1940	
Oct. 22	15.2	Jan. 4	12.5	Dec. 9 b	31.2
Nov. 8	15.0	Jan. 23	10.8		
Nov. 25	15.1	Feb. 15	8.8	1941	
Dec. 12	15.1	Mar. 15	7.6		
		Apr. 3 a	8.3	Jan. 27 b	30.0
		Apr. 19	8.5		
		May 10	9.1	1942	
		May 29	9.8		
		June 19	10.4	Jan. 16 b	25.1
		July 10	11.0		
		Aug. 4	11.6		
		Aug. 30	12.0		
		Sep. 19	12.1		
		Oct. 16	12.1		
		Nov. 7	12.3		

a Pumping.

b Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S2W12B

LOUIS WILHELM

P-129

Location--200 feet north and 75 feet east of south quarter corner of Section 12, 200 feet north of State highway.

Reference point--(a) Top of casing, 2.4 feet above ground through July 18, 1940; then (b) top of clamps on top of casing 2.6 feet above ground.

Elevation of reference point--(a) 1500.9; (b) 1501.1; from levels by D.W.R.

Use--Stock.

Depth--

Casing--

Other numbers--Harding 315.



## 5S2W12B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1940	
Oct. 25	17.2	Jan. 4	12.9	Jan. 27 ab	32.1
Nov. 8	17.0	Jan. 23	12.8	Apr. 15 ab	28.8
Nov. 25	16.6	Feb. 15	11.3	June 20 ab	30.7
Dec. 12	15.7	Mar. 23	11.1	July 18 ab	32.2
		Apr. 3	11.0	Sep. 9 ab	33.4
		Apr. 19	10.5	Oct. 7 ab	32.9
		May 10 a	16.7	Nov. 14 b	29.2
		May 29 a	13.8	Dec. 9 ab	33.8
		June 19	13.1	Dec. 12 ab	29.0
		July 10	14.0		
		Aug. 4	14.6	1941	
		Aug. 30	15.4		
		Sep. 19	16.6	Jan. 27 ab	32.1
		Nov. 7	15.0		
				1942	
				Jan. 16 ab	29.4

a Pumping.

b Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S2W12C

P.170

Location--250 feet east and 250 feet north of the west quarter corner  
of Section 12, 250 feet east of California Avenue.

Reference point--Lower inside edge of 5 inch T south side of well, 1.5  
feet above ground.

Elevation of reference point--1527.5, from M.W.D.

Use--Not used.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941 Cont'd.		1942	
Dec. 9	44.0	June 19	42.4	Jan. 16	38.5
		July 18	41.6		
1941		Sep. 9	40.2		
		Oct. 7	39.7		
Jan. 27	44.2	Nov. 14	39.1		
Apr. 15	43.5	Dec. 12	38.9		
May 15	43.1				

Measurements from Metropolitan Water District.



## MAP 10

5S2W15A

W. R. FOX

W-51

Location--0.22 mile north and 90 feet west of south quarter corner of Section 15.

Reference point--Top of 2" x 4" on edge 0.3 foot above ground.

Elevation of reference point--1540.3, from M.W.D. topog.

Use--Domestic. Depth--52 feet. Casing--3.5 feet diameter.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Jan. 14 48.2

Measurement from Division of Water Resources.

---

## MAP 10

5S2W15B

H. BEALER

W-22

Location--100 feet east and 30 feet north of south quarter corner of Section 15.

Reference point--Top of casing, 1.2 feet above ground.

Elevation of reference point--1524.9, from levels by D.W.R.

Use--Stock. Depth-- Casings--6 inches.

Other numbers--Harding 329.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1924	
Oct. 25	40.1	Jan. 26	40.5	Oct. 13	31.0
Nov. 9	40.2	Feb. 27	40.3		
Nov. 26	40.3	Mar. 23	40.2	1925	
Dec. 31	40.5	May 22 a	43.1		
		June 20 a	43.2	Dec. 5	34.8
		July 21 a	41.0		
		Aug. 21 a	42.9		
		Sep. 20 a	38.4		
		Oct. 24	37.5		
		Nov. 15	37.1		

---

a Pumping.

Measurements from Division of Water Resources.

## MAP 10

5S2W17A

L. F. WAYMIRE

P.V. 114

Location--0.33 mile east and 0.18 mile south of northwest corner of Section 17.

Reference point--Top of 2" x 12" planks in top of box over pit, 3.05 feet above top of brick lining at northwest side, 3.1 feet above ground.

Elevation of reference point--

Use--Domestic.

Depth--47 feet.

Casing--3 feet diameter-brick.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 19	32.9	Jan. 14	35.2	Jan. 8	32.7

---

Measurements from Division of Water Resources.

## MAP 10

5S2W17B

MRS. L. J. SKELTON

P.V. 126

Location--75 feet south and 0.72 mile east of northwest corner of Section 17.

Reference point--Top of 2" x 12" planking of well platform 0.7 foot above ground at east side of well.

Elevation of reference point--

Use--Domestic.

Depth--30 to 35 feet.

Casing--Dug.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Jan. 19	14.0	Jan. 15	14.3		

---

Measurements from Division of Water Resources.

## MAP 10

5S2W18A

P.V. 304

Location--150 feet east and 150 feet north of west quarter corner of Section 18, 150 feet east of Alicante Road and 0.5 mile south of State highway from Perris to Hemet.

Reference point--Top of casing 0.5 foot above ground.

Elevation of reference point--1520.9, from levels by M.W.D.

Use--Not used.

Depth--

Casing--7 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Feb. 4	108.3	Jan. 7	113.3		

---

Measurements from Metropolitan Water District.

## MAP 10

5S2W22A

W-9

Location--200 feet north and 220 feet west of south quarter corner of Section 22.

Reference point--Top of casing, 0.4 foot above ground.

Elevation of reference point--1489.4, from M.W.D. topog.

Use--Not used.

Depth--

Casing--6 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 18	34.1	Jan. 22	35.2	Jan. 8 a	31.6

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S2W22B

R. BAIN

W-20

Location--0.31 mile east and 0.21 mile north of center of Section 22.

Reference point--Top of 1 inch wood cover over casing, 0.5 foot above ground.

Elevation of reference point--1513, from M.W.D. topog.

Use-- Depth-- Casing--8 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Feb. 1	44.4	Jan. 14	44.7	Jan. 9	42.4

---

Measurements from Metropolitan Water District.

## MAP 10

5S2W22C

RHEINGANS

W-21

Location--0.11 mile east and 100 feet north of center of Section 22.

Reference point--Top of 6 inch block over casing, 1.5 feet above ground.

Elevation of reference point--1504.5, from M.W.D. topog.

Use--Domestic and stock. Depth--160 feet. Casing--10 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Feb. 1 a	39.8	Jan. 14	39.6	Jan. 9	36.6

---

a Measurement from Metropolitan Water District.  
Measurements from Division of Water Resources except as noted.

## MAP 10

5S2W22D

L. C. MOORE

W-23

Location--In northwest one-fourth of Section 22.

Reference point--One-half inch hole south side of pump, 0.3 foot above ground.

Elevation of reference point--1512.3, from levels by D.W.R.

Use--Irrigation. Depth--112 feet. Casings--12 inches.

Other numbers--Harding 328.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Oct. 25	34.9	Jan. 26	33.8	July 21	30.8
Nov. 9	34.9	Feb. 27	32.7	Aug. 21	30.7
Nov. 26	35.0	Mar. 23	32.2	Sep. 20	31.2
Dec. 31 a	34.6	Apr. 21	38.8	Oct. 24	31.4
		May 22	31.3	Nov. 15	31.6
		June 20	31.0		

---

a Well 150 feet north pumped one-half hour.

Measurements from Division of Water Resources.

## MAP 10

5S2W24A

W. A. STAFFORD

P-112

Location--50 feet west and 100 feet south of north quarter corner of Section 24.

Reference point--Top of casing, 2.0 feet above ground.

Elevation of reference point--1496.4, from levels by D.W.R.

Use--Not used. Depth--230 feet. Casings--12 inches.

Other numbers--Harding 391.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 9	16.7	Jan. 6	11.5	June 26	12.6
Nov. 25	14.8	Jan. 27	10.5	July 24	13.3
Dec. 13	14.1	Feb. 14	9.3	Aug. 22	14.1
		Mar. 16	8.4	Sep. 18	14.5
		Apr. 13	8.1	Oct. 20	14.5
		May 1	9.7	Nov. 8	12.4
		May 24	11.7	Nov. 17	11.7

---



## 5S2W24A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1924		1940		1942	
Oct. 13	15.7	Jan. 18 a	29.6	Jan. 20	26.6
1925					
Dec. 5	16.9				

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S2W24B

L. WILHELM

P-130

Location--200 feet south and 150 feet west of northeast corner of

Section 24. Southwest corner Harmony Road and Stetson Avenue.

Reference point--Top of block on casing, 2.0 feet above ground.

Elevation of reference point--1501.0, from levels by D.W.R.

Use--Stock. Depth--120 feet.

Casing--7 inches.

Other numbers--Harding 316, U.S.G.S. 81a.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1914		1917		1920	
Aug. 14	10.2	Nov. 25	16.3	May 8	20.3
Sep. 15	10.2			Oct. 16	17.8
Nov. 21	10.4	1918			
				1921	
1915		May 4	8.8		
Oct. 31	10.0	1919		Feb. 10 a	19.5
				May 13	18.0
1916		May 11	11.7	July 23 a	28.3
		Oct. 12 a	22.3	Oct. 10 a	28.8
May 6	6.3				
Nov. 15 a	20.5				

## 5S2W24B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1922		1930		1936	
Apr. 7	9.1	Mar. 4	25.5	Feb. 7	41.2
May 22	13.6	May 21	31.1	May 13	34.4
Aug. 2	14.8	July 31	28.2	Aug. 12 a	43.0
		Dec. 4	25.5	Nov. 23	38.4
1923		1931		1937	
Feb. 26	15.3				
June 6	14.7	June 12	30.3	Feb. 3	29.1
Dec. 6	15.5	Aug. 26 a	38.6	May 7	27.9
				Sep. 15	32.0
1924		1932		Nov. 19	29.9
Feb. 26	17.2	Mar. 8 a	29.8	1938	
Aug. 26	19.0	May 3	26.2		
		Aug. 10 a	28.1	Feb. 23	28.8
1925		Nov. 18 a	27.6	May 4	27.8
Mar. 12 a	25.6	1933		Oct. 18	35.5
May 26	25.5			1939	
Aug. 25 a	26.7	Feb. 6 a	26.8		
Nov. 3	24.1	May 18 a	30.9	Feb. 14	28.3
		Oct. 4 a	34.6	May 31 a	37.0
1926		Aug. 7	34.6	Aug. 16 a	42.8
Oct. 27	22.7	Nov. 10	31.0	Nov. 15	33.3
		1934		1940	
1927					
June 24	19.6	Feb. 6	27.4	Feb. 15	31.2
Aug. 30	21.1	Dec. 4	30.0	May 10 a	35.8
Oct. 17	22.6	1935		Aug. 23	37.2
				1941	
1928		Feb. 26	28.3		
May 22	25.9	May 7	32.0	Jan. 15	32.4
Aug. 15 a	30.6	Aug. 6 a	33.8	Mar. 13 a	34.0
		Nov. 4	33.4	May 22 a	34.4
1929				Aug. 20	34.0
May 1	26.2			Nov. 7	30.4
Sep. 7	27.4			1942	
				Feb. 18	28.9

a Pumping.

Measurements from United States Geological Survey.

## MAP 10

5S2W24C

L. A. WILHELM

P-131

Location--Northeast corner of Section 24.

Reference point--Cut on top of pit at east side.

Elevation of reference point--1500.0, from levels by D.W.R.

Use--Irrigation.

Depth--130 feet.

Casing--12 inches.

Other numbers--Harding 316A, U.S.G.S. 81B.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1923		1928	
Feb. 10	12.8	Feb. 26	11.4	Feb. 21	18.1
Oct. 10	18.8	June 6	14.0	May 22	19.3
Nov. 9 a	17.9	Sep. 17	19.4	Aug. 15	19.1
Nov. 25 a	15.9	Dec. 6	14.3		
Dec. 13 a	15.4			1929	
		1924		May 1	17.2
1922		Feb. 26	17.3		
Jan. 6 a	9.9	Aug. 26	19.2	1930	
Jan. 27 a	8.4				
Feb. 14 a	6.1	1925		Mar. 4	21.4
Mar. 16 a	5.8			May 21	19.1
Apr. 13 a	6.2	Mar. 12	20.0	July 31	20.1
May 1 a	7.0	May 26	20.6	Dec. 4	22.4
May 24 a	8.2	Aug. 25	18.6		
June 26 a	8.8	Nov. 3	18.6	1931	
July 24 a	9.5				
Aug. 22 a	10.4	1926		Mar. 4	22.0
Sep. 18 a	11.4			June 12	23.2
Oct. 20 a	12.7	May 13	17.6	Aug. 26	24.0
Nov. 8 a	11.8	Oct. 27	20.2		
Nov. 17 a	11.6			1933	
		1927		May 18	23.0
		June 24	15.5		
		Aug. 30	17.4		
		Oct. 17	18.7		

a Measurement from Division of Water Resources.

Measurements from United States Geological Survey except as noted.

## MAP 10

5S2W24D

P-196

Location--1300 feet east and 800 feet south of west quarter corner of

Section 24, 100 feet south of A.T. &amp; S.F. Railway.

Reference point--Top of casing, 2.2 feet above ground.

Elevation of reference point--

Use--Stock.

Depth--

Casing--10 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			

---

Jan. 30 a 34.5 Jan. 20 b 29.4

a Measurement from Metropolitan Water District.

b Measurement from Division of Water Resources.

## MAP 10

5S2W25A

T. MUNCER

P-134

Location--1300 feet south and 600 feet east of west quarter corner of  
Section 25.Reference point--(a) Top of casing, 3.2 feet above ground through Decem-  
ber 5, 1925; then (b) top of casing at ground.Elevation of reference point--(a) 1491.1; (b) 1487.9; from levels by  
D.W.R.

Use--Stock.

Depth--70 feet.

Casing--12 inches.

Other numbers--Harding 320.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Oct. 25	22.4	Jan. 6	18.7	June 26	13.4
Nov. 9	22.1	Jan. 27	17.5	July 24	14.2
Nov. 25	21.8	Feb. 14	15.8	Aug. 22	15.8
Dec. 13	21.5	Mar. 16	13.3	Sep. 18	16.3
		Apr. 13	12.4	Oct. 20	17.4
		May 1	12.1	Nov. 8	17.8
		May 24	12.4	Nov. 17	17.7

## 5S2W25A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1924		1941		1942	
Oct. 13	22.2	May 16 a	31.1	Jan. 21	33.1
		June 20 a	33.5		
1925		July 18 a	36.8		
		Sep. 9 a	38.1		
Dec. 5	25.0	Oct. 7 a	38.0		
		Nov. 14 a	35.4		
		Dec. 9 a	34.8		

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S2W25B

PATTON BROTHERS

P-136

Location--0.2 mile north and 100 feet west of south quarter corner of Section 25.

Reference point--(a) Top of casing, 1.7 feet above ground through November 17, 1922; then (b) square hole in east side of casing, 1 foot above ground.

Elevation of reference point--(a) 1487.3; (b) 1486.6; from levels by D.W.R.

Use--Not used.

Depth--143 feet.

Casing--12 inches.

Other numbers--Harding 322.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1940	
Oct. 25	20.7	Apr. 13	9.3	Jan. 17 a	48.8
Nov. 9	20.8	May 1	9.8		
Nov. 25	19.5	May 24	10.8	1941	
Dec. 13	18.7	June 26	14.4		
		July 24	15.6	Jan. 30 a	51.3
1922		Aug. 22	17.2		
		Sep. 18	19.1	1942	
Jan. 6	14.8	Oct. 20	20.4		
Jan. 27	13.4	Nov. 8	16.2	Jan. 21	47.8
Feb. 14	11.5	Nov. 17	15.1		
Mar. 16	9.8				

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.



## MAP 10

5S2W25C

P-185

Location--250 feet west and 700 feet south of the northeast corner of Section 25, 250 feet west of Warren Road and 4350 feet south of A.T. & S.F. Railway.

Reference point--Hole in pump frame north side at ground.

Elevation of reference point--1499, estimated by M.W.D.

Use--Irrigation & domestic. Depth-- Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 27 a	53.5	Jan. 21 b	49.8		
<hr/>					
a Measurement from Metropolitan Water District.					
b Measurement from Division of Water Resources.					

---

## MAP 10

5S2W26A

W-1

Location--60 feet south and 105 feet west of center of Section 26.

Reference point--Top of  $1\frac{1}{4}$  inch pipe 0.10 foot above casing, 0.35 foot above concrete foundation and 0.1 foot above ground.

Elevation of reference point--1478.1, from M.W.D. topog.

Use--Irrigation. Depth-- Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 18 a	29.4	Jan. 13	31.5	Jan. 8	27.0
Feb. 9 a	28.9				
<hr/>					
a Measurement from Metropolitan Water District.					
Measurements from Division of Water Resources except as noted.					

## MAP 10

5S2W26B

W-30

Location--Near west quarter corner of Section 28, 30 feet south of road.

South well in long pit.

Reference point--Cross brace above well, 1.8 feet above ground.

Elevation of reference point--1479.1, from levels by D.W.R.

Use--Not used.

Depth--

Casing--12 inches.

Other numbers--Harding 326.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Oct. 25	17.6	Jan. 26	11.1	July 21	10.6
Nov. 9	17.4	Mar. 23	7.2	Aug. 21	12.1
Nov. 26	17.3	Apr. 21	6.8	Sep. 20	13.6
Dec. 31	13.7	May 22	7.2	Oct. 24	14.7
		June 20	7.9	Nov. 15	13.7

---

Measurements from Division of Water Resources.

## MAP 10

5S2W27A

TILLA HUTCHISON

W-9

Location--0.2 mile east and 960 feet south of center of Section 27.

Reference point--Top of casing, 2.5 feet above ground.

Elevation of reference point--1475.0, from M.W.D. topog.

Use--Stock.

Depth--

Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Feb. 9 a	24.9	Jan. 13	25.9	Jan. 8	23.7

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S2W27B

W-7

Location--0.11 mile south and 100 feet east of west quarter corner of Section 27.

Reference point--Base of hand pump, north side, at ground.

Elevation of reference point--1470.0, from M.W.D. topog.

Use-- Depth-- Casing--8 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 18	23.4	Jan. 22	24.4	Jan. 8 a	19.7
Feb. 9	23.2				

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S2W27C

MISS T. PATTERSON

W-24

Location--At north quarter corner of Section 27, east of highway.

Reference point--Top of cover, 0.5 foot above ground.

Elevation of reference point--

Use-- Depth-- Casing--

Other numbers--429, Waring 64, U.S.G.S. 80.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1904		1905		1906	
Mar. 14	22.0	Jan. 13	22.2	Jan. 29	19.2
Oct. 18	24.2	Feb. 22	21.4	May 12	20.0
Nov. 18	23.4	Apr. 18	20.2	Aug. 4	19.9
Dec. 15	22.5	May 19	20.2	Sep. 27	20.1
		July 23	19.6	Dec. 21	20.2
		Aug. 19	19.7		
		Sep. 23	19.8		
		Nov. 9	20.1		
		Dec. 22	20.3		

## 5S2W27C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1907		1909		1912	
Feb. 14	19.7	Apr. 2	19.7	May 29	20.7
May 18	18.8	Oct. 14	19.8	July 30	21.3
Aug. 31	18.8			Oct. 18	21.7
Dec. 31	19.2	1910		1913	
1908		Feb. 3	19.5		
		Aug. 10	19.8	Oct. 18	22.2
Apr. 23	18.7	1911		1914	
June 25	19.2				
Oct. 15	19.6	Jan. 5	19.7	Feb. 5	20.3
Dec. 28	19.6			Apr. 17	21.7
				Nov. 21	a
				1915	b

---

a Inaccessible.

b Well tightly closed.

Measurements from United States Geological Survey.

## MAP 10

5S2W27D

MILTON THOMAS

W-31

Location--900 feet north and 600 feet east of center of Section 27,  
south of railroad.

Reference point--Top of casing, 0.5 foot above ground.

Elevation of reference point--1481.4, from levels by D.W.R.

Use--Abandoned.

Depth--

Casing--7 inches.

Other numbers--Harding 455; U.S.G.S. 80A

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1914		1915		1916	
Aug. 14	19.1	May 21	14.3	May 6	13.7
Sep. 15	19.3	Oct. 31	18.1	Nov. 15	a 21.6
Nov. 21	20.2				

## 5S2W27D Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1917		1922		1926	
May 19	15.5	Apr. 7	11.0	May 13	19.9
Nov. 25	16.8	May 16	11.2	Oct. 27	21.8
		Aug. 29	12.6		
1918		Oct. 27	13.6	1927	
May 4	15.6	1923		June 24	16.3
Oct. 12	16.8			Aug. 30	18.0
		Feb. 26	14.2	Oct. 17	18.4
1919		June 6 a	15.4		
May 11	16.7	Sep. 17	15.0	1928	
Oct. 12	18.1	Dec. 6	15.4	Feb. 21	18.5
		1924		May 22	20.8
1920		Aug. 26 a		Aug. 15 b	
May 18	17.0	1925		1929	
Oct. 16	18.2			May 1 b	
		Mar. 12	19.1	Sep. 7 b	
1921		May 26 a	19.5		
Feb. 10 a	18.6	Aug. 25	20.4	1930	
May 13	18.8	Nov. 3	20.5	Mar. 4 b	
July 25	19.3				
Oct. 10 a	21.3			1931	
				May 3 b	

a Pumping.

b Dry at approximately 21 feet.

Measurements from United States Geological Survey.

## MAP 10

5S2W27E

W. S. HASLAM

W-34

Location--250 feet north, 900 feet east of west quarter corner of Section 27.

Reference point--Top of casing, 1.2 feet above ground.

Elevation of reference point--1477.0, estimated from 5S2W27E

Use-- Depth--

Casing--9 inches.

Other numbers--U.S.G.S. 80b2, New Well.



## 5S2W27E Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1930		1935		1939	
Dec. 4	27.2	Feb. 26	34.6	Feb. 14	29.4
		May 7	33.0	May 31	31.9
1931		Aug. 6	33.9	Aug. 16	30.4
		Nov. 4	38.4	Nov. 15	30.7
Mar. 4	26.4				
June 12	27.8	1936		1940	
1932		Feb. 7	47.8	Feb. 15	29.9
		May 13	34.6	May 10	30.6
Mar. 8	27.4	Aug. 12	35.5	Aug. 23	32.1
May 3	26.6	Nov. 23	40.1		
Aug. 10	28.9			1941	
Nov. 18	29.4	1937			
				Jan. 15	31.7
1933		Feb. 3	34.5	Mar. 13	30.1
		May 7	31.1	May 22	28.6
Feb. 6	28.5	Sep. 15	31.5	Aug. 20	28.7
May 18 a	30.7	Nov. 19	31.5	Nov. 7	28.6
Aug. 4	30.3				
Nov. 10	31.0	1938		1942	
1934		Feb. 23	30.9	Feb. 18	27.9
		May 4	29.5		
Feb. 6	30.9	Oct. 18	27.9		
Dec. 4	36.9				

---

a Pumping slowly.

Measurements from United States Geological Survey.

## MAP 10

5S2W27E

L. L. WHITING

W-34A

Location--Near 5S2W27E in Section 27.

Reference point--Top of casing, 1.0 foot above ground.

Elevation of reference point--1477.5, from levels by D.W.R.

Use--Domestic.

Depth--

Casing--5 inches.

Other numbers--Harding 443, Waring 63, U.S.G.S. 80b, Old well.

## 5S2W27F Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1905		1912		1920	
Nov. 10	20.0	May 18	20.2	May 18	19.8
Dec. 22	20.4	July 30	20.7	Oct. 16	21.6
		Oct. 18	24.5		
1906		1913		1921	
Jan. 29	20.2			Feb. 10	21.3
Mar. 16	19.5	Oct. 18	23.7	May 13	21.7
May 12	18.7			July 25	22.3
June 28	20.4	1914		Oct. 10	25.7
Aug. 4	19.6				
Sep. 27	19.5	Feb. 5	23.3	1922	
Dec. 21	19.3	Apr. 17	24.7		
		June 25	21.1	Apr. 7	14.9
1907		July 14	21.3	Aug. 29	15.4
		Nov. 21	22.4	Oct. 27	16.5
Feb. 14	18.4				
May 18	18.7	1915		1923	
Aug. 30	18.0				
Dec. 31	18.3	May 21 a	29.7	Feb. 26 b	18.9
		Oct. 31	21.0	June 6	19.9
1908				Sep. 17	19.6
		1916		Dec. 6	19.7
Apr. 23	18.0				
June 25	18.5	May 6	16.5	1924	
Oct. 15	19.4	Aug. 1	17.4		
Dec. 28	19.3	Nov. 15	17.9	Aug. 26 b	30.0
1909		1917		1925	
Apr. 2	18.5	May 19	18.0	Mar. 12	23.0
July 11	19.2	Nov. 25	21.8	May 26	23.5
Oct. 14	20.1			Aug. 25 b	28.7
		1918		Nov. 3	24.7
1910					
		May 4	19.1	1926	
Feb. 3	19.0	Oct. 12	19.0		
Aug. 10	27.9			May 13	23.4
		1919		Oct. 27	25.6
1911					
		May 11	18.7	1927	
Jan. 5	29.0	Oct. 12	21.7		
				June 24	20.9
				Aug. 30	21.5
				Oct. 17	22.3

## 5S2W27E Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1928		1929		1930	
Feb. 21 b	21.6	May 1	24.6	Mar. 4	25.5
May 22	22.6	Sep. 7	26.4	May 21	25.4
Aug. 15	23.9			July 31	26.9

a Had been pumped.

b Pumping.

Measurements from United States Geological Survey.

## MAP 10

5S2W29A

JOE RHEINGANS

W-16

Location--50 feet north and 0.45 mile east of west quarter corner of Section 29.

Reference point--Top of casing north side at ground.

Elevation of reference point--1464.0, from M.W.D. topog.

Use--

Depth--

Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 23	31.8	Jan. 14	32.3	Jan. 8	28.6

Measurements from Division of Water Resources.

## MAP 10

5S2W29B

W-40

Location--At west quarter corner of Section 29, 100 feet east of brown pump house.

Reference point--Top of casing, 1.0 below ground.

Elevation of reference point--1456.5, from levels by D.W.R.

Use--Irrigation.

Depth--79 feet.

Casing--12 inches.

Other numbers--Harding 388.

## 5S2W29B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 4	30.0	Jan. 26	28.2	July 21	20.5
Nov. 16	30.1	Feb. 27	25.4	Aug. 21	21.2
Nov. 26	30.1	Mar. 23	23.1	Sep. 20	21.9
Dec. 31	29.2	Apr. 21	21.2	Oct. 24	22.5
		May 22	20.2	Nov. 15	22.3
		June 20	20.0		

---

Measurements from Division of Water Resources.

## MAP 10

5S2W30A

W-10

Location--160 feet east and 18 feet south of northwest corner of  
Section 30.

Reference point--Top of casing, 2.0 feet above ground.

Elevation of reference point--1456.6, from levels by D.W.R.

Use--Not used.

Depth--91 feet.

Casing--12 inches.

Other numbers--Harding 432.

---

Date	Dist.R.P. to water surface Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1941	
Nov. 16	32.8	Oct. 24	29.3	Jan. 14	36.1
Nov. 26	32.7	Nov. 15	29.3	Jan. 30 a	36.1
Dec. 31	31.8			May 14 a	35.2
		1924		June 18 a	35.2
1922				July 16 a	35.1
		Oct. 11	35.0	Aug. 27 a	35.3
Jan. 26	31.9			Oct. 8 a	34.9
Feb. 27	30.8	1925		Nov. 14 a	34.5
Mar. 23	29.9				
Apr. 21	29.2	Dec. 4	36.8	1942	
May 22	28.6				
June 20	28.2	1940		Jan. 8	34.3
July 21	28.6				
Aug. 21	28.8	Jan. 19	35.4		
Sep. 20	28.9				

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S2W31A

CLARK McGUNE

W-14

Location--400 feet west of east quarter corner Section 31.  
 Reference point--Top of casing, east side, 2.8 feet above ground.  
 Elevation of reference point--1457.1, from levels by D.W.R.  
 Use--Not used. Depth--Over 50 feet. Casing--12 inches.  
 Other numbers--Harding 395.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1940	
Nov. 9	24.6	Jan. 26	18.3	Jan. 24	23.9
Nov. 26	24.7	Feb. 27 a	5.8	Feb. 9 b	23.8
Dec. 31	21.5	Mar. 23	6.0		
		Apr. 21	7.8	1941	
		May 22	9.6		
		June 20	10.3	Jan. 13	26.0
		July 21	11.4		
		Aug. 21	12.1		
		Sep. 20	12.9		
		Oct. 24	13.7		
		Nov. 15	14.1		

a Water running past well.

b Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S2W32A

E. WHITING

W-19

Location--0.7 mile east and 270 feet north of west quarter corner of  
 Section 32.  
 Reference point--Top of casing, east side, 0.9 foot above ground.  
 Elevation of reference point--1458.5, from M.W.D. topog.  
 Use--Domestic. Depth-- Casing--8 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 24	19.7	Jan. 13	20.0	Jan. 8	15.8

Measurements from Division of Water Resources.



## MAP 10

5S2W32B

WHITTING

W-38

Location--About 1000 feet east and 700 feet north of center of Section 32 south side of Salt Creek.

Reference point--Top of casing, 2.2 feet above ground.

Elevation of reference point--1455.4, from levels by D.W.R.

Use--Not used.

Depth--70 feet.

Casing--

Other numbers--Harding 312.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1922		1922 Cont'd.		1922 Cont'd.	
Jan. 26	11.2	May 22	8.0	Sep. 20	10.9
Feb. 27	8.5	June 20	8.6	Oct. 24	11.4
Mar. 23	8.0	July 21	9.4	Nov. 15	11.6
Apr. 21	7.7	Aug. 21	10.2		

---

Measurements from Division of Water Resources.

## MAP 10

5S2W32C

W-46

Location--55 feet west and 300 feet south of northeast corner of Section 32.

Reference point--Top of concrete curb, 0.3 foot above ground.

Elevation of reference point--1455.0, from M.W.D. topog.

Use--

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Feb. 9 a	18.3	Jan. 13	19.2	Jan. 8	15.4

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S2W33A

RICE

W-15

Location--115 feet south and 120 feet west of north quarter corner of Section 33.

Reference point--Top of pump base flange at 3/4 inch hole on west side at ground.

Elevation of reference point--1459.7, from levels by D.W.R.

Use--Irrigation. Depth-- Casing--10 inches.

Other numbers--Harding 335.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1940	
Oct. 27	14.8	Jan. 17	9.7	Jan. 24	20.5
Nov. 9	14.9	Feb. 14	9.0	Feb. 9 a	20.3
Nov. 25	15.0	Mar. 16	6.3		
Dec. 13	15.0	Apr. 13	6.3	1941	
		May 1	6.5		
		May 22	7.0	Jan. 13	21.5
		June 20	7.5		
		July 21	8.2	1942	
		Sep. 20	10.0		
		Oct. 24	10.5	Jan. 8	17.3
		Nov. 15	10.8		

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S3W33B

MRS. MARY RICE

W-18

Location--300 feet north and 33 feet west of center of Section 33.

Reference point--(a) Top of 2 inch block on casing 0.7 foot above ground through November 15, 1922; then (b) top of casing east side, 0.5 foot above ground.

Elevation of reference point--(a) 1469.5; (b) 1469.3; from levels by D.W.R.

Use--Not used. Depth--49. Casing--12 inches.

Other numbers--Harding 393.

---

## 5S3W33E Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1940	
Nov. 9	28.7	Jan. 26	23.8	Jan. 24	22.9
Nov. 26	27.1	Feb. 27	22.0		
Dec. 31	25.7	Mar. 23 a	22.8	1941	
		Apr. 21 a	25.5		
		May 22 a	21.8	Jan. 13	24.1
		June 20 a	20.7		
		July 21	19.8	1942	
		Aug. 21 a	22.7		
		Sep. 20 a	21.1	Jan. 8	17.0
		Oct. 24	19.1		
		Nov. 15 a	23.0		

a Pumping.

Measurements from Division of Water Resources.

## MAP 10

5S2W35A

TIERRA DEL LOMA RANCH

W-2

Location--90 feet south and 0.17 mile west of northeast corner of Section 35.

Reference point--Base of pump, 0.5 foot above ground.

Elevation of reference point--1481.0 from M.W.D. topog.

Use--Irrigation.

Depth--

Casing--14 inches.

Other numbers--Owner Plant 2.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Feb. 9 a	38.7	Jan. 13	42.8	Jan. 8	35.8

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S2W35B

TIERRA DEL LOMA RANCH

W-2A

Location--75 feet south and 550 feet west of northeast corner of Section 35.

Reference point--Top of casing, 0.8 foot above ground.

Elevation of reference point--1482.1, from levels by D.W.R.

Use--Not used. Depth--200 feet. Casing--12 inches.

Other numbers--Harding 392.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 9 a	34.8	Jan. 6	13.0	June 26	11.4
Nov. 25	19.5	Jan. 27	11.2	July 24	11.9
Dec. 13	18.5	Feb. 14	8.6	Aug. 22 a	28.3
		Mar. 16	7.7	Sep. 18	23.2
		Apr. 13	7.8	Oct. 20 a	25.2
		May 1	8.1	Nov. 8	18.7
		May 24	8.8	Nov. 17	16.9

a Pumping 50 feet east.

Measurements from Division of Water Resources.

## MAP 10

5S2W35C

W-3

Location--0.39 mile east and 53 feet south of northwest corner of Section 35.

Reference point--Top of concrete block 0.2 foot above casing and 0.3 foot above ground.

Elevation of reference point--1474.8, from M.W.D, topog.

Use--Not used. Depth-- Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 18 a	31.8	Jan. 13 b	34.2	Jan. 8 b	28.2
Feb. 9 a	31.2				

a Measurement from Metropolitan Water District.

b Measurement from Division of Water Resources.

## MAP 10

5S2W35D

MRS. ROSE PENDAL

W-4

Location--72 feet south and 0.18 mile east of northwest corner of Section 35, 30 feet west of 5S2W35E.

Reference point--(a) Top of casing, 1.1 feet above ground through November 17, 1922; then (b) top of broken section of casing northeast side at ground.

Elevation of reference point--(a) 1472.1; (b) 1471.0; from levels by D.W.R.

Use--Not used.

Depth--138 feet.

Casing--12 inches.

Other numbers--Harding 324.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1940	
Oct. 25	12.8	Jan. 17	4.6	Feb. '9 b	26.1
Nov. 9 a	16.2	Feb. 14	2.0		
Nov. 25	12.9	Mar. 16	1.5	1941	
Dec. 13	12.3	Apr. 13	1.9		
		May 1	2.6	Jan. 22 b	28.4
		May 24	3.6		
		June 26	5.2	1942	
		July 24	6.0		
		Aug. 22	11.5	Jan. 8	23.1
		Sep. 18	10.3		
		Oct. 20	11.3		
		Nov. 8	10.1		
		Nov. 17	9.6		

---

a Pumping 100 feet east.

b Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S2W36A

TIERRA DFL LOMA RANCH

P-89

Location--50 feet south and 50 feet east of northwest corner of Section 36, southeast corner of road intersection.

Reference point--One-half inch hole in steel plate over casing, 0.5 foot above ground.

Elevation of reference point--1483.5, interpolated from D.W.R. levels.

Use--Irrigation.

Depth--

Casing--

Other numbers--Waring 68.

---



## 5S2W36A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1915		1940		1941	
Nov. a	7.	Jan. 17	40.8	Jan. 30	42.8
				1942	
				Jan. 21 b	35.8

a Measurement from United States Geological Survey.

b Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S2W36B

P-137

Location--400 feet west and 50 feet south of north quarter corner of  
Section 36, 0.43 mile west of Basin Road.

Reference point--Top of casing, 1.6 feet above ground.

Elevation of reference point--1493.7, from levels by D.W.R.

Use-- Depth--112 feet, Casing--12 inches.

Other numbers--Harding 323.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1941	
Oct. 25	27.6	Jan. 6	23.7	Jan. 30 a	59.7
Nov. 9	27.3	Jan. 27	21.7	July 18 a	52.6
Nov. 25	26.9	Feb. 14	20.3	Sep. 9 a	54.8
Dec. 13	26.2	Mar. 16	17.8	Oct. 7 a	56.1
		Apr. 13	16.8	Nov. 14 a	56.8
		May 1	16.3		
		May 24	16.2	1942	
		June 26	17.0		
		July 24	18.1	Jan. 21	56.5
		Aug. 22	19.4		
		Sep. 18	21.0		
		Oct. 20	23.0		
		Nov. 8	22.5		
		Nov. 17	21.6		

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

.5S1W1A

HOWARD ROSE COMPANY

S.V. 85

Location--1250 feet south and 200 feet west of northeast corner of Section 1, 150 feet east of Meridian and 100 feet north of Commonwealth Avenues.

Reference point--Base of pump at concrete floor level at ground.

Elevation of reference point--1624.8, from levels by D.W.R.

Use--Irrigation. Depth--305 feet. Casing--12 inches.

Other numbers--Harding 216, Waring 128, Owner Plant 5.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1915		1922		1927	
Nov. a	23.	Jan. 19	24.1	July 11	31.8
		Feb. 3	22.0		
1921		Feb. 23	17.5	1937	
		Mar. 13	16.2		
Oct. 12	43.5	Mar. 31	15.6	Feb. 2 b	83.2
Oct. 19	43.4	Apr. 18	15.6	Mar. 29 b	53.1
Oct. 31	42.5	May 8	18.1		
Nov. 7	42.9	May 23	17.6	1938	
Nov. 22	41.8	June 12	17.2		
Dec. 9	41.9	July 1	19.8	Jan. 20 b	57.1
Dec. 30	31.0	July 20	22.2	Nov. 29 b	49.5
		Aug. 14	29.0		
		Sep. 5	31.8		
		Sep. 29	34.8		
		Oct. 19	31.7		
		Nov. 6	30.4		

a Measurement from United States Geological Survey.

b Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1W1B

PROMINTIER

S.V. 223

Location--1500 feet west and 800 feet south of northeast corner of Section 1.

Reference point--Top of casing, 0.6 foot above ground.

Elevation of reference point--1619.3, from levels by D.W.R.

Use--Domestic. Depth--300 feet. Casing--12 inches.

Other numbers--Harding 227.

## 5S1W1B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1941	
Oct. 10	39.6	Jan. 19	22.4	Jan. 14 a	56.5
Oct. 19	39.7	Feb. 3	19.8		
Oct. 31	38.4	Feb. 23	15.7	1942	
Nov. 7	38.8	Mar. 13	14.2		
Nov. 22	37.9	Mar. 31	13.6	Jan. 7 a	38.6
Dec. 30	30.2	May 23	14.0		
		June 12	13.3		
		July 1	15.5		
		July 20	18.2		
		Aug. 14	24.0		
		Sep. 5	26.6		
		Sep. 29	29.0		
		Oct. 19	27.6		
		Nov. 6	25.7		

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1W2A

HOWARD ROSE COMPANY

S.V. 87

Location--300 feet south and 900 feet east of north quarter corner of Section 2, 45 feet west of Hewitt Street and 100 feet north of Rose Lane.

Reference point--(a) Top of square hole in north side of casing, 0.2 foot below ground through November 6, 1922; then (b) bottom of pump base 0.3 foot above concrete floor at ground.

Elevation of reference point--(a) 1582.2; (b) 1582.4; from levels by D.W.R.

Use--Irrigation and domestic. Depth--369 feet.

Casing--12 inches.

Other numbers--Harding 211, Owner Plant #4.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Oct. 19	37.1	Jan. 19	32.0	May 8	29.6
Oct. 31	36.4	Feb. 3	31.0	July 1	31.7
Nov. 7	36.3	Feb. 23	29.8	Sep. 12	37.0
Nov. 22	35.7	Mar. 14	29.1	Sep. 29	36.5
Dec. 9	35.3	Mar. 31	28.4	Oct. 19	33.5
Dec. 30	33.8	Apr. 18	28.0	Nov. 6	31.3

## 5S1W2A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1938		1941	
Feb. 2 a	73.8	Nov. 29 a	51.0	Jan. 14 a	52.1
Mar. 29 a	72.7				
June 22 a	69.9	1940		1942	
Oct. 7 a	54.4				
		June 27 a	55.6	Jan. 7 a	41.8

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1W2B

S.V. 163

Location--600 feet north and 700 feet west of east quarter corner of Section 2. On west side of Vienna Street, 600 feet north of Washington Avenue.

Reference point--Top of casing, 0.5 foot above ground.

Elevation of reference point--1601.8, from levels by D.W.R.

Use--Not used.

Depth--280 feet.

Casing--10 inches.

Other numbers--Harding 219.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1927	
Nov. 18	54.3	Jan. 20	50.9	July 11	50.8
Dec. 9	53.5	Feb. 3	49.9		
Dec. 29	52.4	Feb. 23	48.6	1940	
		Mar. 14	47.5		
		Mar. 31	46.7	Jan. 2	68.0
		Apr. 18	46.0		
		May 8	46.9	1941	
		June 12	48.2		
		July 1	47.6	Jan. 14 a	71.4
		July 20	48.4	Apr. 16 a	69.4
		Aug. 14	49.3	May 15 a	64.8
		Sep. 5	51.5	June 19 e	63.7
		Sep. 29	51.5	July 15 a	64.4
		Oct. 19	51.0		
		Nov. 6	50.2		

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.



## MAP 10

5S1W2I

J. A. BARGAR

P-88

Location--1200 feet east and 1400 feet north of southwest corner of  
Section 2, 100 feet west of San Jacinto Avenue, one mile north of  
Florida Avenue.

Reference point--Top of casing, 0.8 foot above ground.

Elevation of reference point--1584.9, from levels by D.W.R.

Use--Domestic.

Depth--140 feet.

Casing--7 inches.

Other numbers--Harding 214, Waring 118, U.S.G.S. 83A.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1905		1911		1918	
Nov. 10	57.3	Jan. 5	55.8	May 4	56.7
Dec. 22 a	60.2			Oct. 12	56.2
		1912			
1906		May 28	56.9	1919	
Jan. 30	58.0	July 29	56.0	May 11	57.2
Mar. 17 a	56.9	Oct. 18	54.7	Oct. 12	57.4
May 11 a	64.7				
Aug. 3	68.2	1913		1920	
Sep. 26	58.1				
Dec. 20	57.9	Oct. 18	57.3	May 18	57.1
				Oct. 13	57.9
1907		1914		1921	
May 18	57.2	Feb. 5	55.5		
Aug. 30	62.8	Apr. 17	55.9	Feb. 10	57.7
Dec. 31	57.2	June 25	56.5	May 13	58.2
		Aug. 14	57.0	Nov. 18 b	59.2
1908		Nov. 21	56.5	Dec. 9 b	59.2
				Dec. 29 b	59.1
Apr. 22	57.2	1915		1922	
June 24	57.2				
Oct. 15	57.4	May 23	55.6	Jan. 20 b	59.0
Dec. 29	57.2	Oct. 31	56.5	Feb. 3 b	58.8
				Feb. 23 b	58.4
1909		1916		Mar. 14 b	58.2
Apr. 3	57.1	Aug. 1	56.4	Mar. 31 b	58.0
July 11 a	58.0	Nov. 15	56.0	Apr. 7	58.0
Oct. 14	57.0			Apr. 18 b	57.8
		1917		May 8 b	57.8
1910				May 11	57.8
		May 20	55.5	May 23 b	57.8
Feb. 3	56.3	Nov. 25	55.6	June 12 b	58.0
Aug. 11	55.9			July 1 b	58.0



## 5S1W2I Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1922 Cont'd.		1924		1941	
July 20 b	58.8	Feb. 26	59.3	Jan. 15	73.7
Aug. 2	58.3	Aug. 26 c		Mar. 7	73.6
Sep. 5 b	58.4			May 22	73.4
Sep. 29 b	58.6	1940		Aug. 20	73.2
Oct. 19 b	58.6			Nov. 7	72.9
Oct. 27	58.7	Feb. 21	73.6		
Nov. 6 b	58.6	May 10	73.8	1942	
		Aug. 3	74.0		
1923				Feb. 25	72.4
Feb. 26	58.2				
June 6	58.7				
Sep. 17	59.3				
Dec. 6	59.5				

a Pumping.

b Measurement from Division of Water Resources.

c Sealed with concrete.

Measurements from United States Geological Survey except as noted.

## MAP 10

5S1W3A

S.V. 165

Location--50 feet south and 800 feet east of north quarter corner of

Section 3. South side of Esplanade, 775 feet east of State Street.

Reference point--Top of casing, 0.6 foot above ground, 0.3 foot below pump base.

Elevation of reference point--1546.6, from M.W.D.

Use--Domestic.

Depth--

Casing--5 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Jan. 3	9.1	Jan. 16	12.4		
		Apr. 15	6.7		
		May 16	5.8		
		July 18	10.2		

Measurements from Metropolitan Water District.

## MAP 10

5S1W3B

C. A. KENDRIX

S.V. 220

Location--About 800 feet west and 500 feet south of northeast corner of

Section 3, one-eighth mile south of Esplanade Avenue.

Reference point--Top of casing, 0.4 foot above ground.

Elevation of reference point--1549.0, from levels by D.W.R.

Use--Irrigation.

Depth--190 feet.

Casing--7 inches.

Other numbers--Harding 218.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1927	
Oct. 31	4.3	Jan. 3	1.9	July 11	8.1
Nov. 8	4.8	Jan. 25	0.4		
Nov. 23	4.2	Feb. 15	Flowing		
Dec. 12	3.7	Feb. 22	+1.1		
		Mar. 15	+1.8		
		Apr. 3	+2.4		
		Apr. 19	+2.6		
		May 10	Flowing		
		May 30	"		
		June 19 a	1.6		
		Aug. 4	2.8		
		Sep. 19	3.5		
		Oct. 16	2.4		
		Nov. 7	0.1		

---

a May have been pumping.

Measurements from Division of Water Resources.

## MAP 10

5S1W3C

P-83

Location--250 feet north and 50 feet west of center of Section 3, west side of State Street, half way up escarpment.

Reference point--Top of casing, 0.6 foot above ground.

Elevation of reference point--1549.6, from levels by D.W.R.

Use--Not used.

Depth--130 feet.

Casing--10 inches.

Other numbers--Harding 307A.

## 5S1W3C Continued

Date		Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1922			1940		1941 Cont'd.	
May 30	a	24.8	Jan. 3	66.1	July 18	69.6
June 19	a	24.8	Jan. 15	65.8	Sep. 10	68.2
July 10	a	24.8			Oct. 7	68.8
Aug. 4	a	24.6	1941		Nov. 11	66.5
Aug. 30	a	24.6			Dec. 12	65.8
Sep. 19	a	24.4	Jan. 20	66.7		
Oct. 16	a	24.4	Apr. 15	65.5	1942	
Nov. 7	a	24.4	May 15	65.2		
			June 19	67.1	Jan. 14	65.3

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S1W4A

J. C. MILLER

P-13

Location--400 feet south and 400 feet west of north quarter corner of Section 4.

Reference point--(a) Top of concrete pit, 0.2 foot above ground through December 18, 1925; then (b) bottom of pump base, 0.3 foot above ground. Elevation of reference point--(a) 1538.7; (b) 1538.8; from levels by D.W.R.

Use--Irrigation and domestic. Depth--140 feet. Casing--4 feet diameter dug to 30 feet. Drilled 110 feet below pit bottom.

Other numbers--Harding 264.

Date		Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921			1922		1922 Cont'd.	
Oct. 17		35.8	Jan. 3	32.8	June 19	38.0
Oct. 26		35.1	Jan. 25	32.2	July 10	37.2
Nov. 7		35.4	Feb. 15	31.4	Aug. 4	38.6
Nov. 23		35.7	Mar. 15	30.8	Aug. 30	40.4
Dec. 12		34.1	Apr. 3	30.7	Sep. 19	40.7
			Apr. 19	32.2	Oct. 16	36.0
			May 10	34.9	Nov. 7	33.9
			May 30	37.0		

## 5S1W4A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1924		1937		1939	
Dec. 11	36.0	Feb. 5 a	61.5	Mar. 21 a	64.1
		Mar. 29 a	60.8	July 20 a	72.3
1925		June 23 a	69.0		
Dec. 18	37.1	Oct. 28 a	68.5	1940	
		1938		Jan. 12 a	63.0
		Apr. 12 a	65.0	1941	
		July 27 a	70.0		
		Nov. 28 a	64.5	Jan. 20 a	64.2

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1W4B

BRUCE

P-14

Location--1300 feet south and 50 feet west of northeast corner of Section 4, on west side of Palm, one-fourth mile south of Esplanade Avenue.

Reference point--Top of curb above well.

Elevation of reference point--1548.8, from levels by D.W.R.

Use--Abandoned.

Depth--223 feet.

Casing--14 inches.

Other numbers--Harding 258.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1940	
Oct. 17	41.4	Apr. 3	37.0	Jan. 5 a	72.0
Oct. 26	40.7	Apr. 19	38.4	Jan. 12 a	71.7
Nov. 8	40.9	May 10	40.4		
Nov. 23	40.9	May 30	42.2	1941	
Dec. 12	39.9	June 19	42.9		
		July 10	42.2	Jan. 20 a	71.4
1922		Aug. 4	43.2		
		Aug. 30	44.6	1942	
Jan. 3	39.0	Sep. 19	45.0		
Jan. 25	38.5	Oct. 16	40.7	Jan. 14 b	
Feb. 15	37.8	Nov. 7	39.6		
Mar. 15	37.2				

a Measurement from Metropolitan Water District.

b Pit filled with dirt.

Measurements from Division of Water Resources except as noted.



## MAP 10

5S1W4C

C. D. BORST

P-21

Location--1400 feet south and 100 feet west of center of Section 4. At southwest corner of Fruitvale and Lyon Avenues.

Reference point--(a) Top of casing, 2.7 feet above ground through December 18, 1925; then (b) top of casing in pit 32.5 feet below ground.

Elevation of reference point--(a) 1546.1; (b) 1510.9; from levels by D.W.R.

Use--Domestic.

Depth--200 feet.

Casing--7 inches.

Other numbers--Harding 259.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1936	
Oct. 17	35.3	June 19 ab	41.7	Dec. 21 c	34.2
Oct. 26	35.3	July 10 b	38.2		
Nov. 8	35.6	Aug. 4 b	39.0	1937	
Nov. 23	35.6	Aug. 30 b	41.1		
Dec. 12	34.5	Sep. 19	40.5	June 22 c	41.6
		Oct. 16 a	38.9		
1922		Nov. 7	35.1	1938	
Jan. 3	33.5	1924		Apr. 12 c	39.7
Jan. 25	32.9			July 27 c	42.8
Feb. 15	32.3	Dec. 11	37.0	Nov. 28 c	37.0
Mar. 16	31.7				
Apr. 3	31.6	1925		1939	
Apr. 19	32.4				
May 10	35.5	Dec. 18	39.0	Mar. 21 c	36.8
May 30 a	40.4			July 20 c	42.5

a Pumping light.

b Pumping one-half mile south.

c Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1W4D

COLLINS, DAVIS AND HOAR

P-40

Location--1450 feet east and 700 feet south of west quarter corner of Section 4, 550+feet north of Fruitvale Avenue and 1450 feet east of Kirby Avenue.

Reference point--Base of pump, 0.2 foot above ground.

Elevation of reference point--1538.0, interpolated by M.W.D.

Use--Irrigation.

Depth--454 feet.

Casing--

Other numbers--Harding L-29.



## 5S1W4D Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
Feb. 5	61.8	July 20	81.5	Jan. 20	66.8
Mar. 26	61.0				
		1940		1942	
1938		Jan. 12	65.0	Jan. 16	65.4
Jan. 18	64.1				
Apr. 12	79.3				
July 27	86.3				
Nov. 28	67.9				

---

Measurements from Metropolitan Water District.

## MAP 10

5S1W5A

R. L. CRAWFORD

P-18

Location--1150 feet south and 700 feet west of center of Section 5,  
125 feet north of Fruitvale Avenue, 600 feet west of Sanderson Avenue,  
northwest of Hemet.

Reference point--Top of casing, 1.5 feet above ground.

Elevation of reference point--1520.8, from levels by D.W.R.

Use--Domestic and stock. Depth--200 feet. Casing--7 inches.

Other numbers--Harding 262.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Oct. 17	14.7	Jan. 4	12.7	June 19	12.4
Oct. 26	14.8	Jan. 23	11.9	July 10	12.8
Nov. 8	14.8	Feb. 14	10.2	Aug. 4	13.4
Nov. 25 a	16.9	Mar. 15	9.8	Aug. 30	14.6
Dec. 12	14.9	Apr. 3	9.9	Sep. 19	14.8
		Apr. 19	10.2	Oct. 16 a	21.0
		May 10 a	14.7	Nov. 6	13.9
		May 29	12.1		

## 5S1W5A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1924		1937		1939	
Oct. 8	16.3	Mar. 26 b	37.7	Mar. 20 ab	40.2
		June 23 b	37.8	July 20 ab	37.4
1925		Oct. 8 b	39.0		
				1940	
Dec. 5	17.2	1938		Jan. 12 b	36.7
1936		Jan. 18 b	36.7		
		Apr. 12 b	36.6	1941	
Nov. 3 b	39.2	July 27 ab	40.4		
Dec. 21 b	38.6	Nov. 28 ab	42.6	Jan. 20 ab	38.1
				1942	
				Jan. 16 b	36.5

a Pumping.

b Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1W5B

T. F. CALLOWAY

P-59

Location--1500 feet south, 50 feet west of northeast corner of Section 5.

At west side of Kirby Road, one-fourth mile south of Esplanade Avenue.

Reference point--(a) Air gage at ground through August 27, 1941; then

(b) bottom of pump frame, 0.2 foot above ground.

Elevation of reference point--(a) 1528.0; (b) 1528.2; interpolated by  
M.W.D.

Use--Irrigation and domestic. Depth-- Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
July 9 a	105.3	July 25	67.0	Mar. 18	54.8
				Aug. 27	69.2
1938		1940			
				1942	
Jan. 18	54.0	Jan. 12	54.5		
July 27	69.4	Feb. 28	56.6	Jan. 14	54.0
Nov. 28	57.8				

a Pumping.

Measurements from Metropolitan Water District.

## MAP 10

5S1W5C

M. A. FERRY

P-60

Location--100 feet north and 80 feet west of southeast corner of Section 5. West side of Kirby Road between Fruitvale and Menlo Avenues.

Reference point--Plugged hole in top of discharge pipe, 1.3 feet above ground.

Elevation of reference point--1536.8, interpolated by M.W.D.

Use--Not used. Depth--700+ feet. Casing--12 inches.

Other numbers--Harding L-16.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1940		1942	
July 9	112.7	Jan. 12	67.5	Jan. 16	66.6
July 28	106.2	Feb. 28	65.1	Feb. 10	66.1
Oct. 8	111.3	Aug. 14	114.6	Apr. 7	91.4
1938		1941			
Jan. 18	67.2	Jan. 15	68.7		
Mar. 31	69.4	Mar. 18	65.8		
Nov. 28	81.4	Apr. 15	65.1		
		May 15	78.7		
1939		June 20	95.6		
		July 18	98.6		
Mar. 20	79.4	Aug. 27	101.1		
		Oct. 7	105.4		
		Nov. 14	75.5		
		Dec. 12	70.2		

Measurements from Metropolitan Water District.

## MAP 10

5S1W7A

E. T. GILMORE

P-56A

Location--120 feet south and 115 feet west of center of Section 7. At the west end of Devonshire Avenue, one mile west of Sanderson Avenue.

Reference point--Top of casing at ground.

Elevation of reference point--1505, from M.W.D. estimate.

Use--Not used. Depth-- Casing--12 inches.

## 5S1W7A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1940		1941	
Jan. 18	28.0	Jan. 12	28.0	July 18	26.9
Mar. 31	27.0	Feb. 28	27.8	Aug. 27	27.1
July 27	27.6	Aug. 14	28.9	Oct. 7	27.5
Nov. 28	28.1			Nov. 14	27.4
		1941		Dec. 12	27.3
1939		Jan. 15	28.3	1942	
Mar. 20	27.1	Mar. 18	27.0		
July 25	27.2	Apr. 15	27.0	Jan. 16	27.0
		May 15	26.0		
		June 20	22.7		

---

Measurements from Metropolitan Water District.

## MAP 10

5S1W7B

P-184

Location--1400 feet east and 1050 feet north of the west quarter corner of Section 7.

Reference point--Top of casing, 0.7 foot above ground.

Elevation of reference point--1510.7, estimated by M.W.D.

Use--Domestic.                      Depth--120+ feet.                      Casing--10 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 27	30.5	Jan. 16	28.0		

---

Measurements from Metropolitan Water District.

## MAP 10

5S1W7C

P-188

Location--100 feet west and 1150 feet north of the south quarter corner of Section 7, 50 feet west of Myers Street and 1300 feet north of State Highway.

Reference point--Top of casing, 0.5 foot above ground.

Elevation of reference point--1505.5, estimated by M.W.D.

Use--Not used.

Depth--

Casing--14 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 27	29.7	Jan. 16	28.0		

---

Measurements from Metropolitan Water District.

## MAP 10

5S1W8A

C. C. MEYERS

P-55

Location--25 feet south and 1600 feet west of center of Section 8, south side of Devonshire Avenue, 1600 feet west of Sanderson Avenue.

Reference point--(a) Top of casing or top of iron pit, 0.6 foot above ground through November 7, 1922; then (b) top of casing in pit 1.0 foot below ground.

Elevation of reference point--(a) 1514.6; (b) 1513.0 from levels by D.W.R.

Use--Not used.

Depth--350+ feet.

Casing--15 inches.

Other numbers--Harding 281.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Oct. 20	14.1	Jan. 4	11.1	June 19	13.1
Oct. 27	13.5	Jan. 23	10.9	July 10	15.2
Nov. 8	14.6	Feb. 15	10.5	Aug. 4	14.3
Nov. 23	13.9	Mar. 15	7.5	Aug. 30	15.0
Dec. 12	13.6	Apr. 3	7.4	Sep. 19	15.9
		Apr. 19	8.5	Oct. 16	15.4
		May 10	10.7	Nov. 7	16.5
		May 29	13.1		



## 5S1W8A Continued

Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet
1937			1938			1939		
July 9	a	38.9	Jan. 18	a	35.6	Mar. 20	ab	
July 28	a	38.6	Mar. 31	a	33.5			
Oct. 8	a	42.1	July 27	a	39.1			
			Nov. 28	a	37.2			

a Measurement from Metropolitan Water District.

b Covered with rocks.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1W8B

BLAIN

P-87

Location--100 feet east and 100 feet south of northwest corner of Section 8, at southeast corner of Menlo and Cawston Avenues, northwest of Hemet.  
 Reference point--Top of casing at ground.  
 Elevation of reference point--1512.6, from levels by D.W.R.  
 Use--Domestic. Depth--121 feet. Casing--4 inches.  
 Other numbers--Harding 284.

Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet
1921			1922 Cont'd.			1940		
Oct. 20		10.4	Apr. 3		4.2	Jan. 12	ab	32.5
Oct. 27		10.1	Apr. 19		4.4			
Nov. 8		10.0	May 10		6.6	1941		
Nov. 25		10.3	May 29		7.8			
Dec. 12		9.9	June 19		8.9	Jan. 20	a	32.5
			July 10		9.4	Apr. 15	a	31.6
1922			Aug. 4		9.9			
			Aug. 30		10.9	1942		
Jan. 4		7.8	Sep. 19		11.5			
Jan. 23		6.7	Oct. 16		10.6	Jan. 16	a	31.1
Feb. 15		5.1	Nov. 7		9.6			
Mar. 15		4.2						

a Measurement from Metropolitan Water District.

b Pumping.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1W8C

P-163

Location--1450 feet west and 120 feet south of the east quarter corner of Section 8, 1450 feet west of Kirby Avenue and 100 feet south of Devonshire Avenue.

Reference point--Top of casing, 0.9 foot above ground.

Elevation of reference point--1533.9, estimated by M.W.D.

Use--Abandoned. Depth-- Casing--10 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 27	62.1	Jan. 16	60.8		

---

Measurements from Metropolitan Water District.

## MAP 10

5S1W9A

L. D. HOUK

P-38

Location--1050 feet north and 1050 feet east of west quarter corner of Section 9.

Reference point--Top of casing at ground.

Elevation of reference point--1542.0, interpolated by M.W.D.

Use--Irrigation. Depth-- Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
Feb. 5	68.1	Mar. 20	82.9	Jan. 23	73.4
Mar. 26	66.8	July 20	104.3		
				1942	
1938		1940		Jan. 16	72.0
Jan. 18	71.4	Jan. 5	73.5		
Nov. 28	83.9	Jan. 8	72.8		
		Jan. 12	72.6		

---

Measurements from Metropolitan Water District.

## MAP 10

5S1W9B

OWEN BRUBAKER

P-42

Location--900 feet south and 100 feet west of center of Section 9.

Reference point--Bottom of pump base at south side at ground.

Elevation of reference point--1555, interpolated by M.W.D.

Use--Irrigation and domestic. Depth--400+ feet. Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
Feb. 5	80.7	July 20	99.4	Apr. 16	84.5
Mar. 26	79.7				
		1940		1942	
1938		Jan. 5	85.3	Jan. 16	85.1
Jan. 18	82.8				
Nov. 28	87.7				

---

Measurements from Metropolitan Water District.

## MAP 10

5S1W9C

GARRIGAN

P-103

Location--700 feet west and 460 feet north of south quarter corner of Section 9, 200 feet south of Florida Avenue, 700 feet west of Lyons Avenue.

Reference point--Cut top of 4 inch block on casing, 0.9 foot above ground.

Elevation of reference point--1549.1, from levels by D.W.R.

Use--Abandoned. Depth--75 feet. Casing--7 inches.

Other numbers--Harding 265, Waring 114, U.S.G.S. 82.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1904		1905		1905 Cont'd.	
Mar. 14	33.0	Jan. 14	33.4	June 20	33.2
Dec. 15	33.2	Feb. 23	33.2	July 23	33.1
		Mar. 25	33.1	Aug. 19	34.0
		Apr. 18	33.1	Sep. 23	33.5
		May 18	33.0	Nov. 10	33.0

---

## 5S1W9C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1906		1913		1921	
Jan. 30	32.8	Oct. 18	31.6	Feb. 10	31.5
Mar. 17	32.4			May 13	33.4
May 12	32.8	1914		July 25	34.7
June 29	32.5			Oct. 10	33.8
Aug. 4	32.7	Feb. 2	30.6		
Sep. 27	32.6	Apr. 17	30.7	1922	
Dec. 20	32.5	June 25	30.8		
		Aug. 14	31.1	May 22	32.4
1907		Nov. 21	30.9	Aug. 2	32.8
				Oct. 27	33.3
Feb. 13	32.0	1915			
May 18	32.5			1923	
Aug. 31	32.5	May 21	31.2		
Dec. 31	31.8	Oct. 31	31.0	Feb. 26	32.4
				June 6	34.2
1908		1916		Dec. 6	34.3
Apr. 23	31.9	May 6	29.9		
June 25	31.7	Aug. 7	30.3	1924	
Oct. 15	31.1	Nov. 15	29.8	Feb. 26	35.2
Dec. 28	31.7			Aug. 26 a	37.2
		1917			
1909		Nov. 25	31.0	1934	
Apr. 2	31.6			Feb. 6	61.3
July 11	31.5	1918		Dec. 4	64.5
Oct. 14	31.3				
		May 4 a	31.4	1935	
1910		Oct. 12 a	39.7		
Feb. 3	31.2	1919		Feb. 26	72.5
Aug. 11	31.1			May 7	71.1
		May 11	30.1	Aug. 6	67.4
1911		Oct. 12	31.4	Nov. 4	73.5
				1936	
Jan. 5	30.8	1920			
				Feb. 7	72.8
1912		May 18	31.6	May 13	68.7
		Oct. 16	32.7	Aug. 12	70.6
May 28	32.2			Nov. 23	70.0
July 30	30.5				
Oct. 18	34.2				

5S1W9C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1938		1939	
Feb. 3	69.0	Feb. 23	70.1	Feb. 14	73.6
May 7	68.9	May 4	70.2	May 31 b	
Sep. 15	71.7	Oct. 25	72.6		
Nov. 19	71.5				

a Pumping.

b Destroyed.

Measurements from United States Geological Survey.

MAP 10

5S1W9D

MR. SMYRES

P-139

Location--50 feet west and 460 feet south of south quarter corner of Section 9, 200 feet south and 50 feet west of intersection of Lyon Avenue and Florida Avenue.

Reference point--Top of casing, 2.0 feet above ground.

Elevation of reference point--1556.8, from levels by D.W.R.

Use--Domestic.

Depth--97 feet.

Casing--7 inches.

Other numbers--Harding 389, U.S.G.S. 82a.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1914		1917		1920	
Nov. 21	38.1	May 19	36.9	May 18	39.8
		Nov. 25	37.4	Oct. 16	41.2
1915		1918		1921	
May 21	40.0				
Oct. 31	38.4	May 4 b	39.4	Feb. 10	39.5
		Oct. 12	43.4	May 13	42.1
1916				July 25	42.9
		1919		Oct. 10	52.4
May 6	37.4				
Nov. 15 a	38.8	May 11	38.5		
		Oct. 12	39.9		



## 5S1W9D Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1922		1925		1928	
Apr. 7	40.1	Mar. 12	46.9	Feb. 21	50.9
May 22	41.3	May 26	48.2	May 22	55.7
Aug. 2	42.2	Aug. 25	50.0	Aug. 15	57.9
Oct. 27	42.5	Nov. 3	48.2		
1923		1926		1929	
Feb. 26	40.7	May 13	49.9	May 1	57.6
June 6	43.4	Oct. 27	53.6	Sep. 7 c	61.4
Sep. 17	44.1			1930	
Dec. 6	43.0	1927		Mar. 4 a	61.6
1924		June 24	51.8	May 21	61.0
Feb. 26	43.4	Aug. 30	53.2	July 31 d	64.1
Aug. 26	46.6	Oct. 17	53.8	Dec. 4	63.2
				1931	
				Mar. 4	62.7
				June 12	66.8
				Aug. 26 e	

---

a Pumping.

b Had been pumping.

c Pumping  $3/8$ ths mile north; pumping  $1\frac{1}{2}$  hours before.

d Pumping well to north.

e Plugged.

Measurements from United States Geological Survey.

## MAP 10

5S1W10A

HEMET PACKING COMPANY

P-200

Location--550 feet east and 250 feet south of the north quarter corner  
 Section 10, 550 feet east of State Street and 250 feet south of Menlo  
 Avenue, north of Hemet.

Reference point--Hole in south side of casing at ground.

Elevation of reference point--1581.0, estimated by M.W.D.

Use--Not used.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Feb. 28	111.0	Jan. 16	110.6		

---

Measurements from Metropolitan Water District.

## MAP 10

5S1W10B

FRUITVALE MUTUAL WATER COMPANY

P-206

Location--1400 feet west of center of Section 10, 150 feet north of  
 Devonshire Avenue and 40 feet west of Gilbert Street, Hemet.

Reference point--Top of concrete floor 0.3 foot above ground.

Elevation of reference point--

Use--Irrigation.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1942					
Jan. 16	106.4				

---

Measurement from Metropolitan Water District.

## MAP 10

5S1W11A

PARK HILL MUTUAL WATER COMPANY

P-86

Location--500 feet south and 1250 feet west of east quarter corner of  
 Section 11, east side Yale Street between Florida and Devonshire.  
 Reference point--Three-eighths inch hole in northwest side of pump 0.5  
 foot above ground.  
 Elevation of reference point--1338.5, estimated by M.W.D.  
 Use--Irrigation. Depth--300 feet. Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1934		1940		1942	
June 4 a	153.	Jan. 15	166.	Jan. 20 b	168.2
1937		1941			
Feb. 25 a	160.3	Feb. 28	167.8		

---

a Measurement from Nevada-California Electric Corporation.  
 b Measurement from Division of Water Resources.  
 Measurements from Metropolitan Water District except as noted.

## MAP 10

5S1W13A

FOOTHILL MUTUAL WATER COMPANY

P-68

Location--1550 feet north and 1270 feet east of southwest corner of  
 Section 13, 50 feet west of Cornell Street and 230 feet north of  
 Johnston Street.  
 Reference point--Top of iron rail at ground.  
 Elevation of reference point--1680, estimated by M.W.D.  
 Use--Not used. Depth-- Casing--16 inches.  
 Other numbers--Lunt Well.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1941		1942	
Mar. 20	188.9	Jan. 15	202.2	Jan. 20	201.5
July 25	199.8	Mar. 18	201.5		
		May 16	200.6		
1940		June 20	200.4		
		July 18	200.7		
Jan. 15	201.8	Aug. 27	201.2		
Feb. 28	200.1	Oct. 7	201.8		
Aug. 14	201.1	Dec. 12	202.3		

---

Measurements from Metropolitan Water District.

MAP 10

5S1W13B

LITTLE LAKE MUTUAL WATER COMPANY

P-199

Location--50 feet west and 700 feet south of the north quarter corner of Section 13, 50 feet west of Dartmouth Street and 700 feet south of Acacia Avenue.

Reference point--Hole in south side of pump frame 0.5 foot above ground.

Elevation of reference point--1688.5, estimated by M.W.D.

Use--Irrigation.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			

Mar. 3 a 215.1 Jan. 20 b 203.1

a Measurement from Metropolitan Water District.

b Measurement from Division of Water Resources.

MAP 10

5S1W14A

P-79

Location--1600 feet north and 650 feet east of west quarter corner of Section 14.

Reference point--Bottom of oval hole in pump frame, west side, 0.5 foot above ground.

Elevation of reference point--1623.0, estimated by M.W.D.

Use--Irrigation.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	

Jan. 10 162.3 Jan. 21 155.4 Jan. 20 a 154.8

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S1W14B

P-121

Location--770 feet north and 75 feet west of center of Section 14, 75 feet west of Girard Street and 550 feet south of Mayberry Avenue.

Reference point--(a) Hole in pump base at ground through December 6, 1925; then (b) bottom of pump base 0.6 foot above ground.

Elevation of reference point--(a) 1639.6; (b) 1640.2; from levels by D.W.R.

Use--Irrigation.

Depth--330 feet.

Casing--12 inches.

Other numbers--Harding 452.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1941	
Nov. 21	119.5	July 1	121.0	Jan. 21 a	171.8
Dec. 9	119.5	July 20	119.9	Apr. 15 a	169.6
Dec. 29	119.3	Aug. 14	120.2	May 16 a	169.5
		Sep. 5	120.6	June 20 a	175.8
1922		Sep. 29	120.9	July 18 a	171.5
		Oct. 19	120.8	Sep. 10 a	173.2
Jan. 20	119.1	Nov. 6	120.7	Oct. 7 a	173.6
Feb. 3	118.9			Nov. 11 a	172.1
Feb. 23	118.8	1924		Dec. 12 a	171.4
Mar. 14	118.6				
Mar. 31	118.4	Feb.	120.0	1942	
Apr. 18	118.4				
May 8	121.0	1925		Jan. 20	170.5
May 23	118.9				
June 12	120.8	Dec. 6	128.4		

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1W15A

ERYL WATER COMPANY

P-142

Location--1400 feet west and 2100 feet north of southeast corner of Section 15, 400 feet south of Whittier Avenue, 50 feet west of Buena Vista Street.

Reference point--Hole in casing north side of air gage at ground.

Elevation of reference point--

Use--

Depth--

Casing--



## 5S1W15A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Mar. 3	136.4	Jan. 27	136.3		
Measurements from Metropolitan Water District.					

## MAP 10

5S1W16A

P-72

Location--1350 feet south and 700 feet west of north quarter corner of Section 16, 1350 feet south of Acacia Avenue, 700 feet west of Lyon Avenue.

Reference point--Base of pump north side at ground.

Elevation of reference point--1545. from M.W.D. topog.

Use--Irrigation.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 5	75.7	Jan. 23	75.4	Jan. '20	74.2
Jan. 8	75.2				
Measurements from Metropolitan Water District.					

## MAP 10

5S1W16B

P-73

Location--750 feet west and 500 feet south of center of Section 16, 750 feet west of Lyon Avenue and 500 feet south of Whittier Avenue.

Reference point--Base of pump, 0.5 foot above ground surface.

Elevation of reference point--1543.5, from M.W.D. topog.

Use--Irrigation.

Depth--

Casing--

## 5S1W16B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 5	75.1	Jan. 23	75.6	Jan. 20	74.5

Measurements from Metropolitan Water District.

## MAP 10

5S1W16C

YODER

P-109

Location--300 feet north and 1700 feet east of center of Section 16, 900 feet west of Palm Avenue, 800 feet south of Mayberry Avenue.

Reference point--(a) Bottom side of pump base, 0.2 foot above ground, through December 18, 1925; then (b) 1 inch hole in side of pump at ground.

Elevation of reference point--(a) 1559.5; (b) 1559.3; from levels by D.W.R.

Use--Irrigation,

Depth--340 feet.

Casing--

Other numbers--Harding 269.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1924	
Oct. 18	47.7	Jan. 4	45.3	Dec. 9	72.4
Oct. 27	48.6	Jan. 23	44.9		
Nov. 7	47.5	Feb. 15	44.4	1925	
Dec. 12	46.3	Mar. 15	44.0		
		Apr. 3	43.8	Dec. 18	53.2
		Apr. 19	44.1		
		Aug. 7	51.6	1941	
		Sep. 19	52.9		
		Oct. 16	50.7	Jan. 23 a	90.6
		Nov. 7	48.0	Apr. 16 a	88.5
				1942	
				Jan. 20	89.5

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1W16D

J. F. BURKHART

P-110

Location--700 feet west and 100 feet south of center of Section 15, one-eighth mile west of Lyon Avenue and 100 feet south of Whittier Street produced.

Reference point--Top of casing, 1.7 feet above ground.

Elevation of reference point--1544.8, from levels by D.W.R.

Use--Not used.

Depth--300+ feet.

Casing--14 inches.

Other numbers--Harding 270.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Oct. 18	35.8	Jan. 4	32.8	June 19	41.0
Oct. 27	36.3	Jan. 23	32.3	July 10	40.8
Nov. 8	36.2	Feb. 15	31.7	Aug. 4	42.5
Nov. 23	35.4	Mar. 15	31.2	Aug. 30	42.8
Dec. 12	34.7	Apr. 3	31.0	Sep. 19	43.0
		Apr. 19	31.5	Oct. 16	39.7
		May 10	37.8	Nov. 7	36.6
		May 29	39.5		

---

Measurements from Division of Water Resources.

## MAP 10

5S1W16E

RIGGINS

P-208

Location--250 feet west and 200 feet south of the northeast corner of Section 16, 250 feet west of Palm Avenue and 200 feet south of Acacia Avenue produced.

Reference point--One inch hole in south side of pump frame at ground.

Elevation of reference point--

Use--Irrigation.

Depth--

Casing--14 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1942					
Jan. 26	98.6				

---

Measurement from Metropolitan Water District.

## MAP 10

5S1W17A

P-44

Location--150 feet south and 500 feet west of north quarter corner of Section 17.

Reference point--Top of concrete collar of pit at ground.

Elevation of reference point--1520, estimate by M.W.D.

Use--None. Depth-- Casing--8 feet diameter  
concrete pit to 20 feet; 14 inches below pit.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1938		1940	
Feb. 5	45.0	Jan. 18	48.9	Jan. 11	49.4
Mar. 26	44.9				
		1939		1942	
		July 20	72.7	Jan. 20	48.7

---

Measurements from Metropolitan Water District.

## MAP 10

5S1W17B

T. S. BELL

P-47

Location--25 feet northwest of center of Section 17, 25 feet west of Sanderson Avenue, one-half mile south of Hemet-Pleasant Valley Road.

Reference point--Top of casing at ground.

Elevation of reference point--1522.0, estimate by M.W.D.

Use-- Depth-- Casing--12 inches  
or 14 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1938		1939	
June 23	81.8	Jan. 18	51.4	Mar. 20	60.5
July 9	84.2	Mar. 31	54.8	July 25	76.6
Oct. 8	89.8	July 27	74.7		
		Nov. 28	59.3		

## 5S1W17B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941 Cont'd.		1942	
Jan. 11	51.5	Apr. 16	50.3	Jan. 20	51.1
Feb. 28	50.0	May 16	65.0		
Aug. 14	81.0	June 20	74.9		
		July 18	70.2		
1941		Aug. 27	70.9		
		Oct. 7	72.4		
Jan. 15	52.7	Nov. 14	56.0		
Mar. 18	50.9	Dec. 12	53.0		

Measurements from Metropolitan Water District.

## MAP 10

5S1W17C

J. F. BURKHART

P-50

Location--650 feet north and 75 feet west of east quarter corner of Section 17, at west side of Kirby Avenue, 50 feet north of Santa Fe Railway.

Reference point--(a) Top of casing, 1.1 feet above ground through December 1, 1924; then (b) top of casing in 4' x 4' concrete block at ground.

Elevation of reference point--(a) 1533.0; (b) 1531.9; from levels by

D.W.R.

Use--Not used.

Depth--600+ feet.

Casing--14 inches.

Other numbers--Harding 271.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1937	
Oct. 18	29.3	Jan. 4	22.9	June 23 a	79.3
Oct. 27	30.8	Jan. 23	22.2	July 9 a	79.3
Nov. 8	33.0	Feb. 15	21.5	Oct. 8 a	84.7
Nov. 23	29.2	Mar. 15	20.8		
Dec. 12	26.8	Apr. 3	20.7	1938	
		Apr. 19	21.9		
		June 19	43.9	Jan. 18 a	60.9
		Oct. 16	39.8	Mar. 31 a	63.2
		Nov. 7	31.2	July 27 a	85.4
				Nov. 28 a	69.3
		1924			
		Dec. 1	29.1		



## 5S1W17C Continued

Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet
1939			1940			1941		
Mar. 20	a	68.8	Jan. 5	a	63.3	Jan. 23	a	63.4
July 25	a	86.7	Jan. 8	a	62.6			
			Feb. 28	a	61.0	1942		
						Jan. 20	a	62.2

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1W18A

J. E. HOLLINGSWORTH

P-51

Location--600 feet south and 75 feet west of northeast corner of Section 18, 75 feet west of Cawston Avenue, 600 feet south of Hemet-Pleasant Valley Road.

Reference point--Top of casing, 0.3 foot above ground.

Elevation of reference point--1511.5, from levels by D.W.R.

Use--Not used.

Depth--252 feet.

Casing--12 inches.

Other numbers--Harding 306.

Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet	Date		Dist.R.P. to water surface, Feet
1921			1922			1925		
Nov. 9	a	18.7	Jan. 6	a	9.0	Dec. 5	a	18.7
Nov. 25	a	17.4	Jan. 27	a	7.5			
Dec. 13	a	18.6	Feb. 14	a	6.6	1937		
			Mar. 16	a	5.8			
			July 24	a	22.5	July 9		55.2
			Aug. 22	a	23.5	July 28		54.4
			Sep. 18	a	26.6	Oct. 8		70.0
			Oct. 20	a	25.8			
			Nov. 8	a	16.8			
			Nov. 17	a	11.8			

## 5S1W18A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1940		1942	
Jan. 18	42.3	Jan. 11	40.8	Feb. 10	38.9
Mar. 31	40.2	Feb. 28	38.6		
July 27	64.0	Aug. 14	73.2		
Nov. 28	47.9				
...		1941			
1939		Jan. 15	41.3		
Mar. 20	45.0	Mar. 18	39.4		
July 25	58.0	Aug. 27	52.6		

a Measurement from Division of Water Resources

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S1W18B

P-111

Location--100 feet north and 100 feet east of west quarter corner of  
Section 18 on east side of Warren Road.

Reference point--Top of 10 inch casing collar, 0.9 foot below ground.

Elevation of reference point--

Use--

Depth--

Casing--6 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 18	45.3	Jan. 27	10.9	Jan. 20 a	28.0

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S1W18C

P-180

Location--75 feet west and 550 feet north of the east quarter corner of Section 18, 75 feet west of Cawston Avenue and 2000 feet south of State Highway.

Reference point--Top of casing at ground.

Elevation of reference point--

Use--Irrigation.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 23 a	44.3	Jan. 20 b	42.3		
a Measurement from Metropolitan Water District.					
b Measurement from Division of Water Resources.					

## MAP 10

5S1W19A

W. P. ROBERTS

P-49

Location--350 feet west of east quarter corner of Section 19, one-half mile south and 350 feet west of intersection of Stetson and Cawston Avenues.

Reference point--Top of casing at ground.

Elevation of reference point--1515.5, estimate by M.W.D.

Use--Not used.

Depth--

Casing--12 inches.

Other numbers--Owner's No. 3.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
June 23	101.7	Mar. 20	84.0	Jan. 15	50.3
Oct. 8	83.7	July 25	120.4	Mar. 18	47.8
				Aug. 28	124.3
1938		1940		1942	
Jan. 18	48.3	Jan. 11	48.9		
Mar. 31	66.1	Feb. 28	47.8	Jan. 21	47.4
Nov. 28	71.8	Aug. 14	127.9		
Measurements from Metropolitan Water District.					

## MAP 10

5S1W19B

P-75

Location--0.2 mile north and 100 feet west of southeast corner of Section 19. 100 feet west of Cawston Avenue, 50 feet south of Harrison Avenue.  
 Reference point--Top of casing, 2.0 feet above ground.  
 Elevation of reference point--1522, from N.W.D. topog.  
 Use-- Depth-- Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 11	56.1	Jan. 23	57.3	Jan. 21	55.3

Measurements from Metropolitan Water District.

## MAP 10

5S1W19C

LA SIERRA ALFALFA COMPANY

P-76

Location--0.12 mile south and 60 feet east of center of Section 19.  
 Reference point--Top of casing in 5' x 5' concrete block at ground.  
 Elevation of reference point--1512.3, from levels by D.W.R.  
 Use--Not used. Depth--550 feet. Casing--18 inches.  
 Other numbers--Harding 303.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1940	
Nov. 9	38.6	Aug. 22	52.0	Jan. 11 a	47.7
Nov. 25	22.7	Sep. 18	51.1		
Dec. 13	21.2	Oct. 20	41.4	1941	
		Nov. 8	21.3		
1922		Nov. 17	18.8	Jan. 30 a	47.4
				Apr. 15 a	44.7
Jan. 6	17.4	1924		May 16 a	75.3
Jan. 27	16.1			Dec. 12 a	49.9
Feb. 14	15.2	Oct. 12	23.8		
Mar. 16	14.4			1942	
Apr. 13	13.9	1925			
May 1	32.0			Jan. 21	44.2
May 24	53.0	Dec. 5	24.0		
June 26	51.7				

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

MAP 10

5S1W19D

LA SIERRA ALFALFA COMPANY

P-91

Location--100 feet west and 500 feet south of north quarter corner of

Section 19, west of Fisher Street, south of railroad.

Reference point--Top of casing 0.8 foot above ground.

Elevation of reference point--1508.3, from levels by D.W.R.

Use--Not used. Depth--71 feet.

Casing--7 inches.

Other numbers--Harding 444, Waring 73, U.S.G.S. 81.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1905		1909		1915	
Mar. 25	14.5	Apr. 2	9.6	May 21 b	16.7
Apr. 18	10.5			Oct. 31	11.4
May 19	10.8	1910			
June 20	10.5			1916	
July 23	10.5	Feb. 3	9.3		
Aug. 19	10.6	Aug. 10	10.2	May 6	10.1
Sep. 23	11.1			Aug. 1	12.7
Nov. 10	10.9	1911		Nov. 14	10.1
Dec. 22	11.2				
		Jan. 5 a	38.1	1917	
1906		1912		May 19	14.2
Jan. 30	10.7			Nov. 25	13.7
Mar. 16	10.6	May 28 a	16.4		
May 12	10.3	July 20	9.9	1918	
June 28	9.6	Oct. 18 a	24.0		
Aug. 4	10.3			May 4	16.8
Sep. 27	10.6	1913		Oct. 12	17.0
Dec. 21	10.6				
		Oct. 18	12.9	1919	
1907		1914		Oct. 12 c	
Feb. 14	9.2				
Aug. 30	9.7	Feb. 5	10.5	1921	
Dec. 31	9.7	Apr. 17	10.2		
		June 25	13.2	Nov. 17 d	22.0
1908		Aug. 14	12.7	Dec. 13 d	18.4
		Sep. 15 a	28.8		
Apr. 23	9.3	Nov. 21	11.0		
June 25	9.5				
Oct. 15	20.5				



## 5S1W19D Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1922		1922 Cont'd.		1922 Cont'd.	
Jan. 6 d	14.0	May 1 d	21.9	Sep. 18 d	32.4
Jan. 27 d	12.9	May 24 d	29.4	Oct. 20 d	29.0
Feb. 14 d	11.6	June 26 d	29.4	Nov. 8 d	16.9
Mar. 16 d	10.7	July 24 d	30.7	Nov. 17 d	14.7
Apr. 13 d	11.4	Aug. 22 d	31.5		

a Pumping.

b Had been pumped.

c Sealed.

d Measurement from Division of Water Resources.

Measurements from United States Geological Survey except as noted.

## MAP 10

5S1W19E

P-190

Location--25 feet west and 75 feet south of north quarter corner Section

19; 25 feet west of Myers Street and 75 feet south of Stetson Avenue.

Reference point--Lower edge of pump frame northeast side at ground.

Elevation of reference point--1507.0, estimate by M.W.D.

Use--Irrigation.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 27 a	40.8	Jan. 21 b	38.5		

a Measurement from Metropolitan Water District.

b Measurement from Division of Water Resources.

## MAP 10

5S1W20A

J. C. ENCELL

P-46

Location--0.2 mile north and 200 feet east of south quarter corner of Section 20, about 100 feet south and 200 feet east of intersection of Sanderson and Harrison Avenues.

Reference point--Notch in casing at east side, one foot above ground.

Elevation of reference point--1528.7, from levels by D.W.R.

Use--Domestic and stock. Depth--92 feet. Casing--7 inches.

Other numbers--Harding 299.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1924		1939	
Oct. 22	30.1	Oct. 12	29.1	Mar. 20 ab	64.2
Nov. 9	31.0			July 20 a	67.8
Nov. 25	27.1	1925			
Dec. 13	26.5	Dec. 5	30.5	1940	
1922				Jan. 11 a	60.0
		1937			
Jan. 6	23.9			1941	
Jan. 27	23.3	June 23 a	32.0		
Feb. 14	22.5	Oct. 6 a	64.8	Jan. 23 a	61.9
Mar. 16	21.6			Apr. 15 a	59.8
Apr. 13	21.4	1938		May 16 a	63.2
May 1	25.2			June 20 a	66.6
May 24	28.7	Jan. 18 a	58.0		
June 26	29.4	Apr. 12 a	58.3	1942	
July 24	30.1	Nov. 28 a	63.1		
Aug. 22	30.6			Jan. 21 a	61.1
Sep. 18	31.2				
Oct. 20	30.0				
Nov. 8	25.4				
Nov. 17	24.3				

a Measurement from Metropolitan Water District.

b Pumping.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1W20B

BURKHART

P-53

Location--90 feet north and 1155 feet east of center of Section 20, approximately 1550 feet west of Kirby Road (produced), one and three-fourths miles south of Florida Avenue, 3 feet east of 5S1W20C.

Reference point--Top of casing at ground.

Elevation of reference point--1529.6, from levels by D.W.R.

Use--Not used. Depth-- Casing--12 inches.

## 5S1W20B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
July 9	39.5	Mar. 20	40.4	Jan. 15	52.3
July 28	38.9	July 25	42.9	Mar. 18	55.9
				Aug. 27	51.7
1938		1940		1942	
Jan. 18	40.6	Jan. 11	58.3		
Mar. 31	39.5	Feb. 28	58.5	Jan. 21	56.7
July 27	44.4	Aug. 14	62.5		
Nov. 2	53.3				

---

Measurements from Metropolitan Water District.

## MAP 10

5S1W20C

BURKHART

P-53A

Location--About 1550 feet west and 2575 feet south of northeast corner of Section 20, 3 feet west of 5S1W20B.

Reference point--Top of casing, 1.2 feet above ground.

Elevation of reference point--1530.8, from levels by D.W.R.

Use--Not used.

Depth--60 feet.

Casing--24 inches.

Other numbers--Harding 390.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1937	
Nov. 8	31.5	Apr. 19	21.0	July 9	ab
Nov. 23	26.4	May 10	30.2		
Dec. 12	25.4	May 29	31.8		
		June 19	33.4		
1922		July 10	34.0		
		Aug. 4	34.2		
Jan. 4	23.4	Aug. 30	34.5		
Jan. 23	22.5	Sep. 19	35.3		
Feb. 15	21.7	Oct. 16	32.9		
Mar. 15	21.0	Nov. 7	26.0		
Apr. 3	20.7				

---

a Measurement from Metropolitan Water District.

b Dry at 57.5 feet.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1W20D

P. P. LACY

P-77

Location--450 feet south and 550 feet east of north quarter corner of Section 20.

Reference point--Hole in top of concrete pump base, 1.0 foot above ground.

Elevation of reference point--1527, estimate by M.W.D.

Use--Domestic.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 11	56.0	Jan. 23	57.3	Jan. 21 a	56.2

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S1W21A

BURNHART

P-80

Location--100 feet west and 125 feet north of center of Section 21.

Reference point--Top of casing, 2.4 feet above ground.

Elevation of reference point--1547.4, from levels by D.W.R.

Use--Not used.

Depth--155 feet.

Casing--14 inches.

Other numbers--Harding 272.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1940	
Oct. 18	38.4	Apr. 3	33.7	Jan. 8 a	77.4
Oct. 27	38.2	Apr. 19	33.6		
Nov. 9	38.2	May 10	35.0	1941	
Nov. 23	37.6	May 29	36.6		
Dec. 12	36.9	June 19	37.4	Jan. 23 a	79.2
		July 10	38.0		
1922		Aug. 4	38.5	1942	
		Aug. 30	39.1		
Jan. 4	35.5	Sep. 19	39.5	Jan. 19 a	80.8
Jan. 23	35.1	Oct. 16	39.4		
Feb. 15	34.4	Nov. 7	38.7		
Mar. 15	33.9				

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.



## MAP 10

5S1W21B

BURKHART

P-84

Location--100 feet south and 75 feet west of north quarter corner of  
 Section 21, south and west of intersection of Lyon and Stetson Streets.  
 Reference point--Top of casing at ground.  
 Elevation of reference point--1547.5, from levels by D.W.R.  
 Use--Not used. Depth--300+ feet. Casing--10 inches.  
 Other numbers--Harding 330.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1940	
Oct. 27	49.3	May 10	51.3	Jan. 8 a	80.2
Nov. 8	51.8	May 29	55.7		
Nov. 23	45.3	June 19	60.9	1941	
Dec. 12	41.1	July 10	60.1		
		Aug. 4	63.1	Jan. 23 a	80.0
1922		Aug. 30	63.6	Apr. 15 a	77.1
Jan. 4	38.0	Sep. 19	64.5	May 16 a	85.6
Jan. 23	37.0	Oct. 16	60.6	Nov. 14 a	86.2
Feb. 15	36.1	Nov. 7	50.9		
Mar. 15	35.1	1924		1942	
Apr. 3	35.2			Jan. 26 a	78.4
Apr. 19	36.7	Dec. 6	43.6		

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1W21C

P-178

Location--100 feet west and 200 feet south of the east quarter corner of  
 Section 21.  
 Reference point--Top of 12 inch casing, 1.3 feet above ground.  
 Elevation of reference point--  
 Use-- Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Jan. 23 8.1

Measurement from Metropolitan Water District.



## MAP 10

5S1W27A

P-174

Location--200 feet east and 1000 feet north of the south quarter corner of Section 27.

Reference point--Top of casing 0.5 foot above ground.

Elevation of reference point--

Use--Not used. Depth-- Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Dec. 9	34.3	Jan. 23	34.7	Jan. 19 a	31.5

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S1W28A

BURKHART

P-108

Location--50 feet west and 20 feet north of east quarter corner of Section 28.

Reference point--Top of casing 2.6 feet above ground.

Elevation of reference point--1568.7, from levels by D.W.R.

Use--Domestic. Depth--35 feet. Casing--12 inches.

Other numbers--Harding 445.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 17	25.9	Jan. 4	25.6	June 19	23.6
Dec. 12	25.9	Jan. 23	25.3	July 10	23.6
		Feb. 15	25.0	Aug. 4	23.5
		Apr. 3	24.3	Aug. 30	23.4
		Apr. 19	24.1	Sep. 19	23.4
		May 10	24.0	Oct. 16	23.3
		May 29	23.8	Nov. 7	23.3

## 5S1W28A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1924		1941		1942	
Dec. 9	23.2	Jan. 23 a	27.1	Jan. 19	25.4
		Apr. 16 ab	28.1		
1925		May 16 a	26.0		
		June 20 a	25.9		
Dec. 17	53.0	July 18 ab	29.2		
		Sep. 10 a	25.5		
		Nov. 14 a	25.6		
		Dec. 12 a	25.5		

---

a Measurement from Metropolitan Water District.

b Windmill pumping.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1W30A

P-122

Location--25 feet south and 175 feet east of west quarter corner of Section 30.

Reference point--Pump base at ground.

Elevation of reference point--1501. estimated by M.W.D.

Use--Irrigation.

Depth--

Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 17	53.0	Jan. 30	55.3	Jan. 21 a	51.3

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S1W30B

P-183

Location--1100 feet east and 900 feet south of the northwest corner of Section 30, 1100 feet east of Warren Road.

Reference point--Northwest side of bottom of pump base, 0.47 foot above top of casing and 0.1 foot above ground.

Elevation of reference point--1503.7, estimated by M.W.D.

Use--Irrigation. Depth-- Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			

Jan. 27 a 57.2 Jan. 21 b 54.3

---

a Measurement from Metropolitan Water District.  
b Measurement from Division of Water Resources.

## MAP 10

5S1W30C

P-192

Location--50 feet east and 1050 feet north of southwest corner of Section 30, 50 feet east of Warren Road and 7900 feet south of A.T. & S.F.

Railway.

Reference point--Top of 4" x 4" blocks south side, 1.2 feet above ground.

Elevation of reference point--

Use--Domestic. Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			

Jan. 30 a 52.7 Jan. 21 b 59.8

---

a Measurement from Metropolitan Water District.  
b Measurement from Division of Water Resources.

## MAP 10

5S1W34A

P-175

Location--675 feet west and 0.25 mile north of the south quarter corner of Section 34.

Reference point--Top of casing 1.7 feet above ground.

Elevation of reference point--

Use--Not used.

Depth--

Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Dec. 9	24.0	Jan. 23	23.8	Jan. 19 a	21.7

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S1W34B

P-176

Location--12 feet west and 50 feet north of the southeast corner of Section 34.

Reference point--Top of casing 2.1 feet above ground.

Elevation of reference point--

Use--Not used.

Depth--

Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Dec. 9	64.4	Jan. 23	64.2	Jan. 19 a	61.6
		Apr. 16	63.7		
		May 16	63.6		
		June 20	63.3		
		July 18	63.1		
		Dec. 12	62.0		

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 10

5S1E5A

SOBOBA INDIAN RESERVATION

S.V. 106

Location--1225 feet south and 125 feet east of northwest corner of Section 5.

Reference point--Top of concrete at manhole opening, 0.5 foot above ground.

Elevation of reference point--1663.7, from stadia levels by M.W.D.

Use-- Depth-- Casing--3' x 3' concrete pit.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1939		1941	
May 4	2.8	Mar. 21	3.9	Jan. 13	8.5
July 27	8.7	July 19 a	15.6		
Nov. 29	11.1			1942	
				Jan. 7	4.7

a Pumping 50 feet west.

Measurements from Metropolitan Water District.

## MAP 10

5S1E6A

H. D. ALLEN

S.V. 97

Location--2350 feet south and 1300 feet east of northwest corner of Section 6, 150 feet northeast of Mountain Avenue, 250 feet northwest of River Street.

Reference point--Bottom of pump base, 0.5 foot above ground.

Elevation of reference point--1650.5, estimated by M.W.D.

Use--Domestic. Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1939		1941	
Apr. 11	57.1	Mar. 21 a	66.3	Jan. 14	72.2
July 28	65.9				
Nov. 29	65.3	1940		1942	
		Mar. 21 b	72.3	Jan. 7	55.1

a Pumping 600 feet southeast.

b Pumping 350 feet northwest.

Measurements from Metropolitan Water District.



## MAP 10

5S1E6B

FRUITVALE MUTUAL WATER COMPANY

S.V. 102

Location--50 feet northeast of center of Section 6, 0.25 mile east of

Hemet Street on Washington Avenue, 0.2 mile east of highway.

Reference point--Top of casing, 6.9 feet below ground.

Elevation of reference point--1653.1, estimated by M.W.D.

Use--Irrigation.

Depth--

Casing--18 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1939 Cont'd.		1941	
Apr. 12	48.6	Sep. 11	65.1	Feb. 19	68.2
Sep. 12	64.1	Oct. 2	60.7	Mar. 17	57.6
Oct. 10	63.0	Nov. 6	52.8	Apr. 16	47.9
Nov. 14	62.0	Dec. 4	59.7	May 12	45.4
Nov. 28	62.0			June 16 b	45.4
Dec. 12	61.5	1940		Oct. 7	64.6
				Nov. 11	58.3
1939		Jan. 2	59.2		
		Feb. 5	57.2	1942	
Jan. 9	58.3	Mar. 5 a	54.9		
Feb. 6	57.5	Apr. 8	58.3	Jan. 7	56.2
Mar. 21	53.2	Aug. 19	78.6		
July 19	59.1	Oct. 14	75.3		
Aug. 21	55.4	Dec. 20	72.2		
Sep. 4	65.2				

a Pumping one-fourth mile west.

b Pumping 1000 feet northwest.

Measurements from Metropolitan Water District.

## MAP 10

5S1E6C

SOBOBA INDIAN RESERVATION

S.V. 108

Location--About 1300 feet west and 100 feet south of northeast corner of  
Section 6. On north bank of San Jacinto River.

Reference point--Top of casing, 1.7 feet above ground.

Elevation of reference point--1651.5, interpolated by M.W.D.

Use--Not used.

Depth--300 feet.

Casing--12 inches.

## 5S1E6C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1939		1941	
July 27	40.7	Mar. 21	45.4	Jan. 13	61.3
Nov. 29	53.6	July 19	45.9		
				1942	
		1940			
				Jan. 7	43.1
		Mar. 21	45.4		

---

Measurements from Metropolitan Water District.

## MAP 10

5S1E6D

G. E. RYAN

S.V. 214

Location--About 1000 feet west and 500 feet north of center of Section 6.  
 Reference point--Top of casing, 1.1 feet above ground.  
 Elevation of reference point--1642.5, from levels by D.W.R.  
 Use--Domestic. Depth--75 feet. Casing--7 inches.  
 Other numbers--Harding 207.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Oct. 10	42.7	Jan. 20	31.4	July 20	15.2
Oct. 19	43.0	Feb. 3	25.7	Aug. 14	18.6
Oct. 31	43.4	Feb. 23	20.6	Sep. 5	21.7
Nov. 7	43.7	Mar. 13	17.7	Sep. 29	24.5
Nov. 22	44.1	Mar. 31	15.4	Oct. 19	26.3
Dec. 9	44.5	Apr. 18	14.1	Nov. 6	27.5
Dec. 29	43.0	May 8	13.0		
		May 23	12.3	1927	
		June 12	11.9		
		July 1	12.8	July 11	19.7

---

Measurements from Division of Water Resources.

## MAP 10

5S1E7A

BARTISTA MUTUAL WATER COMPANY

S.V. 166

Location--1300 feet south and 1350 feet west of east quarter corner of Section 7, 50 feet west of Lake Street and 100 feet north of Florida Avenue.

Reference point--Top of three-fourths inch hole on north side of pump base.

Elevation of reference point--1720, estimated by M.W.D.

Use--Irrigation. Depth--450 feet. Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Jan. 9 a	177.7	Feb. 28	139.6		

---

a Recently shut down.

Measurements from Metropolitan Water District.

## MAP 10

5S1E9A

LAKE HENET WATER COMPANY

S.V. 98

Location--750 feet west and 20 feet north of east quarter corner of Section 9, at east end of Palm Avenue.

Reference point--Top of casing, 0.8 foot above ground.

Elevation of reference point--1777.8, interpolated by M.W.D.

Use--Not used. Depth-- Casing--18 inches.

Other numbers--Owner No. 2.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1938 Cont'd.		1938 Cont'd.	
Apr. 11	66.3	June 27	63.6	Oct. 10	74.2
Apr. 29	65.0	July 28	65.8	Nov. 14	77.9
May 16	64.2	Aug. 1	66.2	Nov. 29	78.5
May 30	63.9	Sep. 12	70.6	Dec. 12	79.1
June 13	63.6				

5S1E9A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Jan. 9	76.5	Jan. 2	80.0	Jan. 15	74.5
Feb. 6	71.2	Feb. 5 a	64.8	Feb. 19 a	62.3
Mar. 20	64.8	Mar. 5 a	58.2	Mar. 18	58.4
May 8	61.8	Apr. 1 a	63.4	Apr. 16 a	57.3
June 26	64.7	May 6	62.2	May 12 a	54.7
July 10	66.1	June 19	66.2	June 23	60.7
Aug. 7	69.9	July 15	69.6	July 16	62.5
Aug. 14	70.8	Aug. 14	75.2	Aug. 27	66.4
Aug. 21	71.5	Sep. 16	78.2	Oct. 7	71.8
Aug. 28	72.0	Oct. 14	81.1	Nov. 11	74.7
Sep. 4	72.7	Nov. 12	83.4	Dec. 12	75.1
Oct. 2	75.7	Dec. 17	84.9		
Nov. 6	77.2			1942	
Dec. 4	79.2			Jan. 6	75.6

a Water in spreading grounds.

Measurements from Metropolitan Water District.

MAP 10

5S1E9B

MERIMAN WATER COMPANY

S.V. 99

Location--850 feet north and 50 feet west of southeast corner of Section 9. On west side of Grant Avenue, 470 feet south of Florida Avenue.

Reference point--(a) Three-eighths inch hole in west side of pump base, 0.2 foot above ground through January 26, 1926; then (b) one-half inch hole in northwest side of pump, 0.3 foot above concrete pump base and ground.

Elevation of reference point--(a) 1789.8; (b) 1789.9; from levels by D.W.R.

Use--Irrigation.

Depth--456 feet.

Casing--12 inches.

Other numbers--Harding No. 220, Waring No. 134.

## 5S1E9B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1915		1922 Cont'd.		1939	
Nov. a	80.	May 23	56.1	July 19 b	117.2
1921		June 12	55.3	1940	
		July 1	56.6		
Nov. 18	68.5	July 20	56.3	Jan. 9 b	86.2
Dec. 29	68.7	Oct. 19	79.7	1941	
1922		Nov. 18	69.8		
		1926		Jan. 13 b	93.8
Jan. 29	65.0	Jan. 26	97.8	Apr. 15 b	78.3
Feb. 23	62.3			May 16 b	68.0
Mar. 13	60.6	1938		1942	
Mar. 31	59.1				
Apr. 18	58.0	Apr. 11 b	82.9	Jan. 6 b	81.9
May 8	56.8	Nov. 29 b	102.9		

a Measurement from United States Geological Survey.

b Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1E9C

REPLOGLE

S.V. 100

Location--1480 feet north and 88 feet east of southwest corner of Section 9, 160 feet north of Florida Avenue and 88 feet east of Fairview Avenue.

Reference point--Top of casing, 1.3 feet above ground.

Elevation of reference point--1757.3, interpolated by M.W.D.

Use--

Depth--

Casing--7 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1938 Cont'd.		1938 Cont'd.	
Apr. 11	89.3	June 27	85.6	Sep. 12	86.4
Apr. 29	89.3	July 11	85.8	Oct. 10	85.8
May 16	88.6	July 28	85.7	Nov. 14	86.1
May 30	86.9	Aug. 1	85.6	Nov. 29	87.0
June 13	86.5			Dec. 12	87.4



5S1E9C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Jan. 9	87.6	Jan. 2	88.0	Jan. 13	91.0
Feb. 6	87.5	Feb. 5	87.5	Feb. 19	91.1
Mar. 20	86.8	Mar. 5	86.4	Mar. 18	88.3
May 8	84.9	Apr. 1	86.4	Apr. 16	86.3
June 26	84.3	May 13	85.0	May 12	84.7
July 19	84.7	June 19	85.0	June 23	84.0
Aug. 7	86.5	July 15	85.5	July 16	83.5
Aug. 14	85.2	Aug. 14	86.5	Aug. 27	83.8
Aug. 21	85.4	Sep. 16	87.7	Oct. 7	83.2
Aug. 28	85.6	Oct. 14	88.0	Nov. 11	84.1
Sep. 4	85.9	Nov. 12	88.8	Dec. 12	84.3
Oct. 2	85.7	Dec. 17	90.4		
Nov. 6	86.2			1942	
Dec. 4	87.2			Jan. 6	84.3

Measurements from Metropolitan Water District.

MAP 10

5S1E9D

J. F. LANE

S.V. 167

Location--1250 feet east and 500 feet south of west quarter corner of  
Section 9, 500 feet south of Palm Avenue, 1250 feet east of Fairview  
Avenue.

Reference point--Top of casing, south side, at ground.

Elevation of reference point--1760.0, from levels by D.W.R.

Use--Irrigation. Depth--180 feet. Casing--12 inches.

Other numbers--Harding No. 241.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Oct. 14	71.6	Jan. 20	71.6	May 23	66.6
Oct. 26	71.5	Feb. 3	70.8	June 12	66.3
Nov. 7	72.2	Feb. 23	69.8	July 1	65.1
Nov. 22	72.0	Mar. 13	69.0	July 20	64.6
Dec. 9	72.1	Mar. 31	68.3	Sep. 5	66.5
Dec. 29	72.2	Apr. 18	67.8	Nov. 6	67.5

## 5S1E9D Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1924		1940		1941	
Dec. 9	72.5	Jan. 9 a	70.6	Jan. 13 a	69.6
1926					
Jan. 26	72.0				

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1E9E

FRUITVALE MUTUAL WATER COMPANY

S.V. 245

Location--About 2000 feet east and 1000 feet north of center of Section 9.

Middle well in spreading ground south side of river.

Reference point--Top of pipe, 0.5 foot above ground.

Elevation of reference point--1734.0, from levels by D.W.R.

Use-- Depth--41 feet.

Casing--2 inches.

Other numbers--Harding No. 461.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1922		1922 Cont'd.		1922 Cont'd.	
Apr. 4	4.0	May 21	3.0	Aug. 12	15.6
Apr. 15	3.7	June 11	2.8	Sep. 11	18.1
Apr. 26	3.1	June 30	8.4	Oct. 12	20.5
May 6	3.4	July 22	13.4	Nov. 13	22.6

---

Measurements from Division of Water Resources.

## MAP 10

5S1E10A

G. H. BILLICK

S.V. 256

Location--300 feet east and 250 feet north of south quarter corner of Section 10. About 200 feet south of State Highway to Idyllwild.

Reference point--Top of casing, 0.9 foot above ground.

Elevation of reference point--1820.9, estimated by M.W.D.

Use--Not used.

Depth--

Casing--10 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
June 19	59.5	Jan. 13	65.1	Jan. 6	61.8

---

Measurements from Metropolitan Water District.

## MAP 10

5S1E10B

S.V. 258

Location--650 feet west and 450 feet north of southeast corner of Section 10, about 650 feet north of State Highway to Idyllwild near south bank of San Jacinto River.

Reference point--Top of inside edge of 3 foot diameter concrete pipe casing at ground.

Elevation of reference point--1810, estimated by M.W.D.

Use--Domestic.

Depth--46 feet.

Casing--8 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
June 19	16.3	Jan. 13	18.9	Jan. 6	17.4
		Apr. 15	9.5		
		May 16	10.4		
		June 20	11.1		
		July 18	12.3		
		Oct. 7	16.6		
		Nov. 11	17.6		

---

Measurements from Metropolitan Water District.

## MAP 10

5S1E14A

E. J. LINDQUIST

S.V. 114

Location--About 1300 feet north and 400 feet east of center of Section 14. Approximately 2.8 miles easterly of Valle Vista, 155 feet south of Florida Avenue.

Reference point--Bottom of pump base at ground.

Elevation of reference point--1890, estimated by M.W.D.

Use--Irrigation.

Depth--700+ feet.

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1941		1942	
Mar. 20	76.6	Jan. 15	106.7	Jan. 6	66.3
		Feb. 28	85.4		
1940		Mar. 18	78.6		
		Apr. 15	70.6		
Jan. 9	84.4	May 16	54.8		
Feb. 28	68.5				
Mar. 6	64.0				

Measurements from Metropolitan Water District.

## MAP 10

5S1E17A

JAMES H. SHIDLER

S.V. 116

Location--1500 feet west and 1250 feet south of north quarter corner of Section 17, 0.23 mile east of Pleasant Avenue and 60 feet north of Mayberry Avenue.

Reference point--(a) Air gage, 0.3 foot above ground through July 19, 1939; then (b) edge of opening in frame 0.1 foot above air gage hole, 0.4 foot above ground.

Elevation of reference point--(a) 1762.3; (b) 1762.4; estimated by M.W.D.

Use--Irrigation.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1939		1941	
Apr. 12	200.	July 19	190.	Jan. 14	188.3
July 28	199.				
Nov. 29	199.	1940		1942	
		Jan. 9	187.8	Jan. 7	181.7

Measurements from Metropolitan Water District.



## MAP 10

5S1E17B

THEO. KRUMM

S.V. 118

Location--1350 feet west and 50 feet north of southeast corner of Section 17, 1350 feet west of Fairview Avenue and 50 feet north of Stetson Avenue.

Reference point--(a) Top of casing at top of concrete block at ground through March 18, 1941; then (b) hole in pump base, north side, at air column, one foot above ground.

Elevation of reference point--(a) 1840; (b) 1841; estimated by M.W.D.

Use-- Depth--350 feet. Casing--16 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1941		1942	
Apr. 12	255.4	Feb. 28	259.1	Jan. 7	259.1
		Mar. 18	259.5		

Measurements from Metropolitan Water District.

## MAP 10

5S1E17C

L. M. JACKSON

S.V. 119

Location--400 feet east and 100 feet north of center of Section 17, 0.6 mile east of Pleasant Avenue, 55 feet north of Whittier Avenue.

Reference point-- Top of casing, 0.7 foot above ground.

Elevation of reference point--1800.7, estimated by M.W.D.

Use--Not used. Depth-- Casing--14 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1941		1942	
Mar. 20	211.2	Jan. 15	214.2	Jan. 7	209.7
		Mar. 18	213.4		
1940		Apr. 15	212.9		
		May 16	212.1		
Jan. 15	216.1	June 20	211.6		
Feb. 28	215.0	July 18	210.3		
Aug. 14	214.3	Aug. 27	211.1		
		Oct. 7	211.2		
		Nov. 11	210.8		
		Dec. 12	210.5		

Measurement from Metropolitan Water District.



## MAP 10

5S1E17D

HIGHLINE MUTUAL WATER COMPANY

S.V. 179

Location--In southeast one-fourth near south quarter corner of Section

17, 500 feet north of Stetson Avenue, 200 feet west of Chicago Street.

Reference point--Top of casing, 1.5 feet above ground.

Elevation of reference point--1831.2, from levels by D.W.R.

Use--Irrigation. Depth--383 feet.

Casing--12 inches.

Other numbers--Harding No. 275.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1930		1934	
Oct. 18 a	174.4		235.		250.
Oct. 26 a	174.6				
Nov. 7 a	174.8	1932		1938	
1928			240.		260.
Mar.	215.			1940	
Nov.	230.				
					270.

---

a Measurement from Division of Water Resources.

Measurements by owner from Metropolitan Water District except as noted.

## MAP 10

5S1E18A

LAGUNA MUTUAL WATER COMPANY

S.V. 117

Location--0.35 mile north and 1350 feet west of southeast corner of Sec-

tion 18, 528 feet north of Johnson Avenue, 30 feet west of Lake Street.

Reference point--Air gage, 1.0 foot above ground.

Elevation of reference point--1763, estimated by M.W.D.

Use--Irrigation. Depth--500 feet.

Casing--4' x 4'  
pit to 163 feet.

## 5S1F18A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1935		1937		1940	
May 16	176.	Jan. 31	188.	Feb. 1	197.
Sep. 1	185.	Mar. 18	187.	May	210.
		Aug. 29	196.	Oct.	223.
1936		Sep. 26	196.		
				1941	
June 1	189.	1938			
Sep. 16	194.			Jan.	208.
		Apr. 12	189.	Sep.	200.
		1939		1942	
		Apr. 14	190.	May 1	200.
		Aug. 24	204.		

---

Air measurements by owner from Metropolitan Water District.

## MAF 10

5S1E18B

M. B. MOULTON

S.V. 232

Location--470 feet east and 800 feet north of south quarter corner of

Section 18, 470 feet east of Soboba and 500 feet south of Johnston.

Reference point--Top of bolt hole in pump base, 3.4 feet below ground.

Elevation of reference point--1761.5, from levels by D.W.R.

Use--Irrigation.

Depth--374 feet.

Casing--14 inches.

Other numbers--Harding No. 274.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1912		1922		1941	
May a	126.	Jan. 20	116.9	Nov. 11 b	188.2
		Feb. 4	116.0	Dec. 12 b	186.6
1921		Mar. 13	116.3		
		Apr. 18	115.4	1942	
Oct. 18	116.0				
Nov. 7	116.1			Jan. 6 b	185.3
Dec. 29	116.8				

---

a Measured by driller.

b Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

5S1E18C

MERIDIAN MUTUAL WATER COMPANY

S.V. 253

Location--700 feet east and 650 feet north of west quarter corner of Section 18, 45 feet east of Heret Street and 650 feet north of Whittier Street.

Reference point--Top of casing, southwest side, at ground.

Elevation of reference point--1730, interpolated by M.W.D.

Use--Irrigation.

Depth--

Casing--14 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1925		1932		1941	
June	108.	Nov. 25	137.	Feb. 28	151.1
				Apr. 15	160.2
1928		1936		May 13	159.7
				July 18	163.8
Jan.	115.	Jan. 28	153.2	Oct. 7	177.3
				Nov. 11	168.2
				Dec. 12	162.3
				1942	
				Jan. 6	161.4

Measurements from Metropolitan Water District.

## MAP 10

5S1E19A

MOYERS

S.V. 252

Location--50 feet west and 100 feet south of northeast corner of Section 19, 100 feet south and 50 feet west of Stetson and Pleasant Avenues.

Reference point--Bottom edge of pump frame, 1.2 feet above ground.

Elevation of reference point--1803.2, estimated by M.W.D.

Use--Irrigation.

Depth--400+ feet.

Casing--

Other numbers--Moyers Well.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1933		1941		1942	
July 15	199.	Mar. 17	219.2	Jan. 6	219.0

Measurements from Metropolitan Water District.

## MAP 10

5S1E20A

CAL. CHAMBERS

S.V. 120

Location--Approximately 1000 feet north and 1200 feet east of center of Section 20, on north side of Hemet Water Company canal.

Reference point--(a) Top of casing, 2.0 feet above ground through July 18, 1941; then (b) top of casing, 0.7 above ground surface.

Elevation of reference point--(a) 1865; (b) 1863.7; estimated by M.W.D.

Use--Not used. Depth-- Casing--20 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Mar. 20	260.	Jan. 15	259.0	Jan. 15	253.3
July 19	261.2	Feb. 28	254.4	Mar. 18	251.6
		Aug. 14	253.5	Apr. 15	250.9
				May 16	249.9
				June 20	249.3
				July 18	249.4
				Aug. 27	251.6
				Oct. 7	251.8
				Nov. 11	252.0
				Dec. 12	252.1

---

Measurements from Metropolitan Water District.

## MAP 10

5S1E20B

C. E. CHAMBERS

S.V. 180

Location--Near center of northeast quarter of Section 20. 125 feet northeast of 5S1E20A, S.V. 120, just north of flume.

Reference point--Hole in top of pump base.

Elevation of reference point--1861.0, from levels by D.W.R.

Use--Not used. Depth--335 feet. Casing--16 inches.

Other numbers--Harding No. 276.

---

## 5S1E20B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1924	
Oct. 18	192.6	Jan. 20	193.5	Dec. 9	202.1
Oct. 26	192.9	Feb. 4	193.4		
Nov. 7	192.8	Mar. 13	193.6	1927	
Dec. 9	193.1	Apr. 16	193.7		
Dec. 29	193.2	May 23	194.1	July 18	214.0
		July 1	194.8		
		Sep. 29	196.2		
		Oct. 19	197.6		
		Nov. 6	197.7		

---

Measurements from Division of Water Resources.

## MAP 10

5S1E20C

HEMET NURSERY COMPANY

S.V. 182

Location--1200 feet south and 100 feet west of east quarter corner of  
Section 20. On west side of Bautista Canyon Road.

Reference point--1 inch hole in west side of pump base, 3.5 feet below  
ground.

Elevation of reference point--1900, estimated from D.W.R. levels.

Use--Irrigation.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1934		1941			
	255.	Jan. 13	242.8		
		Apr. 15	232.7		
		May 16	226.3		

---

Measurements from Metropolitan Water District.



## MAP 10

5S1E20D

CHAMBERS RANCH

S.V. 254

Location--50 feet east and 150 feet north of center of Section 20. About 250 feet southeast of Lake Hemet Water Company Canal.

Reference point--1 inch hole in pump base, 0.5 foot above ground.

Elevation of reference point--1869.5, estimated by M.W.D.

Use--Irrigation.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 14	237.2	Jan. 6	234.4		

---

Measurements from Metropolitan Water District.

## MAP 10

6S3W1A

MR. AINLEY

M-32

Location--In northeast quarter of Section 1. Just east of north quarter corner.

Reference point--Unknown.

Elevation of reference point--1426, estimated by M.W.D.

Use--

Depth--

Casing--

Other numbers--Warning No. 57.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1905		1907		1909	
Sep. 23	11.0	Feb. 14	4.4	Apr. 2	9.4
Dec. 22	11.5	May 18	5.9	July 11	11.0
		Aug. 31	9.3	Oct. 14	11.2
1906		Dec. 31	9.7		
				1910	
Jan. 29	12.0	1908			
Mar. 16	11.3			Feb. 3	8.0
May 12	6.7	Apr. 23	9.3	Aug. 10	12.3
June 28	8.0	June 25	9.2		
Aug. 4	9.2	Oct. 15	11.0	1911	
Sep. 27	9.7	Dec. 28	10.9		
Dec. 21	9.9			Jan. 5	13.2

## 6S3W1A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1912		1915		1940	
May 29	8.2	Nov. 23	10.0	Feb. 9	ab
July 30	9.1				
Oct. 18	9.7	1916			
		July 30	9.7		

a Measurement from Metropolitan Water District.

b No trace of well.

Measurements from United States Geological Survey except as noted.

## MAP 10

6S3W2A

KIRKPATRICK

M-6

Location--50 feet north and 35 feet west of center of Section 2, 50 feet north of east-west road.

Reference point--(a) Top of casing, 2.5 feet above ground through December 3, 1925; then (b) top of casing, north side, 1.5 feet above ground.

Elevation of reference point--(a) 1428.2; (b) 1427.2; from levels by

M.W.D.

Use--Not used.

Depth--54.4 feet.

Casing--10 inches.

Other numbers--Harding 438.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1925	
Nov. 17	31.9	June 26	22.9	Dec. 3	36.1
Dec. 13	32.0	July 24	23.6		
		Aug. 22	24.2	1940	
1922		Sep. 18	25.0		
		Oct. 20	25.7	Jan. 18	54.2
Jan. 17	26.5	Nov. 17	26.1		
Feb. 14	21.4			1941	
Mar. 16	21.4	1924			
Apr. 13	21.6			Jan. 15	a
May 1	21.8	Oct. 11	33.3		
May 24	22.1				

a Dry at 54.4 feet.

Measurements from Division of Water Resources.

## MAP 10

6S3W2B

L. M. KIRKPATRICK

M-44

Location--1000 feet west and 225 feet north of Center of Section 2,  
0.40 mile south of Menifee School Road, 1700 feet east of Antelope  
Road.

Reference point--Top of 4 inch by 6 inch wooden blocks at southwest  
corner of column pipe, 0.8 foot above ground.

Elevation of reference point--1425.9, from levels by M.W.D.

Use--Domestic. Depth-- Casing--10 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 15	55.0	Jan. 7	46.8		

---

Measurements from Division of Water Resources.

## MAP 10

6S3W3A

KIRKPATRICK

M-7

Location--150 feet west and 650 feet north of east quarter corner of  
Section 3, 190 feet west of Antelope Road, 0.37 mile south of Menifee  
School Road.

Reference point--(a) Top of casing, 1.3 feet above ground through Novem-  
ber 17, 1922; then (b) top of flange over casing, south side, 0.5 foot  
above ground.

Elevation of reference point--(a) 1429.2; (b) 1428.4; from levels by  
D.W.R.

Use-- Depth--250 feet. Casing--10 inches.  
Other numbers--Harding No. 437.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1922 Cont'd.	
Nov. 17	34.8	Jan. 17	31.2	Mar. 16	26.6
Dec. 13	34.9	Feb. 14	27.7	Apr. 13	26.0

## 6S3W3A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1922 Cont'd.		1940		1942	
May 1	26.0	Jan. 18	55.2	Jan. 7	50.4
May 24	26.0				
June 26	26.4	1941			
July 24	26.8				
Aug. 22	27.5	Jan. 16	56.7		
Sep. 18	28.1				
Oct. 20	28.6				
Nov. 17	28.8				

---

Measurements from Division of Water Resources.

## MAP 10

6S3W3B

M-41

Location--100 feet south and 380 feet west of center of Section 3, 0.6 mile west of Antelope Road, 2540 feet north of road along south side of Section 3.

Reference point--Top of casing, northwest side, 2.9 feet above ground.

Elevation of reference point--1450.0, from levels by M.W.D.

Use-- Depth-- Casing--6 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 16	55.2	Jan. 7	50.6		

---

Measurements from Division of Water Resources.

## MAP 10

6S3W4A

MENIFEE SCHOOL

M-4A

Location--Northeast corner of Section 4, 440 feet south of Menifee School Road, 200 feet west of Bradley Road.

Reference point--At ground.

Elevation of reference point--1438.3, from levels by M.W.D.

Use--Domestic.

Depth--

Casing--

Other numbers--U.S.G.S. No. 78b.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1925		1931		1938	
Nov. 3	52.1	Mar. 4	55.6	Feb. 23	57.0
		June 12	53.9	May 4	55.6
1926		Aug. 26	54.7	Oct. 18	55.2
May 13	51.3	1932		1939	
Oct. 27	51.4				
		Mar. 8	53.5	Feb. 14	53.2
1927		May 3	54.6	May 31	52.9
		Aug. 10	55.7	Aug. 16	53.7
June 24	49.4	Nov. 18	54.5	Nov. 15	53.8
Aug. 30	51.3				
Oct. 7	50.2	1933		1940	
1928		Feb. 6	58.5	Feb. 15	53.4
		May 18	59.0		
Feb. 21	51.7			1941	
May 22	50.8	1934			
Aug. 15	52.5			Jan. 15	55.8
		Feb. 6	55.9	Mar. 13	54.7
1929		Dec. 4	57.7	May 22	53.6
				Aug. 20	49.5
May 1	59.0	1935		Nov. 7	49.5
Sep. 7	58.2				
		Feb. 26	56.9	1942	
1930		May 7	56.9		
				Feb. 18	49.6
Mar. 3	55.7				
May 21	56.3				
July 31	54.1				
Dec. 4	53.4				

Measurements from United States Geological Survey.



## MAP 10

6S3W4B

MENIFFE SCHOOL

M-4

Location--Northeast corner of Section 4.

Reference point--Top of casing at ground.

Elevation of reference point--1437.8, from levels by D.W.R.

Use-- Depth-- Casing--

Other numbers--Harding No. 431, Waring No. 54, U.S.G.S. No. 78a.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.F. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1914		1918		1922	
June 25	32.8	May 4	38.6	Apr. 7	41.0
Aug. 14	33.2	Oct. 12	36.1	May 16	40.0
Nov. 21	33.2			Aug. 29	38.9
		1919		Oct. 27 b	39.9
1915				1923	
May 21	30.2	May 11	37.8		
Oct. 31 a	31.4	Oct. 12 b	41.2	Feb. 26	39.5
Nov.	32.	1920		June 6	41.0
				Sep. 17 b	41.7
1916		May 18 b	41.4	Dec. 16 b	41.5
May 6	27.5	Oct. 16	40.3		
Nov. 15	29.2	1921		1924	
				Aug. 26 b	43.6
1917		Feb. 10	41.2		
		May 13	41.8	1925	
May 19	30.9	July 25	43.0		
Nov. 25	34.5	Oct. 10	43.5	Mar. 12	46.3
				May 26 b	53.8
				Aug. 25 b	58.3
				Nov. 3 c	

a Had been pumping.

b Pumping.

c Filled.

Measurements from United States Geological Survey.

## MAP 10

6S3W5A

C. E. FOXLEY

M-5

Location--160 feet south and 170 feet east of northwest corner of Section 5, 150 feet south of Cottonwood Canyon Road.

Reference point--Top of casing, east side, 1.2 feet below ground.

Elevation of reference point--1399.0, from levels by M.W.D.

Use--Irrigation. Depth--102 feet. Casing--10 inches.

## 6S3W5A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 18 a	29.0	Jan. 15 a	31.7	Jan. 7 a	23.1
		Jan. 31	31.9		
		May 14	18.1		
		June 18	19.0		
		July 16	19.5		
		Aug. 27	20.3		
		Oct. 8	21.3		
		Nov. 14	22.1		
		Dec. 9	22.4		

---

a Measurement from Division of Water Resources.

Measurements from Metropolitan Water District except as noted.

## MAP 10

6S3W6A

HARRY KOPP

M-5A

Location--50 feet south and 350 feet west of northeast corner of Section 6,

Reference point--Top of 4 x 4 across pit 0.5 foot above ground and 8.45 feet above top of casing.

Elevation of reference point--1400.7, from levels by D.W.R.

Use--Abandoned. Depth--144 feet. Casing--12 inches.

Other numbers--Harding No. 429.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1941	
Nov. 16	32.6	May 1	20.2	Jan. 28 ab	
Dec. 13	32.8	May 24	20.2		
		June 26	20.6		
1922		July 24	21.0		
		Aug. 22	21.3		
Jan. 13	29.4	Sep. 18	21.6		
Feb. 14	25.0	Oct. 20	22.0		
Mar. 16	21.6	Nov. 17	22.5		
Apr. 13	20.4				

---

a Measurement from Metropolitan Water District.

b Pit caved in; casing covered.

Measurements from Division of Water Resources.

## MAP 10

6S3W11A

M-42

Location--1340 feet north and 50 feet east of southwest corner of Section 11.

Reference point--Top of concrete block around casing, 0.5 foot above ground.

Elevation of reference point--

Use--Stock.

Depth--

Casing--8 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 16 a	3.0	Jan. 7	4.5		

---

a Water standing in creek.

Measurements from Division of Water Resources.

## MAP 10

6S3W12A

CANTIRENA

M-15

Location--260 feet south and 90 feet west of northeast corner of Section 12.

Reference point--Top of casing, northwest side, 0.7 foot above ground.

Elevation of reference point--1429.5, from levels by D.W.R.

Use--Not used.

Depth--125 feet.

Casing--8 inches.

Other numbers--Harding No. 441.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922 Cont'd.		1924	
Nov. 17	34.6	May 1	23.2	Oct. 12	36.7
Dec. 13	34.3	May 24	23.6		
		June 26	25.8	1925	
1922		July 24	27.1		
		Aug. 22 a	29.0	Dec. 3	38.9
Jan. 17	30.1	Sep. 18	29.4		
Feb. 14	25.8	Oct. 20	29.8		
Mar. 16	23.8	Nov. 17	29.7		
Apr. 13	23.2				

## 6S3W12A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 24	53.5	Jan. 15	54.8	Jan. 8	48.4
Feb. 9 b	53.2				

a Pumping.

b Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

6S3W23A

ANTELOPE SCHOOL

M-37

Location--260 feet south and 75 feet east of northwest corner of Section 23, 75 feet east of Antelope Road, 260 feet south of road along north side of Section 12.

Reference point--Bottom of clamp, east side, 1.0 foot above ground.

Elevation of reference point--

Use--Domestic.

Depth--

Casing--10 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1942			
Jan. 16	9.8	Jan. 7	10.2		

Measurements from Division of Water Resources.

## MAP 10

6S2W5A

CARL GUENTHER

M-16

Location--0.19 mile east and 480 feet north of southwest corner of Section 5.

Reference point--Top of casing, west side, at ground.

Elevation of reference point--1440.0, from M.W.D. topog.

Use--Irrigation.

Depth--227+ feet.

Casing--12 inches.

## 6S2W5A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Jan. 24	65.2	Jan. 15	66.6	Jan. 8	59.7

Measurements from Division of Water Resources.

## MAP 10

6S2W6A

LIBERTY RANCH

M-28

Location--350 feet northeast of west quarter corner of Section 6.

Reference point--Top of casing, 0.1 foot above ground.

Elevation of reference point--1431.9, from levels by D.W.R.

Use--Domestic.

Depth--100 feet.

Casing--7 inches.

Other numbers--Harding No. 442.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1940	
Nov. 17	36.4	Feb. 14	26.2	Feb. 9 a	55.8
Dec. 13	36.2	Mar. 16	24.6		
		Apr. 13	24.3	1941	
		May 1	24.2		
		May 24	24.8	Jan. 15 b	57.0
		June 26	26.4		
		July 24	27.8		
		Aug. 22	28.9		
		Sep. 18	29.9		
		Oct. 20	30.7		
		Nov. 17	30.8		

a Measurement from Metropolitan Water District.

b Measurement doubtful.

Measurements from Division of Water Resources.



## MAP 10

6S2W6B

LIBERTY RANCH

M-34

Location--60 feet north and 54 feet west of southeast corner of Section 6.

Reference point--Base of pump at air line hole, 0.5 foot above ground.

Elevation of reference point--1438.5, from M.W.D. topog.

Use--Irrigation.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Feb. 9 a	61.9	Jan. 15	62.2	Jan. 8	56.5

---

a Measurement from Metropolitan Water District.

Measurements from Division of Water Resources except as noted.

## MAP 10

6S2W6C

LIBERTY RANCH

M-27

Location--700 feet east and 50 feet north of south quarter corner of Section 6.

Reference point--Top of concrete curb at southeast corner.

Elevation of reference point--1435.6, from levels by D.W.R.

Use--Irrigation.

Depth--320 feet.

Casing--14 inches.

Other numbers--Harding No. 440.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1922		1925	
Nov. 17	41.2	Jan. 17	38.2	Dec. 4	50.3
		Feb. 14	35.8		
		Mar. 16	33.2		
		Apr. 13	32.0		
		May 1	32.6		
		May 24	33.2		
		Oct. 20	39.3		
		Nov. 17	38.1		

---

Measurements from Division of Water Resources.

## MAP 10

6S1W4A

T. E. DEMING

P-177

Location--250 feet west and 200 feet north of the east quarter corner of Section 4.

Reference point--Top of 2 inch x 12 inch cover, 0.5 foot above ground.

Elevation of reference point--

Use--Domestic.

Depth--

Casing--

Other numbers--Waring No. 70.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1915		1940		1942	
Nov. a	45.	Dec. 9 b	34.6	Jan. 19 c	28.2

---

a Measurement from United States Geological Survey.  
 b Measurement from Metropolitan Water District.  
 c Measurement from Division of Water Resources.

## MAP 10

6S1W10A

P-229

Location--530 feet west and 475 feet south of northeast corner of Section 10.

Reference point--Top of casing, south side, 2 feet above ground.

Elevation of reference point--

Use--Not used.

Depth--

Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1942					
Jan. 19	49.6				

---

Measurement from Division of Water Resources.

SOUTH COASTAL BASIN INVESTIGATION  
Records of Ground Water Levels at Wells  
in Antelope Valley



MAP 11

5N9W6A

8944

Location--In northwest quarter of northeast quarter of Section 6, 0.7 mile east of 147th Street E., 800+ feet south of Avenue S.  
Reference point--Top of casing, 1.3 feet above ground.  
Elevation of reference point--2847.3, from U.S.G.S. topog.  
Use-- Depth-- Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Apr. 2	48.9	Jan. 31	50.5		
May 18	49.1	Apr. 9	41.4		
July 27	49.8	May 30	36.2		
Aug. 23	50.2	July 18	33.6		
Sep.	50.3	Sep. 27	36.1		
Nov. 25	50.4	Nov. 26	37.6		
Dec. 28	50.4	Dec. 2	37.8		

Measurements from Los Angeles County Flood Control District.

MAP 11

5N9W21A

G. P. MASSEY

8969

Location--In northeast quarter of southeast quarter of Section 21, 500 feet west of Pear Blossom Highway (177th Street E.), 300 feet south of Pear Blossom Highway (Avenue VS).  
Reference point--Top of 2" x 6" on concrete casing, 2.5 feet above ground.  
Elevation of reference point--3207, from U.S.G.S. topog.  
Use--Domestic. Depth--118 feet. Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 12	114.4	Apr. 22	112.8		
Dec. 26	114.3	Nov. 26	110.3		

Measurements from Los Angeles County Flood Control District.



## MAP 11

5N10W6A

8825

Location--In southwest quarter of southwest quarter of Section 6, 25 feet north of Avenue T, 45 feet east of 87th Street E.

Reference point--Base of pump at oil line, north side; at ground.

Elevation of reference point--2777, from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--

Other numbers--P.I.D. No. 27.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1926		1938		1940	
	110.	May 1 b	108.	Mar. 28	91.5
		July 16	107.8	Nov. 26	92.4
1928		Aug. 13	94.6		
		Nov. 19	93.0	1941	
Jan. a	89.				
		1939		Apr. 28	87.2
1930				Nov. 25	90.8
		Feb. 11 c			
Oct.	112.				

a Dam spilled in 1927.

b Water seeping in.

c Irrigation water running in.

Measurements from Los Angeles County Flood Control District.

## MAP 11

5N10W7A

CAIAVALLEY

8826A

Location--In southwest quarter of northwest quarter of Section 7, 40 feet north of Avenue T8, 130 feet east of 87th Street E.

Reference point--Top of concrete pump base and casing, 1.5 feet above ground.

Elevation of reference point--2817, from U.S.G.S. topog.

Use--Irrigation.

Depth--550 feet.

Casing--16 inches.

Other numbers--Owner No. 1.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1940		1941	
July 16	130.5	Mar. 28	125.0	Apr. 28	121.6
Aug. 13	127.4	Nov. 27	126.5	Nov. 26	123.3

Measurements from Los Angeles County Flood Control District.

## MAP 11

5N10W7B

CALAVALLEY

8837

Location--In southeast quarter of southwest quarter of Section 7, 500+ feet west of 91st Street E., 30 feet north of Avenue U.

Reference point--Small hole between pump base casting and concrete block 2 feet above ground.

Elevation of reference point--2875, from U.S.G.S. topog.

Use--Irrigation. Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1940		1941	
Nov. 19	179.8	Mar. 28	177.5	Apr. 28	174.2
		Nov. 27	178.5	Nov. 26	a
1939					
Nov. 24	177.3				

a Pump pulled; casing plugged with concrete.

Measurements from Los Angeles County Flood Control District.

## MAP 11

5N10W7C

TAMARACK PARK

8847

Location--In southeast quarter of southeast quarter of Section 7, 50 feet north of Avenue U, 200 feet west of 97th Street E.

Reference point--(a) Base of pump, top of concrete block, one foot above ground, through April 28, 1941; then (b) pump base, raised.

Elevation of reference point--(a) 2893; (b) 2893.5; from U.S.G.S. topog.

Use--Domestic. Depth-- Casing--16 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1940		1941	
July 16	205.0	Mar. 28	202.7	Apr. 28	200.2
		Nov. 27	203.8	Nov. 26	202.4

Measurements from Los Angeles County Flood Control District.

## MAP 11

5N10W12A

ED. SONNER

8925

Location--In northwest quarter of northeast quarter of Section 12, 2800+ feet east of 137th Street E., 300+ south of Avenue T, produced.

Reference point--Top of timber floor at bottom of pump base, 0.4 foot above ground.

Elevation of reference point--2884, from levels by U.S.G.S. topog.

Use--Domestic. Depth--90 feet. Casing--10 inches..

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Mar. 28	65.3	Apr. 9	56.6		
Nov. 25	63.8	Nov. 26	54.2		

Measurements from Los Angeles County Flood Control District.

## MAP 11

5N10W23A

8909

Location--In southeast quarter of northwest quarter of Section 23, 65 feet north of Pear Blossom Highway (Avenue V8), 800 feet west of 132nd Street E.

Reference point--Top of casing, 1 foot above ground.

Elevation of reference point--3041.0, from U.S.G.S. topog.

Use--Not used. Depth-- Casing--10 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Mar. 29	132.3	Apr. 9	127.5	Jan. 31	a
Apr. 21	130.5	May 30	129.2	Feb. 13	b 132.8
June 29	130.7	July 18	132.4		
July 27	130.8	Aug. 29	133.4		
Aug. 24	131.0	Sep. 27	a		
Nov. 25	131.8	Oct. 31	a		
		Nov. 24	a		
		Dec. 2	a		

a Obstruction.

b Using mirror.

Measurements from Los Angeles County Flood Control District.

## MAP 11

5N10W26A

R. J. DARLING

7700

Location--In northwest quarter of northeast quarter of Section 26, 400 feet south of Avenue W (Pear Blossom Highway), 1150 feet east of 132nd Street E.

Reference point--Top of casing at ground.

Elevation of reference point--3155, from U.S.G.S. topog.

Use-- Depth--86.5 feet. Casing--10 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 13	49.6	Apr. 22	48.2		

Measurements from Los Angeles County Flood Control District.

## MAP 11

5N11W4A

SAM YELLEN

8754

Location--In southwest quarter of northwest quarter of Section 4, 70 feet north of bend on Pear Blossom Highway, 70 feet north of lane (about Avenue S4), 275 feet east of 47th Street E.

Reference point--Hole in base of pump at oil line, 0.4 foot above ground.

Elevation of reference point--2695, from U.S.G.S. topog.

Use-- Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Nov. 26	142.2				

Measurement from Los Angeles County Flood Control District.



## MAP 11

5N11W4B

BANK OF AMERICA

9755

Location--In northeast quarter of southwest quarter of Section 4, 25 feet east of 50th Street E., 1600 feet south of Pear Blossom Highway.

Reference point--Top of 3' x 3' metal plate over pit, 0.2 foot above ground surface.

Elevation of reference point--2722, from U.S.G.S. topog.

Use--Not used. Depth--378 feet. Casing--16 inches.

Other numbers--McAdams No. 2.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1941 Cont'd.	
Sep. 13	153.6	Jan. 31	145.6	Sep. 27 a	
Dec. 8	147.6	Apr. 9	144.2	Nov. 28	146.0
		May 30	147.8	Dec. 1	145.7
		Aug. 29 a			

---

a Obstruction at 160 feet.

Measurements from Los Angeles County Flood Control District.

## MAP 11

5N11W4C

SAM YELLEN

8764

Location--In southwest quarter of northwest quarter of Section 4, 2600 feet east of 47th Street E., 60 feet north of lane (approximately Avenue S4).

Reference point--Small round hole in pump base, west side, at ground.

Elevation of reference point--2713, from U.S.G.S. topog.

Use-- Depth-- Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Nov. 26	138.8				

---

Measurements from Los Angeles County Flood Control District.



## MAP 11

5N11W4D

JOE MARTIN

8775A

Location--In southeast quarter of southeast quarter of Section 4, 300 feet easterly along Pear Blossom Highway from bend, thence 300 feet north, two and one-half miles west of Little Rock Creek.

Reference point--Hole in pump base, south side, 0.5 foot above ground.

Elevation of reference point--2756, from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 13	153.9	Nov. 26	149.8		

Measurements from Los Angeles County Flood Control District.

## MAP 11

5N11W9A

8767

Location--In southwest quarter of southeast quarter of Section 9, approximately 1.0 mile north along road from Pear Blossom Highway, 15 feet west of road.

Reference point--Top of casing, 1.0 foot above ground.

Elevation of reference point--285°, from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--10 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 12	52.8	Apr. 9	51.5		
		Dec. 2	47.1		

Measurements from Los Angeles County Flood Control District.



## MAP 11

5N11W10A

8787

Location--In southeast quarter of southeast quarter of Section 10, 400 feet west of Pear Blossom Highway, three-fourths mile southwest of bridge over Little Rock Creek.

Reference point--Top of casing, 1.0 foot above ground.

Elevation of reference point--2836, from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--16 inches.

Other numbers--P.I.D. No. 36.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1927		1937		1940	
Oct. 19	108.0	May 29	127.0	Mar. 28	114.3
Dec. 6	109.0	June 26	126.0	May 31	114.4
				June 29	114.6
1928		1938		July 27	114.6
Jan. 21	109.0	Feb. 26	138.2	Aug. 24	114.7
July 29	110.0	May 1	132.2		
Dec. 5	111.5	July 16	141.7	1941	
		Aug. 13	145.5	Jan. 31	117.8
1930		Sep. 24	132.3	Apr. 9	115.7
		Nov. 19	135.2	May 30	115.9
Feb. 4	115.0			July 18	42.8
Apr. 26	115.6	1939		Aug. 29	43.8
July 17	116.0			Sep. 27	62.2
Nov. 29	116.5	Feb. 11	134.1	Nov. 26	62.3
		May 20	126.5		
				1942	
				Feb. 13	78.6

Measurements from Los Angeles County Flood Control District.

## MAP 11

5N11W12A

E. W. MARTIN

8815

Location--In southeast quarter of northwest quarter of Section 12, 30 feet north of center line of Avenue T8, 300 feet west of Pear Blossom Highway (82nd Street E.).

Reference point--Top of pit curb, at ground.

Elevation of reference point--2800, from U.S.G.S. topog.

Use--Not used. Depth--250 feet. Casing--12 inches.

Other numbers--P.I.D. No. 69.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1927		1937		1938	
Dec.	86.	Nov. 11	103.6	Feb. 26	103.1
				May 1 a	

---

a Rocks; cannot measure.

Measurements from Los Angeles County Flood Control District.

## MAP 11

5N11W12B

WHEELOCK

8816A

Location--In southwest quarter of southeast quarter of Section 12, 400 feet east of 82nd Street E., 700 feet north of Avenue U.

Reference point--Air line hole in pump base, 1.0 foot above ground.

Elevation of reference point--2874, from U.S.G.S. topog.

Use--Irrigation. Depth--392 feet. Casing--16 inches.

Other numbers--P.I.D. No. 71.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1927		1940		1941	
Dec.	100.	Mar. 29	132.4	Apr. 28	130.8
		Nov. 27	134.2	Nov. 26	131.4
1937					
Nov. 11 a	137.6				

---

a Doubtful.

Measurements from Los Angeles County Flood Control District.

MAP 11

5N11W12C

CARR & BONES

8826

Location--In southeast quarter of southeast quarter of Section 12, 175 feet west of 87th Street E., 700 feet north of Avenue U.  
Reference point--Cast iron pump base, at ground.  
Elevation of reference point--2842.0, from U.S.G.S. topog.  
Use-- Depth--602 feet. Casing--14 inches.  
Other numbers--P.I.D. No. 57.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1927		1939		1941	
Dec.	110.	Feb. 11	144.3	Jan. 31	144.1
		Nov. 24	145.2	Apr. 9	143.1
1937*				May 30	143.1
		1940		July 18	143.2
Nov. 11	147.0			Aug. 29	143.3
		Feb. 16	142.1	Sep. 27	142.7
1938		Mar. 28	143.3	Nov. 24	142.1
		Apr. 21	143.9		
Feb. 26	146.6	May 31	145.0		
May 1	145.8	June 29	145.2		
July 16	145.0	Aug. 24	149.1		
Aug. 13	145.4	Nov. 26	144.5		
Sep. 24	144.7	Dec. 28	144.3		
Nov. 19	144.5				

\* Beginning November 11, 1937, 0.5 foot deducted from field measurement for horizontal correction.

Measurements from Los Angeles County Flood Control District.

MAP 11

5N11W12D

WHEELLOCK

8826B

Location--In southeast quarter of northeast quarter of Section 12, 600 feet east of 85th Street E., 500 feet north of Avenue T8. Northeast well in pump house.  
Reference point--Hole northwest side of pump, 1.5 feet above ground.  
Elevation of reference point--2806, from U.S.G.S. topog.  
Use--Irrigation. Depth--310 feet. Casing--16 inches.  
Other numbers--Owner B; P.I.D. No. 66.



## 5N11W12D Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1940		1941	
Nov. 11	113.0	Mar. 29	107.5	Apr. 28	103.8
		Nov. 27	108.9	Nov. 26	105.6

Measurements from Los Angeles County Flood Control District.

## MAP 11

5N11W14A

8797

Location--In southeast quarter of northwest quarter of Section 14, 100 feet south of Pear Blossom Highway, 300 feet west of Little Rock Creek.  
 Reference point--Top of casing, 2.0 feet above ground.  
 Elevation of reference point--2881, from U.S.G.S. topog.  
 Use--Not used. Depth--42 $\frac{1}{2}$  feet. Casing--16 inches.  
 Other numbers--P.I.D. No. 37, U.S.G.S. No. 24.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1927		1930		1938	
Oct. 19	32.	Feb. 4 a		Feb. 26 c	
Dec. 6	33.	Nov. 29 a		May 1 b	22.7
				July 16	22.8
1928		1932		Aug. 13	25.5
Jan. 21	36.3	Aug. 6	32.8	Sep. 24	28.9
July 29	40.0			Nov. 19	32.8
Dec. 5 a		1937		1939	
1929		Apr. 22 b	24.2	Feb. 11	28.8
		May 29	31.6	May 20	29.7
June 22 a		June 26	33.2	Nov. 24 c	
		Nov. 9 c			
				1940	
				June 29 c	

## 5N11W14A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941		1941 Cont'd.		1942	
Jan. 31 c		Aug. 29	26.0	Jan. 31 c	
Apr. 9	23.4	Sep. 27	28.7		
May 30	22.6	Nov. 26	33.1		
July 18	25.2				

a Dry at 42.5 feet.

b Creek flowing.

c Dry.

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N8W10A

W. B. BAGUET

10388

Location--In southwest quarter of southwest quarter of Section 10, 250 feet east of dirt road to north and 175 feet north of Avenue "O", southwest corner Section 10.

Reference point--Top of casing with three chisel marks on north side at ground.

Elevation of reference point--2804.0, from U.S.G.S. topog.

Use--Domestic and stock. Depth-- Casing--

Other numbers--U.S.G.S. No. 1 (New).

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1932		1936		1939	
Apr. 7	27.5	Apr. 15	27.6	Mar. 10	28.7
				Nov. 18 a	29.2
1933		1937		1940	
Apr. 14	27.5	Jan. 9	27.8	Mar. 14 b	30.2
		Apr. 22	27.8	Nov. 27 a	30.4
1934		Nov. 10	27.8		
Apr. 20	28.8	1938		1942	
		May 24	27.8	Apr. 22	28.6
1935					
May 2	27.4				
Dec. 12	27.6				

a Measurement from Los Angeles County Flood Control District.

b Pumping.

Measurements from United States Geological Survey except as noted.

## MAP 11

6N8W18A

HUFF

10338

Location--In northeast quarter of northwest quarter of Section 18, 900+ feet south of Avenue "O", one-fourth mile east of west line of Section 18.

Reference point--Top of casing, 2 feet above ground.

Elevation of reference point--2725, from U.S.G.S. topog.

Use--Domestic. Depth--210 feet. Casing--9 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Nov. 18	159.0	Mar. 14	159.1	Apr. 25	159.7
		Nov. 27 a	159.6		

---

a Measurement from Los Angeles County Flood Control District.

Measurements from United States Geological Survey except as noted.

## MAP 11

6N9W32A

HIBBARD

9054

Location--In southeast quarter of southwest quarter of Section 32, 200+ feet north of Avenue S, 150+ feet east of dirt road.

Reference point--Top of 3" x 6" timber, 0.5 foot above ground.

Elevation of reference point--2955.5, from U.S.G.S. topog.

Use--Domestic and stock. Depth-- Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
July 27	193.0	Jan. 31	192.8		
Nov. 25	193.2	Aug. 29	198.2		

---

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N9W4A

WILSONA SCHOOL

10276

Location--In southeast quarter of northeast quarter of Section 4, 120 feet west of center line of 170th Street E., 150 feet southeast of schoolhouse.

Reference point--(a) Top of casing, 1.7 feet above ground through March 11, 1939; then (b) top of casing 0.45 foot above ground. (Casing cut off.)

Elevation of reference point--(a) 2598; (b) 2596.8; from U.S.G.S. topog.  
Use--Domestic. Depth-- Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1932		1936		1939	
Apr. 7	101.7	Apr. 15	104.2	Mar. 11 b	106.0
1933		1937		1940	
Apr. 14	102.2	Jan. 9	104.8	Mar. 14 b	106.1
		Apr. 22	104.9		
1934		Nov. 10 b	105.3	1941	
Apr. 20	102.9	1938		Apr. 25 b	107.0
1935		May 24 b	105.8	1942	
May 2 a	103.6+			Apr. 22	107.8
Dec. 12	104.0				

a Pumping.

b Measurement from Los Angeles County Flood Control District.

Measurements from United States Geological Survey except as noted.

## MAP 11

6N9W26A

JOHNSON

9002

Location--In southwest quarter of southeast quarter of Section 26, 160 feet north of Avenue P, 400+ feet east of south quarter corner of Section 26, 2200+ feet west of 190th Street E.

Reference point--Top of casing, 0.5 foot above ground.

Elevation of reference point--2810, from U.S.G.S. topog.

Use-- Depth-- Casing--5 inches.

## 6N9W26A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
May 18	111.2	Apr. 28 a			
July 27	111.1				
Nov. 25	111.2				

a Obstructed; dry at 108 feet.

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N9W29A

RANKIN

8951

Location--In southwest quarter of northeast quarter of Section 29, 30 feet north of Avenue Q8, 1.35 miles west of 170th Street E.

Reference point--Top of casing, at ground.

Elevation of reference point--2780, from U.S.G.S. topog.

Use--Irrigation. Depth--180 feet. Casing--14 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Nov. 18	34.0	Mar. 14 a	36.8	Apr. 25 b	
		Nov. 25	33.7	Nov. 26	29.8
				1942	
				Jan. 3	30.6

a Measurement from United States Geological Survey.

b Pumping.

Measurements from Los Angeles County Flood Control District.



## MAP 11

6N9W31A

BARLOW

8934

Location--In southeast quarter of southeast quarter of Section 31, 85 feet north of Avenue S, 30 feet west of branch of Big Rock Creek, 400+ feet west of southeast corner of Section 31.

Reference point--Top of casing, 0.8 foot below ground.

Elevation of reference point--2832, from U.S.G.S. topog.

Use--Not used. Depth-- Casing--16 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
May 18	39.7	Apr. 9	31.3		
Nov. 25	40.4	Nov. 26	27.4		

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N9W34A

LEADBETTER

8974

Location--In southwest quarter of southwest quarter of Section 34, 150 feet north of Avenue S, 1000 feet east of 170th Street E.

Reference point--Floor of pump house, 1.5 feet above ground.

Elevation of reference point--2858.5, from U.S.G.S. topog.

Use--Domestic and stock. Depth--520 feet. Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1908+		1935		1940	
a	40.+	b	60.+	May 18	c

a When drilled.

b When pump pulled.

c Could not measure.

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N10W9A

RIELEY BROTHERS

10157

Location--In northeast quarter of southwest quarter of Section 9, 0.5 mile west of 110th Street E., 0.4+ mile north of Avenue O.

Reference point--Base of pump, hole south side, at ground.

Elevation of reference point--2586, from U.S.G.S. topog.

Use--Irrigation. Depth-- Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Nov. 27	146.8	Apr. 24	141.2		
		Dec. 2	136.6		

---

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N10W9B

10157A

Location--In southwest quarter of northwest quarter of Section 9, one-fourth mile east of 100th Street E. produced, 0.3+ mile south of Avenue N produced.

Reference point--Hole, east side of pump base, 0.3 foot above ground.

Elevation of reference point--2576.3, from U.S.G.S. topog.

Use--Irrigation and domestic. Depth-- Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Nov. 27	135.4	Apr. 24	130.2		
		Dec. 2	125.7		

---

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N10W9C

COGBURN

10158

Location--In southwest quarter of southeast quarter of Section 9, 120 feet north of Avenue "O", 175 feet east of 105th Street E.  
 Reference point--Hole in casing under pump base, 2.5 feet above ground.  
 Elevation of reference point--2598.5, from U.S.G.S. topog.  
 Use--Domestic and irrigation. Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Nov. 27	155.2	Apr. 24	149.7		
		Dec. 2	144.6		

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N10W9D

RILEY BROTHERS

10168

Location--In southwest quarter of southeast quarter of Section 9, 0.35 mile west of 110th Street E., 120 feet north of Avenue "O".  
 Reference point--Top of casing, 1.2 feet above ground.  
 Elevation of reference point--2599, from U.S.G.S. topog.  
 Use--Not used. Depth-- Casing--10 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Nov. 27	153.2	Apr. 24	147.6		
		Dec. 2	142.3		

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N10W20A

MRS. JOHNSON

8831

Location--In southeast quarter of southwest quarter of Section 20, 2600 feet east of 90th Street E., 30 feet north of Avenue Q.

Reference point--Top of casing, 2.4 feet above ground.

Elevation of reference point--2639, from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--10 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Sep. 11 a	168.0	Apr. 9	160.5	Jan.	158.7
Nov. 26	167.0	May 30 a	169.0		
		July 18 a	166.2		
		Aug. 29 a	166.7		
		Sep. 27	164.9		

a Adjacent well pumping.

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N10W27A

8871A

Location--In northwest quarter of northeast quarter of Section 27, 50 feet north of Avenue Q, one-half mile east of 110th Street E.

Reference point--Air line hole, northeast quadrant of pump base, 0.5 foot above ground.

Elevation of reference point--2677, from U.S.G.S. topog.

Use--Irrigation.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 11	162.4	Apr. 23	159.8		
Nov. 27	162.2	Nov. 26	153.3		

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N10W27B

8871B

Location--In northwest quarter of northeast quarter of Section 27, 80 feet north of Avenue Q, 0.5 mile east of 110th Street E.

Reference point--Bottom of pump base, southeast, 0.7 foot above ground.

Elevation of reference point--2676, from U.S.G.S. topog.

Use--Irrigation.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 11	163.0	Apr. 23	160.7		
Nov. 27	163.1	Nov. 26	153.7		

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N10W27C

8871C

Location--In northwest quarter of northeast quarter of Section 27, 85 feet north of Avenue Q, 0.6 mile east of 110th Street E.

Reference point--Top of casing, 1.4 feet above ground.

Elevation of reference point--2379, from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 11	164.7	Apr. 23	162.3		
Nov. 27	164.6	Nov. 26	155.5		

Measurements from Los Angeles County Flood Control District.



## MAP 11

6N10W32A

McALESTER

8833

Location--In southeast quarter of northwest quarter of Section 32, 35 feet west of 95th Street E., 25 feet north of Avenue R8.

Reference point--Top of casing, 1.5 feet above ground.

Elevation of reference point--2694, from U.S.G.S. topog.

Use--Domestic and stock. Depth--700 feet. Casing--16 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 11	118.8	Apr. 9	113.1		
Nov. 26	119.5	Nov. 26	113.0		

---

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N10W32B

McALESTER

8833A

Location--In southwest quarter of northwest quarter of Section 32, 30 feet east of 90th Street E., 25 feet north of Avenue R8. (West well).

Reference point--Hole in east side of pump base, 1 foot above ground.

Elevation of reference point--2685, from U.S.G.S. topog.

Use--Not used. Depth--600 feet. Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 11	101.3	Jan. 31	102.6		
Nov. 26	102.0	Apr. 9	95.9		
Dec. 28	102.4	May 30	86.4		
		July 18	86.0		
		Aug. 29	85.8		
		Sep. 27	86.4		
		Nov. 26	88.3		

---

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N10W32C

SHELDON

8844

Location--In southwest quarter of southeast quarter of Section 32, 25+ feet north of Avenue S, 50+ feet west of 97th Street E. extended north.  
 Reference point--Top of casing, 2 feet above ground.  
 Elevation of reference point--2726, from U.S.G.S. topog.  
 Use--Not used. Depth-- Casing--16 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 11 a	79.0	Apr. 9	74.6		
Nov. 26 a	79.0	Nov. 25 b			

a Partly obstructed at 78 feet.

b Obstructed at 77 feet.

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N10W32D

L. L. SHELDON

8844A

Location--In southwest quarter of southeast quarter of Section 32, 15 feet west of 98th Street E., 30 feet north of Avenue S.  
 Reference point--Top of casing, 2 feet above ground.  
 Elevation of reference point--2729, from U.S.G.S. topog.  
 Use-- Depth--84 feet. Casing--13 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940					
Nov. 29 a					

a Dry at 84 feet.

Measurement from Los Angeles County Flood Control District.

## MAP 11

6N11W5A

LYONS BROTHERS

10045

Location--In northeast quarter of northeast quarter of Section 5, 100 feet west of 40th Street E., 650 feet south of Avenue M.

Reference point--Pump base at ground.

Elevation of reference point--2477, from U.S.G.S. topog.

Use-- Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Nov. 18	134.8	Mar. 28	133.6	Dec. 3 a	140.1
		Nov. 27	138.8		

a Measurement from United States Geological Survey.

Measurements from Los Angeles County Flood Control District except as noted.

## MAP 11

6N11W6A

10016

Location--In southwest quarter of southeast quarter of Section 6, 20 feet north of Avenue N, one-half mile east of 20th Street E.

Reference point--Top of casing in 3' x 5' concrete block at ground.

Elevation of reference point--2502, from U.S.G.S. topog.

Use-- Depth-- Casing--6 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 24	155.2				
Nov. 25	158.3				

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N11W6B

10016A

Location--In southwest quarter of southeast quarter of Section 6, 150 feet north of Avenue N., 0.6 mile east of 20th Street E.

Reference point--Top of concrete block around casing, 0.5 foot above ground.

Elevation of reference point--2500.5, from U.S.G.S. topog.

Use--Not used. Depth--160+ feet. Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 24	153.5				
Nov. 25	155.2				

Measurements from Los Angeles County Flood Control District.

## MAP 11

U. S. DEPARTMENT OF COMMERCE  
PALMDALE AIRPORT

6N11W7A

10018

Location--In southeast quarter of southwest quarter of Section 7, 200 feet north of Avenue "O", 2000 feet east of 20th Street E.

Reference point--Top of casing, 0.5 foot above ground.

Elevation of reference point--2538, from U.S.G.S. topog.

Use--Domestic. Depth--241.5 feet. Casing--10 inches, or 12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1940		1941	
Jan. 22	152.8	Mar. 28	180.8	Jan. 31	184.1
Sep. 24	161.1	May 31	181.6	Apr. 9	184.0
Nov. 19	176.8	June 29	182.1	Apr. 24	184.2
		July 27	182.6	May 30	184.3
1939		Aug. 24	183.2	July 18	185.4
		Nov. 30	184.2	Aug. 29	187.0
Feb. 11	177.0	Dec. 28	184.2	Oct. 31	187.6
Nov. 18	180.2			Nov. 24	187.6

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N11W8A

10039

Location--In southeast quarter of southeast quarter of Section 8, 50 feet north of Avenue "O", 1100+ feet west of 40th Street E.

Reference point--Base of pump at air line, 1 foot above ground.

Elevation of reference point--2523.5, from U.S.G.S. topog.

Use--Irrigation.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 18	71.0	Nov. 25	174.1		
Nov. 28	71.5				

---

## MAP 11

6N11W9A

ELMER BENSON

10057

Location--In southeast quarter of northwest quarter of Section 9, 1300 feet south of Avenue N, about one-half mile east of 40th Street E.

Reference point--Northeast quadrant, top of pump base at hole, 0.2 foot above ground.

Elevation of reference point--2505.5, from U.S.G.S. topog.

Use--Irrigation.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Nov. 27	66.8	Nov. 25	158.6		

---

Measurements from Los Angeles County Flood Control District.



## MAP 11

6N11W10A

WILLIAM JONES

10067

Location--In northwest quarter of northwest quarter of Section 10, 1300+ feet south of Avenue N, 300+ feet east of 50th Street F.

Reference point--Top of pump base, 0.5 foot above ground.

Elevation of reference point--2508, from U.S.G.S. topog.

Use--Domestic.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Nov. 27	66.9	Dec. 2	71.5		

---

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N11W12A

E. J. BALL

10097

Location--In northwest quarter of southwest quarter of Section 12, 1400 feet north of Avenue "O" produced, 1200 feet east of 70th Street F. produced.

Reference point--Pump base, east side of air line, 1 foot above ground.

Elevation of reference point--2541, from U.S.G.S. topog.

Use--

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Nov. 25	172.1				

---

Measurement from Los Angeles County Flood Control District.

## MAP 11

6N11W12B

E. J. BALL

10107

Location--In southeast quarter of northwest quarter of Section 12, 300+ feet west of 75th Street E., extended, 2000+ feet south of Avenue N.  
 Reference point--Top of 4 inch pipe, 1 foot above ground.  
 Elevation of reference point--2537, from U.S.G.S. topog.  
 Use--Domestic. Depth-- Casing--4 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Nov. 25 a 73.6

a Questionable.

Measurement from Los Angeles County Flood Control District.

## MAP 11

6N11W12C

E. J. BALL

10108

Location--In southwest quarter of southeast quarter of Section 12, 800 feet east of 75th Street E., extended, 250 feet north of Avenue "O" extended.

Reference point--Top of casing, flush with concrete.

Elevation of reference point--2552, from U.S.G.S. topog.

Use--Not used. Depth-- Casing--18 inches.  
 Other numbers--U.S.G.S. No. 168.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Nov. 25 176.0

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N11W18A

WILLIAM CLIFF

10019A

Location--In southwest quarter of southeast quarter of Section 18, 300 feet north of Avenue P, 2700 feet east of 20th Street E.

Reference point--(a) Top of casing, at ground, through September 17, 1940; then (b) hole in casing slightly north of east side under discharge pipe.

Elevation of reference point--(a) 2557.5; (b) 2557.7; from U.S.G.S. topog.

Use--Irrigation and domestic. Depth--448 feet. Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 17	199.2	Nov. 25	204.4		
Nov. 27	200.2	Nov. 25 a	210.		

---

a By air gage.

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N11W18B

CHARLES RITCHIE

10019

Location--In southeast quarter of southwest quarter of Section 18, 1400 feet east of 20th Street E., 500 feet north of Avenue P.

Reference point--Plugged hole in north side of pump, 1 foot above ground.

Elevation of reference point--2562, from U.S.G.S. topog.

Use--Irrigation and domestic. Depth--256 feet. Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Nov. 27	203.5	Nov. 25 a			

---

a Obstructed at 204 feet.

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N11W18C

MOULTON PLACE

10029

Location--In southeast quarter of southeast quarter of Section 18, 250 feet west of 30th Street E., 250 feet north of Avenue P.

Reference point--Top of wooden cribbing.

Elevation of reference point--2553.5, from U.S.G.S. topog.

Use--Not used.

Depth--198 feet.

Casing--3 feet diameter.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Nov. 27	195.8	Apr. 24	194.4		
		Dec. 2 a			

---

a Dry at 198 feet.

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N11W19A

PALMDALE IRRIGATION DISTRICT

8700

Location--In southwest quarter of northwest quarter of Section 19, 35 feet east of 20th Street E., 45 feet north of Avenue P8 extended.

Reference point--Bottom of east pump base at ground.

Elevation of reference point--2583, from U.S.G.S. topog.

Use--Domestic and irrigation.

Depth--

Casing--

Other numbers--P.I.D. No. 76.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1930		1937		1938	
Feb. 4	185.6	May 29	208.8	Jan. 22	218.4
Apr. 26	186.0	June 25	209.4	May 1	211.6
July 17	187.6	Nov. 9	210.9	July 16	214.6
Nov. 29	185.0			Sep. 24	217.8
				Nov. 19	213.6

## 6N11W19A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Feb. 11	213.0	Feb. 16	217.0	Jan. 31	219.7
Nov. 18	217.0	May 31	220.1	Apr. 9	219.4
Dec. 9	216.4	Aug. 23 a	223.4	Apr. 24	219.8
		Nov. 29	220.9	May 30 b	224.0
				Oct. 31	221.8
				Nov. 24 b	225.4
				Dec. 6	222.5

a Well one-fourth mile northeast pumping.

b Well pumping nearby.

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N11W20A

MRS. F. C. SMITH

8731

Location--In southeast quarter of southwest quarter of Section 20, 30 feet north of Avenue J, 200 feet west of 35th Street E.

Reference point--Hole on east side of pump base, 0.5 foot above ground.

Elevation of reference point--2581, from U.S.G.S. topog.

Use--

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 28	210.2				
Dec. 2	212.8				

Measurements from Los Angeles County Flood Control District.



## MAP 11

6N11W20B

ALBERT COOKS

8731A

Location--In southeast quarter of southeast quarter of Section 20, 700 feet north of Avenue Q, 800 feet west of 40th Street E.

Reference point--Top of plank over pit, one foot above ground.

Elevation of reference point--2582, from U.S.G.S. topog.

Use-- Depth--227 feet. Casing--18 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 28	211.4				
Dec. 2	213.6				

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N11W21A

P. M. GREGORY

8740

Location--In southwest quarter of northwest quarter of Section 21, 75 feet east of 40th Street E., 50 feet north of Avenue P8 produced.

Reference point--Air line hole north side of pump base at ground.

Elevation of reference point--2570, from U.S.G.S. topog.

Use--Irrigation. Depth--570 feet. Casing--15 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Spring	195.	Dec. 2	203.9		

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N11W21B

SAM YELLEN

8741A

Location--In southwest quarter of southwest quarter of Section 21, 25 feet north of Avenue Q, 1200 feet east of 40th Street E.

Reference point--Plugged hole in southeast corner of pump head.

Elevation of reference point--2588.5, from U.S.G.S. topog.

Use-- Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 12	218.2	Apr. 28 a	218.1		
		Dec. 2	220.6		

a Pumping nearby.

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N11W26A

8792

Location--In southeast quarter of southeast quarter of Section 26, 225 feet west of 70th Street E., 300 feet north of Avenue R.

Reference point--Top of timber on concrete cribbing, 0.5 foot above ground.

Elevation of reference point--2663, from U.S.G.S. topog.

Use--Not used. Depth-- Casing--5 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Nov. 29	113.6	Apr. 28	111.2		
		Dec. 2	96.5		

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N11W28A

PIERCE

8741

Location--In southwest quarter of northwest quarter of Section 28, 1100 feet east of 40th Street E., 50 feet north of Pear Blossom Highway.

Reference point--Top of casing, 1.7 feet above ground.

Elevation of reference point--2608, from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--12 inches.

Other numbers--P.I.D. No. 26.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1927		1931		1937	
Oct. 18	190.8	Dec. 15	194.3	Jan. 8	218.5
Oct. 28	187.2			Apr. 22	218.6
Dec. 6	186.5	1932		May 29	227.3
				June 25	221.0
1928		Apr. 7	200.5	Nov. 9	221.4
		Dec. 29	204.3		
Jan. 21	186.0			1938	
Apr. 26	187.5	1933			
July 29	189.0			Jan. 22	a
Nov. 17	189.2	Apr. 13	204.5	Feb. 26	a
Dec. 15	187.0	Dec. 20	206.9	May 1	222.5
				July 16	224.3
1929		1934		Aug. 13	a
				Nov. 19	232.5
Apr. 25	189.8	Apr. 17	208.2		
June 22	191.0			1939	
Dec. 28	192.4	1935			
				Feb. 11	a
1930		Jan. 8	210.9		
		May 2	212.1	1940	
Feb. 4	192.6	Dec. 12	214.5		
Apr. 17	192.7			July 27	a
Apr. 26	193.0	1936			
July 17	194.0			1941	
Nov. 29	195.4	Apr. 6	215.8		
				Apr. 22	a

a Dry.

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N11W28B

8742

Location--In southwest quarter of southwest quarter of Section 28, 150 feet north of Avenue R, 1320 feet east of 40th Street E.

Reference point--Edge of 8 inch discharge pipe north side of pump, 2.5 feet horizontally from top of casing.

Elevation of reference point--2625, from U.S.G.S. topog.

Use-- Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 28	a 93.5				
Dec. 2	a 94.2				

a 2.5 feet deducted from actual measurement.

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N11W32A

PALMDALE RANCHO

8734

Location--In southeast quarter of southwest quarter of Section 32, 30 feet north of Avenue S, 50 feet west of 35th Street E.

Reference point--Bottom of I-beam, 2.5 feet above ground.

Elevation of reference point--2677.5, from U.S.G.S. topog.

Use-- Depth--500 feet. Casing--16 inches.

Other numbers--Palmdale Rancho Well No. 1.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 13	180.0	Apr. 28	169.1		
		Dec. 2	170.8		

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N11W33A

PETE MIKALIVNAS

8754B

Location--In southwest quarter of southeast quarter of Section 33, 25 feet north of Avenue S, 200 feet west of Pear Blossom Highway.

Reference point--Concrete pump base, 0.5 foot above ground surface.

Elevation of reference point--2678, from U.S.G.S. topog.

Use--Domestic. Depth--295 feet. Casing--10 inches, 250 feet;  
8 inches, 45 feet.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 28	132.4				
Dec. 2	133.9				

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N11W33B

THORNBERG

8754A

Location--In southeast quarter of southeast quarter of Section 33, 30 feet north of Avenue S, 750 feet east of Pear Blossom Highway.

Reference point--Pump base at air line, 0.5 foot above ground.

Elevation of reference point--2683, from U.S.G.S. topog.

Use--Irrigation. Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 13 a		Apr. 28	120.0		
		Dec. 2	121.8		

a Pumping.

Measurements from Los Angeles County Flood Control District.



## MAP 11

6N12W1A

9986

Location--In southwest quarter of southwest quarter of Section 1, 300 feet north of Avenue N, 100 feet east of 10th Street E.

Reference point--Top of casing at ground.

Elevation of reference point--2531, from U.S.G.S. topog.

Use-- Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940					

Nov. a

a Dry at 134 feet.

Measurement from Los Angeles County Flood Control District.

## MAP 11

6N12W10A

9966

Location--In northeast quarter of northwest quarter of Section 10, 350 feet south of Avenue N, 75 feet west of 5th Street W.

Reference point--Top of collar around casing, 0.8 foot below ground.

Elevation of reference point--2587, from U.S.G.S. topog.

Use--Not used. Depth--245+ feet. Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
May 31	239.0	Apr. 23	236.7		
Nov. 26	237.6	Nov. 18	239.6		

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N12W21A

8630

Location--In southwest quarter of northwest quarter of Section 21, 0.25 mile north of Avenue P8 produced, 0.1 mile east of 20th Street W.

Reference point--Top of 12 inch collar and casing at ground.

Elevation of reference point--2711, from U.S.G.S. topog.

Use--Not used.

Depth--350+ feet.

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
May 31	348.5	Apr. 23	347.0		
		Dec. 2	345.3		

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N12W24A

PALMDALE IRRIGATION DISTRICT

8690

Location--In northeast quarter of northwest quarter of Section 24, 25 feet west of 15th Street E., 1000 feet south of Avenue P.

Reference point--Pump base at ground.

Elevation of reference point--2587, from U.S.G.S. topog.

Use--Domestic and irrigation.

Depth--

Casing--

Other numbers--P.I.D. No. 75.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1927		1930		1939	
Dec. 6	188.	Feb. 4	190.1	Feb. 11	234.7
		Nov. 29	189.5		
1928		1937		1941	
July 29	191.			Apr. 9 a	
Dec. 5	188.	June 26	235.0		
1929		1938			
June 22	190.	May 1	220.6		
		Sep. 24	222.0		

a New pump; cannot measure.

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N12W25A

8682

Location--In southwest quarter of southwest quarter of Section 25, 175 feet east of 10th Street E., 250 feet north of Avenue R.

Reference point--Top of casing, 2 feet above ground.

Elevation of reference point--2651, from U.S.G.S. by topog.

Use--Not used.

Depth--

Casing--16 inches.

Other numbers used--P.I.D. No. 77.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1927		1937		1940	
Dec. 6	238.0	June 26	251.4	May 31	270.6
				June 29	271.0
1928		1938		July 27	271.2
				Aug. 24	271.6
July 29	241.0	Feb. 26	264.4	Nov. 29	272.0
Dec. 5	240.6	May 2	254.6	Dec. 28	272.1
1929		1939		1941	
June 22	241.0	Nov. 18	260.4	Jan. 31	272.4
				Apr. 9	275.9
1930				May 30	273.3
				July 18	274.7
July 17	243.0			Aug. 29	275.4
Nov. 29	244.0			Sep. 27	276.0
				Oct. 31	275.8
				Nov. 24	275.8
				Dec. 6	276.0

Measurements from Los Angeles County Flood Control District.

## MAP 11

6N12W35A

PALMDALE IRRIGATION DISTRICT

8672

Location--In northwest quarter of northeast quarter of Section 35, 25 feet east of 5th Street E. extended, 150 feet south of Avenue R.

Reference point--Top of concrete pit at ground.

Elevation of reference point--2680.5, from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--14 inches.

## 6N12W35A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Nov. 18	271.7				

Measurement from Los Angeles County Flood Control District.

## MAP 11

6N13W12A

GLICK

9897

Location--In northeast quarter of southeast quarter of Section 12, 35 feet south of one-half section line, 200+ feet west of 40th Street W. produced.

Reference point--(a) Top of 3" x 4" timber, 0.5 foot above ground to and including April 23, 1941; then (b) top of casing.

Elevation of reference point--(a) 2608; (b) 2607.5; from U.S.G.S. topog. Use--Stock. Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
May 31	234.2	Apr. 23	236.4		
Nov. 26	235.2	Nov. 18 a	240.4		

a Well nearly dry.

Measurements from Los Angeles County Flood Control District.

## MAP 11

7N9W18A

S. ALVEY

10230

Location--In southeast quarter of southeast quarter of Section 18, 110 feet north of Avenue J, 400 feet west of 150th Street E.

Reference point--Top of casing, 0.1 foot above concrete curb, 0.6 foot above ground surface.

Elevation of reference point--2490.5, from U.S.G.S. topog.

Use--Domestic. Depth--400+ feet. Casing--

Other numbers--U.S.G.S. No. 2 (New).

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1932		1936		1939	
Apr. 7	90.7	Apr. 15 a	101.5	Nov. 18	113.0
1933		1937		1940	
Apr. 14 a	94.3	Jan. 9	103.3	Mar. 14	112.6
		Apr. 22	104.0	Nov. 27	115.4
1934		Nov. 10	107.2		
		Nov. 10 c	106.8	1941	
Apr. 20 b	96.0				
		1938		Apr. 25	115.5
1935				Dec. 3	118.6
		May 24 a	107.9		
May 2 a	98.3				
Dec. 12	100.4				

a Pumping nearby.

b Pumping 600 feet north for past month.

c Measurement from Los Angeles County Flood Control District.

Measurements from United States Geological Survey except as noted.



## MAP 11

7N10W5A

CUNNINGHAM

11437

Location--In southwest quarter of southwest quarter of Section 5, 100 feet north of Avenue "H", 1100 feet east of 90th Street E.

Reference point--Top of casing at ground.

Elevation of reference point--2401, from U.S.G.S.

Use--Irrigation.

Depth--

Casing--14 or 16 inches.

Other numbers--U.S.G.S. No. 7 (Old).

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1922		1929		1935	
Oct. 30	23.8	Apr. 25 b	54.5	Jan. 8	45.7
		Dec. 28	32.1	Dec. 12	49.9
1924		1930		1936	
Oct. 23	28.5	Apr. 17	55.5	Apr. 15 f	64.5
1925		1931		1937	
May 6 a	46.7				
Oct. 6 a	46.4	Dec. 16 c	37.1	Jan. 9	51.6
				Apr. 22 g	
1926		1932		Nov. 10	57.6
May 13 a	46.3	Apr. 8 d		1938	
Oct. 16	34.4	Dec. 29	39.3	May 23 hi	
1927		1933		1939	
May 9 a	52.2	Apr. 14	55.0		
Oct. 27	35.8	Dec. 20	42.7	Mar. 10	58.9
				Nov. 18 ij	60.1
1928		1934			
Apr. 26 a	57.3	Apr. 20 e	62.7		
Nov. 18	32.4				

a Well to south pumping.

b Just shut down.

c Probably surface water.

d Plugged and dry at 51 feet.

e Pumping nearby.

f Pumping.

g Bottom caved; dry at 59 feet.

h Dry at 63 feet.

i Measurement from Los Angeles County Flood Control District.

j Not good; plugged.

Measurements from United States Geological Survey except as noted.

## MAP 11

7N10W5B

ELLA E. CUNNINGHAM

11437A

Location--In southwest quarter of southwest quarter of Section 5, 55 feet north of Avenue "H", one-fourth mile east of 90th Street E., 45 feet south of old well.

Reference point--Hole in base of pump, northeast side, 1.5 feet above ground.

Elevation of reference point--2402.5, from U.S.G.S. topog.

Use--Irrigation. Depth--406 feet. Casing--16 inches.

Other numbers--U.S.G.S. No. 7.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Nov. 18	72.7	Nov. 29	73.0	Jan. 31	66.9
				Apr. 9	75.2
				Apr. 25 a	82.5
				May 30 b	
				Dec. 3 a	72.7

---

a Measurement from United States Geological Survey.

b Water surface below obstruction at 100 feet. Heavy pumping near.

Measurements from Los Angeles County Flood Control District except as noted.

## MAP 11

7N10W5C

ELLA E. CUNNINGHAM

11437B

Location--In northwest quarter of southwest quarter of Section 5, 1440 feet north of Avenue "H", 1320 feet east of 90th Street E.

Reference point--Hole in pump base, 1 foot above ground.

Elevation of reference point--2397, from U.S.G.S. topog.

Use--Domestic and irrigation. Depth--387 feet. Casing--14 inches, 160

Other numbers--U.S.G.S. No. 7B. feet; 10 inches, 227 feet.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Nov. 18 a	70.8	Mar. 13	74.4	Apr. 25	79.7
		Nov. 29 a	72.5	Dec. 3	68.5

---

a Measurement from Los Angeles County Flood Control District.

Measurements from United States Geological Survey except as noted.

## MAP 11

7N10W7A

BOEGE

11428

Location--In northwest quarter of northeast quarter of Section 7, 1400 feet west of 90th Street E., 150 feet south of Avenue H.

Reference point--Top of casing, 0.4 foot above ground.

Elevation of reference point--2397.5, from U.S.G.S. topog.

Use--Domestic.

Depth--

Casing--6 inches.

Other numbers--U.S.G.S. No. 6 (New).

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1932		1936		1939	
Apr. 8	41.6	Apr. 15 b	56.5	Mar. 10	53.6
				Nov. 18 c	57.7
1933		1937		1940	
Apr. 14	45.4	Jan. 9	48.5		
		Apr. 22 b	58.0	Mar. 14	57.2
1934		Nov. 10	52.9	Nov. 29 c	60.2
Apr. 20	50.6	1938		1941	
1935		May 23	60.4	Arr. 25	60.5
				Dec. 3 c	61.0
May 2	54.1				
Dec. 12 a	47.3				

---

a Pumping.

b Pumping nearby.

c Measurement from Los Angeles County Flood Control District.

Measurements from United States Geological Survey except as noted.

## MAP 11

7N10W30A

E. J. BALL

10123B

Location--In southwest quarter of northeast quarter of Section 30, 1800+ feet west of 90th Street E., 10+ feet north of quarter section line.

Reference point--Under side of pump base, east side, 1.5 feet above ground.

Elevation of reference point--2488, from U.S.G.S. topog.

Use--Irrigation.

Depth--450 feet.

Casing--14 inches.

## 7N10W30A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Nov. 29	144.6	Dec. 2	146.4		

---

Measurements from Los Angeles County Flood Control District.

## MAP 11

7N10W31A

H. O. BARKEN

10114

Location--In southwest quarter of southwest quarter of Section 31, one-fourth mile north of Avenue M produced, one-fourth mile east of 80th St.E.  
 Reference point--Base of pump at air line, 0.7 foot above ground.  
 Elevation of reference point--2506, from U.S.G.S. topog.  
 Use--Irrigation. Depth--365 feet. Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Nov. 27	151.7	Dec. 2	154.3		

---

Measurements from Los Angeles County Flood Control District.

## MAP 11

7N10W31B

10123

Location--In northwest corner of northeast quarter of northeast quarter of Section 31, 60 feet south of Avenue L and 1000 feet west of 90th Street E.  
 Reference point--Top of casing, 2.5 feet above ground.  
 Elevation of reference point--2503.0, from U.S.G.S.  
 Use-- Depth--300+ feet. Casing--14 inches.  
 Other numbers--U.S.G.S. No. 5.



## 7N10W31B Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1940		1941	
Nov. 10 a	143.6	Mar. 13	148.8	Apr. 11	152.2
		Nov. 29 a	156.2	Dec. 3 a	158.6
1939					
Nov. 18	151.0				

a Measurement from Los Angeles County Flood Control District.  
Measurements from United States Geological Survey except as noted.

## MAP 11

7N11W8A

MAE AVERY

11329

Location--In southeast quarter of southwest quarter of Section 8, 850 feet north of Avenue I, 0.32 mile east of 30th Street E.  
Reference point--Top of casing, 0.3 foot below concrete curb, 0.4 foot above ground.  
Elevation of reference point--2383.4, from U.S.G.S. topog.  
Use--Not used. Depth--300+ feet. Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1933		1936		1939	
Apr. 14	45.0	Apr. 16 a	54.3	Mar. 10	51.7
				Nov. 18 c	53.6
1934		1937			
Apr. 20	51.0	Jan. 9	46.8		
		Apr. 22 a	56.6	Mar. 14	53.8
1935		Nov. 10 b	53.9	Dec. 5 c	54.1
May 2 a	53.5				
Dec. 12	46.3	1938		1941	
		May 23 c	59.4	Apr. 10	54.8
				Dec. 3	56.2

a Pumping near.

b Pump 1000 feet southeast running.

c Measurement from Los Angeles County Flood Control District.  
Measurements from United States Geological Survey except as noted.



## MAP 11

7N11W23A

R. E. STAUSS

10072

Location--In southwest quarter of southwest quarter of Section 23, 900 feet north of Avenue K, 150 feet east of 60th Street E.

Reference point--Pump base at top of 4' x 4' concrete block, 1 foot above ground.

Elevation of reference point--2441, from U.S.G.S. topog.

Use--Irrigation.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 19 a		Apr. 24 a			
Nov. 27	123.5	Dec. 2 a			

a Could not measure.

Measurements from Los Angeles County Flood Control District.

## MAP 11

7N11W23B

MRS. BARNES

10081

Location--In northeast quarter of southwest quarter of Section 23, 75 feet west of 65th Street E., 1600 feet north of Avenue K.

Reference point--Top of casing (north), 0.5 foot above ground.

Elevation of reference point--2439, from U.S.G.S. topog.

Use--Domestic.

Depth--

Casings--8 inches (two).

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 18	122.7	Apr. 24	123.1		
Nov. 27	122.9	Dec. 2	124.8		

Measurements from Los Angeles County Flood Control District.

## MAP 11

7N11W23C

10082

Location--In southwest quarter of southeast quarter of Section 23, 60 feet north of Avenue K, 900 feet east of 65th Street E.

Reference point--Top of casing, 2 feet above ground.

Elevation of reference point--2452, from U.S.G.S. topog.

Use-- Depth-- Casing--14 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 24	115.2				
Dec. 2	117.7				

---

Measurements from Los Angeles County Flood Control District.

## MAP 11

7N11W24A

STEVENSON

10101

Location--In northeast quarter of northwest quarter of Section 24, 150+ feet south of Avenue J, 150+ feet west of dirt road, one-half mile east of 70th Street E.

Reference point--Top of casing, 1.0 foot above ground.

Elevation of reference point--2433, from U.S.G.S. topog.

Use--Domestic. Depth--212 feet. Casing--8 inches.

Other numbers--U.S.G.S. No. 8 (new).

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1932		1934		1936	
Apr. 8	73.4	Apr. 20	83.8	Apr. 15 a	91.7
1933		1935		1937	
Apr. 14	75.2	May 2 a	87.7	Jan. 9	85.4
		Dec. 12	81.0	Apr. 22 a	95.5
				Nov. 10 b	94.6

## 7N11W24A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1940		1941	
May 24 a	101.1	Mar. 14	97.6	Apr. 11	98.4
		Nov. 29 b	104.2	May 30 b	111.6
1939				1942	
Mar. 10	92.5				
Nov. 18 b	100.0			Apr. 22	112.0

a Heavy pumping nearby.

b Measurement from Los Angeles County Flood Control District.

Measurements from United States Geological Survey except as noted.

## MAP 11

7N11W27A

JAMES N. PROVONYANCE

10063

Location--In southeast quarter of northwest quarter of Section 27, 0.25 mile east of 50th Street E., one-half mile south of Avenue K.

Reference point--Air line hole in northwest side of pump base at ground.

Elevation of reference point--2454, from U.S.G.S. monog.

Use--Irrigation.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Nov. 27	114.2	Dec. 2	116.3		

Measurements from Los Angeles County Flood Control District.

## MAP 11

7N11W28A

MRS. LESHIN AND SONS

10052

Location--In northeast quarter of northeast quarter of Section 28, 500+ feet south of Avenue K, 30 feet west of 50th Street E.

Reference point--(a) Top of timbers supporting pump, 0.8 foot above ground through December 2, 1941; then (b) top of casing at ground.

Elevation of reference point--(a) 2445; (b) 2444.2; from U.S.G.S. topog.

Use--Irrigation.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Nov. 27	99.5	Dec. 2	102.7		

Measurements from Los Angeles County Flood Control District.

## MAP 11

7N11W28B

10053

Location--In northeast quarter of southwest quarter of Section 28, 100 feet west of north and south center line of Section 28 (about one-half mile east of 40th Street E.) 1000+ feet south of east and west center line of Section 28.

Reference point--Top of casing and concrete slab, 0.7 foot above ground.

Elevation of reference point--2448.7, from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
Nov. 10	96.4	Mar. 10	95.0	Apr. 10	100.6
		Nov. 12 a	99.2	Apr. 24 a	100.9
1938				Dec. 2	103.8
		1940			
May 24	98.3	Mar. 13	98.5		
		Nov. 27 a	101.7		

a Measurement from Los Angeles County Flood Control District.

Measurements from United States Geological Survey except as noted.

## MAP 11

7N11W28C

MRS. LESHIN AND SONS

10053A

Location--In southeast quarter of northeast quarter of Section 28, one-half mile south of Avenue K, 50 feet west of 50th Street E.

Reference point--Under side of pump base, south side, 0.2 foot above ground.

Elevation of reference point--2449, from U.S.G.S. topog.

Use--Irrigation                      Depth--                      Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Nov. 27	101.5	Dec. 2	103.6		

---

Measurements from Los Angeles County Flood Control District.

## MAP 11

7N12W4A

11248

Location--In southeast quarter of southwest quarter of Section 4, 170 feet north of Avenue H, 1.2 miles west of Sierra Highway.

Reference point--Top of plug in casing, 1.2 feet above ground.

Elevation of reference point--2315, from U.S.G.S. topog.

Use--                      Depth--                      Casing--8 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Dec. 9 a		July 25	6.4	Apr. 23 b	
		Nov. 29 b		Aug. 29	6.9
				Sep. 26	6.8
				Oct. 31	3.4
				Dec. 5 b	

---

a Water flowing out of hole in side of casing 0.2 foot below ground forming pond.

b Flowing.

Measurements from Los Angeles County Flood Control District.



## MAP 11

7N12W4B

11248A

Location--In southeast quarter of southwest quarter of Section 4, 50 feet north of Avenue H, 1.2 miles west of Sierra Highway.

Reference point--Bottom of slot in south side of pipe, 1.2 feet above ground.

Elevation of reference point--2315, from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--3 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Dec. 9 a		July 25	4.2	Apr. 23 c	
		Nov. 29 b		Aug. 29	4.0
				Sep. 26	4.3
				Oct. 31	3.5
				Dec. 5	2.3

---

a Water flowing out of small hole in pipe, 0.2 foot below ground.

b Flowing.

c Water flowing out of pool.

Measurements from Los Angeles County Flood Control District.

## MAP 11

7N12W4C

11257

Location--In southeast quarter of northeast quarter of Section 4, 150 feet west of 10th Street W., 0.7 mile north of Avenue H.

Reference point--Top of casing, 2 feet above ground.

Elevation of reference point--2315, from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--6 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Dec. 5	5.2				

---

Measurement from Los Angeles County Flood Control District.

## MAP 11

7N12W10A

11259

Location--In northwest quarter of southwest quarter of Section 10, 200+ feet east of 10th Street W., 2000+ feet north of Avenue I. Open abandoned casing on knoll.

Reference point--Top of casing, 0.5 foot above adjacent ground.

Elevation of reference point--2327.5, from U.S.G.S. topog.

Use--Stock. Depth-- Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Dec. 9	Flowing	Nov. 29	Flowing	Apr. 22	Flowing
				Dec. 5	"

Measurements from Los Angeles County Flood Control District.

## MAP 11

7N12W15C

AGNES H. POWELL

11259B

Location--In southeast quarter of northwest quarter of Section 15, 50 feet north of 9th Street, 130 feet west of Elm Street.

Reference point--Top of iron clamp, 1 foot above ground.

Elevation of reference point--2348.5, from U.S.G.S. topog.

Use--Domestic. Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1924					

Flowing

Measurements from Los Angeles County Flood Control District.

## MAP 11

7N12W22A

LOS ANGELES COUNTY WATER DISTRICT NO. 4

9961

Location--In northwest quarter of northeast quarter of Section 22, 190 feet south of south property line of Avenue J, 275 feet west of west property line of 4th Street W.

Reference point--

Elevation of reference point--

Use--Municipal.

Depth--602 feet.

Casing--16 inches,

Other numbers--Owner No. 3.

224 feet; 12

inches, 388 feet.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Oct.	61.				
Oct. a	75.				

a Pumping.

Measurements from Los Angeles County Flood Control District.

## MAP 11

7N12W29A

OLD COMMUNITY WELL

9923

Location--In southeast quarter of southwest quarter of Section 29, 25 feet north of property line of Avenue L, 300 feet west of 25th Street W.  
Reference point--Hole in southeast side of pump base, 0.4 foot above ground surface.

Elevation of reference point--2449, from U.S.G.S. topog.

Use--Irrigation.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Dec. 9	111.7	Nov. 29	112.9	Apr. 23	112.5
				Nov. 18	114.2

Measurements from Los Angeles County Flood Control District.

## MAP 11

7N12W32A

9934

Location--In southeast quarter of northeast quarter of Section 32, one-half mile north of Avenue M, 400 feet west of 20th Street W.

Reference point--Top of casing.

Elevation of reference point--9486, from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--

Other numbers--U.S.G.S. No. 20.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1940	
Nov. 9	146.0	Mar. 8	147.5	Mar. 13	149.7
		Nov. 17	150.4	Nov. 26	a
1938				1941	
May 23	146.1			Apr. 10	bc 152.3

---

a Dry.

b Only about 0.5 foot of water; may be rain.

c Measurement from United States Geological Survey.

Measurements from Los Angeles County Flood Control District except as noted.

## MAP 11

7N12W32B

9935

Location--In southeast quarter of southeast quarter of Section 32, 40 feet north of Avenue M, 150 feet west of 20th Street W.

Reference point--Top of casing, 0.5 foot above ground surface.

Elevation of reference point--2523, from U.S.G.S. topog.

Use--Not used.

Depth--260+ feet.

Casing--10 inches.

## 7N12W32B Continued

Date	Dist.R.P. to water surface Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
Nov. 9	172.8	Mar. 8 a	175.4	Apr. 10 a	180.6
		Nov. 17	177.6	Dec. 2 a	182.9
1938		1940			
May 23 a	173.4	Feb. 16	179.2		
		Mar. 13 a	177.6		
		Nov. 29	180.6		

a Measurement from United States Geological Survey.

Measurements from Los Angeles County Flood Control District except as noted.

## MAP 11

7N12W34A

MORRISON

9964

Location--In southeast quarter of northeast quarter of Section 34, 800+ feet west of Sierra Highway, 0.6 mile north of Avenue M.

Reference point--(a) Top of casing cap, 0.8 foot above ground through March 8, 1939; then (b) bottom inside  $1\frac{1}{2}$  inch elbow.

Elevation of reference point--(a) 2502; (b) 2502.7; from U.S.G.S. topog.

Use--Not used.

Depth--173 feet.

Casing--

Other numbers--U.S.G.S. No. 167, Old No. 21.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1921		1924		1926	
Oct. 4	123.6	July 16	125.4	May 12	126.7
		Oct. 22	127.0	Aug. 25	133.4
1922		Nov. 14	126.1	Oct. 15	128.5
Feb. 8	121.7	1925		1927	
May 21	122.5	Feb. 19	126.6	Jan. 20	130.0
Oct. 22	125.1	May 5	125.5	May 9	128.5
1923		June 8	125.9	Oct. 26	130.7
		Aug. 12	126.7		
May 13	123.5	Oct. 6	127.2		
July 11	124.5	Dec. 29	126.9		



## 7N12W34A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1928		1934		1940	
Apr. 26	130.8	Apr. 19	147.8	Feb. 16	c 163.9
Nov. 17	134.1			Apr. 21	c 164.2
		1935		May 31	c 164.6
1929				June 29	c 165.0
		Jan. 8	150.3	July 27	c 165.6
Apr. 25	133.4	May 1	149.9	Aug. 24	c 166.0
Dec. 28	139.8	Dec. 13	152.7	Nov. 29	c 167.0
				Dec. 28	c 166.9
1930		1936			
Apr. 17	137.0	Apr. 15	152.6	1941	
				Jan. 31	c 166.8
1931		1937		Apr. 9	c 166.5
				Apr. 10	c 165.6
Dec. 16	a	Jan. 8	155.4	Apr. 23	c 166.5
		Apr. 22	155.4	May 30	c 166.9
1932		Nov. 9	c 158.3	July 18	c 167.7
				Aug. 29	c 168.4
Apr. 7	b	1938		Sep. 26	c 168.8
Dec. 29	145.9			Oct. 31	c 169.1
		May 23	158.4	Nov. 24	c 169.0
1933				Dec. 2	c 168.2
		1939			
Apr. 13	145.5				
Dec. 20	147.9	Mar. 8	160.7		
		Nov. 17	164.2		
		Dec. 9	164.1		

a Dry at 140 feet.

b Could not measure.

c Measurement from Los Angeles County Flood Control District.

Measurements from United States Geological Survey except as noted.

## MAP 11

7N13W6A

11106

Location--In northeast quarter of northeast quarter of Section 6, 600 feet west of 90th Street W., 650 feet south of Avenue G.

Reference point--Top of concrete, 0.2 foot above ground.

Elevation of reference point--2473, from U.S.G.S. topog.

Use--Domestic.

Depth--375+ feet.

Casing--8 inches.

## 7N13W6A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1940	
Apr. 16	93.0	May 23 a	99.5	Dec. 6 b	104.0
1937		1939		1941	
Jan. 8	91.0	Mar. 8 a	99.3	Apr. 25	98.6
Apr. 22	95.1	Nov. 17 b	102.2	Dec. 3	105.2
Nov. 9	98.8				

a Windmill pumping.

b Measurement from Los Angeles County Flood Control District.

Measurements from United States Geological Survey except as noted.

## MAP 11

7N13W11A

JOHN PAYNE

11168

Location--In northwest quarter of southwest quarter of Section 11, 20 feet east of center line of 60th St. W., about one-half mile north of Avenue I.

Reference point--Pump base at ground.

Elevation of reference point--2354, from U.S.G.S. topog.

Use--Domestic.

Depth--

Casing--6 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940		1941	
Nov. 7	14.0	Feb. 16	11.4	Jan. 31	14.2
		May 31	18.0	Apr. 9	13.0
		June 29	17.9	May 30	20.9
		Aug. 24	21.6	July 18	20.8
		Nov. 26	15.8	Aug. 29	20.8
		Dec. 28	14.1	Sep. 27	20.0
				Oct. 31	15.4
				Dec. 5 a	18.8

a Just shut off.

Measurements from Los Angeles County Flood Control District.

## MAP 11

7N13W16C

J. R. HARRIS

11139B

Location--In northeast quarter of northwest quarter of Section 16, 500 feet south of Avenue I and approximately on center line produced of 75th Street W.

Reference point--Ground surface.

Elevation of reference point--2374, from U.S.G.S. topog.

Use-- Depth--356 feet. Casing--14 inches, 200 feet;  
10 inches, 156 feet.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Spring	90+				
a	135.				

---

a Pumping 91 miners inches.

Measurements by owner from Los Angeles County Flood Control District.

## MAP 11

7N13W17A

G. ZARRO

11119

Location--In northwest quarter of northwest quarter of Section 17, 20 feet south of Avenue I, 200 feet east of 90th Street W.

Reference point--Top of concrete block at pump base, 1 foot above ground.

Elevation of reference point--2421.5, from levels by U.S.G.S. topog.

Use--Irrigation. Depth--450 feet. Casing--12 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1940		1941	
Nov. 9	92.5	Mar. 13 a	92.5	Apr. 25 a	100.5
		Dec. 5	96.9	Dec. 2 a	96.8
1939					
Mar. 8	85.4				
Nov. 17	99.7				

---

a Measurement from United States Geological Survey.

Measurements from Los Angeles County Flood Control District except as noted.

## MAP 11

7N13W27A

A. F. GODDE

9843

Location--In southwest quarter of southwest quarter of Section 27, 200 feet east of 70th Street W., 0.25 mile north of Avenue L.

Reference point--Base of pump, 1 foot above ground.

Elevation of reference point--2421, from U.S.G.S. topog.

Use--Irrigation.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Nov. 24	117.8+				

Measurement from Los Angeles County Flood Control District.

## MAP 11

7N13W28A

CRENMER

9833

Location--In southeast quarter of southwest quarter of Section 28, 750 feet north of Avenue L, 0.3 mile east of 80th Street W.

Reference point--Top of casing, 0.5 foot above ground.

Elevation of reference point--2475.5, from U.S.G.S. topog.

Use--

Depth--172.5 feet.

Casing--8 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
July 7	172.+				
Nov. 24	a 172.5				

a Nearly dry.

Measurements from Los Angeles County Flood Control District.

## MAP 11

7N13W34A

E. P. WIEMAN

9864

Location--In southeast quarter of northeast quarter of Section 34, 2400+ feet south of Avenue L, 200 feet west of 60th Street W.

Reference point--Top of casing, 0.4 foot above ground.

Elevation of reference point--2458, from U.S.G.S. topog.

Use--Domestic.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1934		1937		1940	
Apr. 19	142.4	Nov. 9 a	156.5	Mar. 13	152.2
		Nov. 22	149.7	Nov. 26 b	165.2
1935		1939		1941	
May 1	141.3				
Dec. 13	143.3	Nov. 17 bc	161.3	Apr. 10 b	155.5
				Dec. 2 b	165.2
1936					
Apr. 16	145.4				

---

a Pumping.

b Measurement from Los Angeles County Flood Control District.

c Well 700 feet northeast pumping.

Measurements from United States Geological Survey except as noted.

## MAP 11

7N13W35A

GEORGE LANE

9864A

Location--In southwest quarter of northwest quarter of Section 35, 1500+ feet south of Avenue L, 230 feet east of 60th Street W.

Reference point--Bottom of cast iron pump base, 1 foot above ground.

Elevation of reference point--2444, from U.S.G.S. topog.

Use--Irrigation and domestic. Depth--

Casing--12 inches.

---



## 7N13W35A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
Nov. 9	138.8	Mar. 8	130.2	Apr. 10	136.5
1938		1940		Dec. 2	146.8
May 23	137.2	Mar. 13 a	133.5		
		Nov. 26	146.2		

---

a Measurement from Los Angeles County Flood Control District.  
Measurements from United States Geological Survey except as noted.

## MAP 11

8N9W2A

MRS. E. G. BURMAN

12908

Location--In southwest quarter of southeast quarter of Section 2, 1200 feet north of Avenue B, 1700+ feet west of 190th Street E.

Reference point--Top of 3" x 6", one foot above ground.

Elevation of reference point--2476, from U.S.G.S. topog.

Use--

Depth--245 feet.

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 24 a	45.+				

---

a Doubtful; may be seepage.

Measurement from Los Angeles County Flood Control District.

## MAP 11

8N9W2B

U.S. ARMY RESERVATION (FORMERLY BURMAN)

12898

Location--In southwest quarter of northwest quarter of Section 2, 0.5 mile north of Avenue B, 0.18 mile east of 180th Street E., extended.

Reference point--Top of concrete block, two feet above ground.

Elevation of reference point--2387, from U.S.G.S. topog.

Use-- Depth--113<sup>4</sup> feet. Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Apr. 24 a

a Dry at 113 feet; some seepage.

Measurement from Los Angeles County Flood Control District.

## MAP 11

8N9W4A

U.S. ARMY RESERVATION (FORMERLY WILSON)

12878

Location--In southeast quarter of northeast quarter of Section 4, 0.5+ mile north of Avenue B, 700 feet west of 170th Street E. extended.

Reference point--Top of casing, 2.5 feet above ground.

Elevation of reference point--2301, from U.S.G.S. topog.

Use--Not used. Depth--18.5 feet. Casing--6 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Apr. 24 18.2

Dec. 6 18.6

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N9W4B U.S. ARMY RESERVATION (FORMERLY LEE JOHNSON) 12869

Location--In southeast quarter of southwest quarter of Section 4, 50 feet north of Avenue B, 1900 feet east of 160th Street E., extended.

Reference point--Bottom side of 2 x 4 block on east side, 0.5 foot above ground.

Elevation of reference point--2305.5, from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 24	21.6				
Dec. 6	21.6				

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N9W4C U.S. ARMY RESERVATION (FORMERLY RALPH WILSON) 12868A

Location--In southeast quarter of southwest quarter of Section 4, 1600 feet north of Avenue B, 3200+ feet west of 170th Street E., extended.

Reference point--Top of casing, 0.2 foot above ground.

Elevation of reference point--2291, from U.S.G.S. topog.

Use--

Depth--

Casing--6 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 24	9.6				
Dec. 6	9.7				

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N9W4D

U.S. ARMY RESERVATION (FORMERLY WILSON)

12868

Location--In northeast quarter of southeast quarter of Section 4, .50+ mile north of Avenue B, .25+ mile west of 170th Street E., extended.

Reference point--Top of 6 x 6 timber, 0.5 foot above ground.

Elevation of reference point--2297.5, from U.S.G.S. topog.

Use-- Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 24	16.4				
Dec. 6	17.0				

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N9W4E

U.S. ARMY RESERVATION  
(FORMERLY CHARLES W. GREEN)

12859A

Location--In southwest quarter of southwest quarter of Section 4, 500 feet north of Avenue B, 500 feet east of 130th Street E., extended.

Reference point--Top of casing at ground.

Elevation of reference point--2294, from U.S.G.S. topog.

Use--Not used. Depth--125 feet. Casing--8 inches.

Other numbers--Original Owner No. 5.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 24	10.1				
Dec. 6	10.2				

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N9W4H U.S. ARMY RESERVATION 12858A  
(FORMERLY CHARLES W. GREEN)

Location--In southwest quarter of southwest quarter of Section 4, 650+ feet north of Avenue B, 150 feet east of 160th Street E. extended.  
Reference point--Top of 2 x 12 plank, two feet above ground.  
Elevation of reference point--2298, from U.S.G.S. topog.  
Use-- Depth--125 feet. Casing--8 inches.  
Other numbers--Original Owner No. 3.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 24	12.0				
Dec. 6	12.4				

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N9W4I U.S. ARMY RESERVATION 12858  
(FORMERLY CHARLES W. GREEN)

Location--In southwest quarter of southwest quarter of Section 4, 800+ feet north of Avenue B, 500+ feet east of 160th Street E., extended.  
Reference point--Top of casing, 0.5 foot above ground.  
Elevation of reference point--2294, from U.S.G.S. topog.  
Use--Domestic. Depth--245 feet. Casing--6 inches.  
Other numbers--Original Owner's No. 2.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Dec. 6	12.8				

Measurement from Los Angeles County Flood Control District.



## MAP 11

8N9W6A

U. S. ARMY RESERVATION

12828

Location--In southeast quarter of northwest quarter of Section 6, 1450 feet east of west section line, which should be 140th Street E., 100 feet north of road which may be Avenue A8.

Reference point--Top of 8 inch casing, 0.5 foot above ground.

Elevation of reference point--2296, from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--12 inches;  
8 inches inside.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 24	9.1				
Dec. 6	10.8				

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N9W6B

U. S. ARMY RESERVATION

12828A

Location--In southeast quarter of northwest quarter of Section 6, 1450 feet east of 140th Street E. produced, 125<sup>+</sup> feet north of what may be Avenue A8.

Reference point--Iron clamp at ground.

Elevation of reference point--2295.5, from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 21	8.9				
Dec. 6	10.4				

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N9W6C

U. S. ARMY RESERVATION

12928B

Location--In southeast quarter of northwest quarter of Section 6, 1450 feet east of 140th Street E. produced, 150 feet north of what may be Avenue A8.

Reference point--Top of casing, 1 foot above ground.

Elevation of reference point--2294, from U.S.G.S. topog.

Use-- Depth-- Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 24	8.2				
Dec. 6	10.0				

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N9W6D

U. S. ARMY RESERVATION  
(FORMERLY HOMER CAMPBELL)

12829

Location--In southwest quarter of southwest quarter of Section 6, 500+ feet north of Avenue B, 0.15 mile east of 140th Street E, produced.

Reference point--Top of casing, 1.5 feet above ground.

Elevation of reference point--2304, from U.S.G.S. topog.

Use-- Depth-- Casing--5 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 24	10.6				
Dec. 6	11.1				

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N9W6E

U.S. ARMY RESERVATION

12839

Location--In southeast quarter of southeast quarter of Section 6, 300+ feet west of section line, which should be 150th Street E., 100 feet north of Avenue B.

Reference point--Top of 2 x 12 plank, 1.4 feet above ground.

Elevation of reference point--2300, from U.S.G.S. topog.

Use-- Depth-- Casing--12 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 24	12.0				
Dec. 6	12.4				

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N10W1A

U.S. ARMY RESERVATION

12818

Location--In northeast quarter of northeast quarter of Section 1, 4000 feet north of Avenue B, between road and what should be 140th Street F., 50+ feet east of road.

Reference point--Top of casing at ground.

Elevation of reference point--2295, from U.S.G.S. topog.

Use-- Depth-- Casing--8 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 24	5.8				
Dec. 6	7.2				

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N10W2A

U.S. ARMY RESERVATION

12799

Location--In southeast quarter of southwest quarter of Section 2, 725 feet north of Avenue B, 1900+ feet east of 120th Street E.

Reference point--Top of 6 x 6 railroad tie at north end of pit at ground.

Elevation of reference point--2310, from U.S.G.S. topog.

Use--Not used.

Depth--75 feet.

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Apr. 24	4.8				
Dec. 6	6.6				

---

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N10W9A

J. M. HAMILTON

11450

Location--In northwest quarter of southwest quarter of Section 9, 600 feet east of 100th Street E., 1400 feet north of Avenue C.

Reference point--Top of casing, 1.8 feet above ground.

Elevation of reference point--2319, from U.S.G.S. topog.

Use--Not used.

Depth--25+ feet.

Casing--8 inches.

Other numbers--U.S.G.S. No. 8.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1922		1926		1929	
Oct. 30	11.8	May 13	12.4	Apr. 25	13.8
		Oct. 16	13.4	Dec. 28	14.8
1924					
		1927		1930	
Oct. 23	12.5				
		May 9	12.8	Apr. 17	14.6
1925					
		1928		1931	
May 6	11.9				
Oct. 6	12.8	Apr. 26	13.6	Apr. 8	15.3
		Nov. 18	14.5	Dec. 16	15.8

## 8N10W9A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1932		1935		1938	
Dec. 29	16.5	Jan. 8	17.7	May 23	19.6
		May 2	17.5		
1933		Dec. 12	18.3	1939	
Apr. 14	16.4	1936		May 10	19.8
Dec. 20	17.2			Nov. 18	20.5
		Apr. 15	18.3		
1934		1937		1940	
Apr. 20	17.3			Mar. 13	20.3
		Jan. 9	18.9	Nov. 29 a	21.0
		Apr. 22	18.6		
		Nov. 10 a	19.6	1941	
				Apr. 25	20.5

a Measurement from Los Angeles County Flood Control District.

Measurements from United States Geological Survey except as noted.

## MAP 11

8N10W19A

UNION TRUST &amp; SAVINGS BANK

11423

Location--In southwest quarter of southeast quarter of Section 19, 50 feet north of center line of Avenue E., 2400+ feet west of 90th Street E.  
Reference point--Small oval hole in side of pump base, 0.5 foot above ground.

Elevation of reference point--2342.5, from U.S.G.S. topog.

Use--Irrigation.

Depth--750 feet.

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1941		1942	
Nov. 18	45.2	Jan. 31	31.4	Jan. 3	35.6
		Apr. 9	30.2		
1940		Apr. 25 a	35.7		
		Dec. 3 a	42.7		
Mar. 13 a	37.0				
Nov. 29	42.3				

a Measurement from United States Geological Survey.

Measurements from Los Angeles County Flood Control District except as noted.



## MAP 11

8N10W29A

REDMAN SCHOOL

11433

Location--In northwest quarter of northwest quarter of Section 29, 250 feet east of 90th Street E., 1000 feet south of Avenue E.

Reference point--

Elevation of reference point--

Use--Domestic.

Depth--

Casing--6 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1938		1940			
Nov.	38.	a			

a Sealed; cannot measure.

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N11W22A

G. L. PROTHRO

11363B

Location--In northwest quarter of southwest quarter of Section 22, one-fourth mile north of Avenue E., one-fourth mile east of 50th Street E.

Reference point--(a) One-half inch hole in northwest side of casing at ground level through May 23, 1938; then (b) one inch pipe in concrete base 0.3 foot above ground.

Elevation of reference point--(a) 2317.7; (b) 2318; from U.S.G.S. topog.

Use--Irrigation.

Depth--175 feet.

Casing--12 inches.

Other numbers--U.S.G.S. No. 7C.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
Nov. 10	34.5	Mar. 10	28.6	Apr. 25 b	33.0
		Nov. 17	34.7	Dec. 3 b	37.2
1938					
		1940			
May 23 a					
		Mar. 13 ab			
		Nov. 29	37.6		

a Pumping.

b Measurement from United States Geological Survey.

Measurements from Los Angeles County Flood Control District except as noted.

## MAP 11

8N11W22B

G. L. PROTHRO

11363

Location--In southwest quarter of southwest quarter of Section 22, 45 feet north of center line of Redman Road (Avenue E), 1200<sup>+</sup> feet east of 50th Street E.

Reference point--Top of casing at ground.

Elevation of reference point--2321, from U.S.G.S. topog.

Use--Not used. Depth--210 feet. Casing--Top 8 inches;

Other numbers--U.S.G.S. No. 7A (formerly No. 7). bottom 6 $\frac{1}{2}$  inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1932		1934		1936	
Apr. 8	34.7	Apr. 20	48.8	Apr. 15 b	47.8
1933		1935		1937	
Apr. 14 a	45.0	Jan. 8	45.7	Jan. 9 c	
		May 2 a	52.7		
		Dec. 12	26.4		

---

a Pumping near.

b Heavy pumping one month.

c Pump installed; could not measure.

Measurements from United States Geological Survey.

## MAP 11

8N11W22C

G. L. PROTHRO

11363A

Location--In southwest quarter of southwest quarter of Section 22, 45 feet north of center line of Redman Road (Avenue E), 1150<sup>+</sup> feet east of 50th Street E., 50 feet west of No. 11363.

Reference point--Top of casing at ground.

Elevation of reference point--2321, from U.S.G.S. topog.

Use-- Depth-- Casing--8 inches.

Other numbers--U.S.G.S. No. 7B.

---

## 8N11W22C Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1937			
Apr. 15	a 47.8	Jan. 9	27.0		
		Apr. 22	b 45.2		

a Heavy pumping one month.

b Pumped yesterday.

Measurements from United States Geological Survey.

## MAP 11

8N11W30B

11325A

Location--In southeast quarter of southeast quarter of Section 30, 850 feet west of 30th Street E., 400 feet north of Avenue F.

Reference point--Top of casing, 0.2 foot above ground.

Elevation of reference point--2330.2, from U.S.G.S. topo.

Use-- Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Dec. 6	37.0				

Measurement from Los Angeles County Flood Control District.

## MAP 11

8N12W8A

12529

Location--In northwest quarter of northeast quarter of Section 8, 75 feet south of Avenue B, 1+ mile west of Sierra Highway.

Reference point--Top of casing, 0.5 foot below ground.

Elevation of reference point--2319.5, from U.S.G.S. topog.

Use-- Depth-- Casing--8 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Dec. 5 8.0

Measurement from Los Angeles County Flood Control District.

## MAP 11

8N12W20A

11222

Location--In northwest quarter of northeast quarter of Section 20, 75 feet south of Avenue D, 0.35 mile west of 20th Street W.

Reference point--Top of casing, two feet above ground.

Elevation of reference point--2319, from U.S.G.S. topog,

Use--Not used. Depth-- Casing--6 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Dec. 5 7.5

Measurement from Los Angeles County Flood Control District.

## MAP 11

8N12W20B

11222A

Location--In northwest quarter of northeast quarter of Section 20, 75 feet south of Avenue D, 0.45 mile west of 20th Street W.

Reference point--Top of wooden plug, flush with top of casing, 0.5 foot above ground.

Elevation of reference point--2318, from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--6 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Dec. 5                  6.7

Measurement from Los Angeles County Flood Control District.

---

## MAP 11

8N12W21A

HOFFMAN GUN CLUB

11242

Location--In northeast quarter of northwest quarter of Section 21, 60 feet south of Avenue D, 0.5 mile west of Sierra Highway.

Reference point--(a) Top of 1 inch elbow in suction line, 1.7 feet above ground through November 24, 1941; then (b) top of casing.

Elevation of reference point--(a) 2307.7; (b) 2306.3; from U.S.G.S. topog.

Use--Not used.

Depth--

Casing--8 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Nov. 24                  4.1

Measurement from Los Angeles County Flood Control District.

---



## MAP 11

8N12W22A

OLD RAILROAD WELL

11252

Location--In northwest quarter of northwest quarter of Section 22, 60 feet south of Avenue D extended, 200 feet east of railroad track along Sierra Way.

Reference point--Bottom of "T", 0.5 foot above ground.

Elevation of reference point--2301.5, from U.S.G.S. topog.

Use--Stock.

Depth--

Casing--4 inches.

Other numbers--U.S.G.S, No. 271.

---

1940		1941	
Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
Sep. 20	a	Apr. 22	b
Dec. 6	a	Sep. 27	a
		Nov. 24	c

---

a Flowing  $1\frac{1}{2}$  inch.

b Flowing  $2\frac{1}{2}$  inches.

c Flowing  $1.5\frac{1}{2}$  inches.

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N12W22D

I. B. WIBIGLER

11263

Location--In southeast quarter of southeast quarter of Section 22, 60 feet west of Division Street, 100 feet north of Avenue E.

Reference point--Top of casing, 2.5 feet above ground.

Elevation of reference point--2301.5, from U.S.G.S. topog.

Use-- Depth--400+ feet. Casing--6 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1928		1933		1941	
a		a		Dec. 5	b

---

a Flowing considerably more than present.

b Flowing three to four inches.

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N12W22E

I. B. WIBIGLER  
ANTELOPE VALLEY GUN CLUB

11263A

Location--In southeast quarter of southeast quarter of Section 22, 175 feet west of Division Street, 250 feet north of Avenue E.

Reference point--Top of casing at ground.

Elevation of reference point--2299, from U.S.G.S. topog.

Use--Domestic. Depth--115 feet. Casing--8 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Dec. 5	1.4				

---

Measurement from Los Angeles County Flood Control District.

## MAP 11

8N12W23A

11272

Location--In southwest quarter of northwest quarter of Section 23, 400+ feet east of Division Street, 350 feet north of Avenue D6.

Reference point--Valve connection at ground.

Elevation of reference point--2293, from U.S.G.S. topog.

Use-- Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Dec. 5 Flowing

Measurement from Los Angeles County Flood Control District.

## MAP 11

8N12W24A

11303

Location--In southeast quarter of southeast quarter of Section 24, 250 feet north of Avenue E, 200 feet west of 20th Street E., extended.

Reference point--Top of concrete pit curb at ground.

Elevation of reference point--2310, from U.S.G.S. topog.

Use-- Depth-- Casing--4 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Dec. 6 8.0

Measurement from Los Angeles County Flood Control District.

## MAP 11

8N12W34A

11265

Location--In southeast quarter of northeast quarter of Section 34, 50 feet north of Avenue F8 extended, 120 feet west of Division Street.

Reference point--Top of casing, 0.4 foot above ground.

Elevation of reference point--2316.4, from U.S.G.S. topog.

Use--

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
------	---	------	---	------	---

1941

Dec. 5 a 4.0

a Casing seems obstructed.

Measurement from Los Angeles County Flood Control District.

## MAP 11

8N12W34B

11266

Location--In southwest quarter of southeast quarter of Section 34, 10 feet north of Avenue G, 650+ feet east of Sierra Highway.

Reference point--Top of casing under pump base, 0.5 foot above ground.

Elevation of reference point--2318, from U.S.G.S. topog.

Use--

Depth--

Casing--4 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
------	---	------	---	------	---

1941

Dec. 5 12.4

Measurement from Los Angeles County Flood Control District.

## MAP 11

8N13W6A

H. G. RANCH NO. 2 (H. G. WILEY)

12399

Location--In northeast quarter of southwest quarter of Section 6, 0.3 mile north of Avenue B, 0.3 mile east of 100th Street W.

Reference point--Air gage, 1.5 feet above ground.

Elevation of reference point--2458, from U.S.G.S. topog.

Use--Irrigation.

Depth--

Casing--

Other numbers--Owner's No. 1.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1941	
May 10	102.	Aug. 11 a	114.	Nov. 24	123.
May 10 a	118.				
Oct. 20	116.	1940			
		Nov. 29	120.		

---

a Pumping.

Air measurements from Los Angeles County Flood Control District.

## MAP 11

8N13W6B

H. G. RANCH NO. 2

12399A

Location--In southwest quarter of southwest quarter of Section 6, 25 feet east of 100th Street W., 1000 feet north of Avenue B.

Reference point--Center of air gage, two feet above floor four feet above ground.

Elevation of reference point--2467, from U.S.G.S. topog.

Use--Irrigation.

Depth--

Casing--

Other numbers--Owner No. 2.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 20 a		Nov. 24 b	171.0		

---

a Pumping.

b Air measurement.

Measurements from Los Angeles County Flood Control District.



## MAP 11

8N13W7A

LONE BUTTE RANCH

11100

Location--In southeast quarter of northeast quarter of Section 7, 30 feet west of 90th Street W, 0.5 mile south of Avenue B.

Reference point--Bottom of pump base, east side, at ground.

Elevation of reference point--2442, from U.S.G.S. topog.

Use--Irrigation.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Dec. 6	96.0	Apr. 9	93.1	Jan. 31	96.6

---

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N13W7B

F. A. CROSS

12399B

Location--In northwest quarter of northwest quarter of Section 7, 400 feet south of Avenue B, one-fourth mile east of 100th Street W.

Reference point--Center of air gage, 1.5 feet above ground surface.

Elevation of reference point--2760, from U.S.G.S. topog.

Use--Irrigation.

Depth--265 feet.

Casing--14 inches.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 20 a		Apr. 23 a			
Dec. 6	92.4	Nov. 24 a			

---

a Pumping.

Measurements from Los Angeles County Flood Control District,

## MAP 11

8N13W8A

ROGERS SCHOOL

12419

Location--In northwest quarter of northwest quarter of Section 8, 50 feet east of 90th Street W., 150 feet south of Avenue B.

Reference point--(a) Top of casing and concrete block, 0.2 foot above ground through April 21, 1942; then (b) top of clamp.

Elevation of reference point--(a) 2442, from U.S.G.S. topog.

Use--Domestic. Depth--200+ feet. Casing--6 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1937		1939		1941	
Nov. 10 a	86.	Mar. 8 a	85.2	Apr. 25	88.2
		Nov. 17 a	89.2	Dec. 3	92.5

a Measurement from Los Angeles County Flood Control District.

Measurements from United States Geological Survey except as noted.

## MAP 11

8N13W8B

MRS. A. BOULIN

12419A

Location--In northeast quarter of northwest quarter of Section 8, 175 feet south of Avenue B, 1520 feet east of 90th Street W.

Reference point--Top of pipe flange, 1.0 foot above ground.

Elevation of reference point--2437, from U.S.G.S. topog.

Use--Domestic. Depth--120 feet. Casing--6 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941		1942	
Dec. 6	90.7	Apr. 23	86.3	Jan. 31	89.6

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N14W2A

12369

Location--In southeast quarter of southwest quarter of Section 2, 600+ feet north of Avenue B, 0.6 to 0.7 mile west of 110th Street W. On top of high spot of ground.

Reference point--Top of casing, 5 feet above ground surface.

Elevation of reference point--2508, from U.S.G.S. topog.

Use--Not used. Depth--140+ feet. Casing--14 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940					

Sep. 20 a

a Dry at 140 feet.

Measurement from Los Angeles County Flood Control District.

## MAP 11

8N14W10A

12349

Location--In northeast quarter of northwest quarter of Section 10, on south edge of Avenue B right of way, 1400+ feet east of 130th Street W.

Reference point--Top of casing, two feet above ground.

Elevation of reference point--2528, from U.S.G.S. topog.

Use--Not used. Depth--116 feet. Casing--5 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940					

Sep. 20 a

a Dry at 116 feet.

Measurement from Los Angeles County Flood Control District.

## MAP 11

8N14W12A

H. G. RANCH NO. 1

12389

Location--In northeast quarter of northeast quarter of Section 12, 1100+ feet west of 100th Street W., 50 feet south of Avenue B.

Reference point--Bottom of pump base, two feet above ground.

Elevation of reference point--2472, from U.S.G.S. topog.

Use--Irrigation.

Depth--500 feet.

Casing--

Other numbers--Owner's No. 3.

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940		1941			
Sep. 20 a	128.0	Nov. 24	127.3		
Sep. 20	126.0				
Nov. 29 a	127.0				
Nov. 29	126.1				

---

a Air measurement.

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N14W12B

H. G. RANCH NO. 1

12379

Location--In northwest quarter of northwest quarter of Section 12, 660 feet south of Avenue B, one-fourth mile east of 110th Street W.

Reference point--Pump base at oil line, 0.5 foot above ground.

Elevation of reference point--2482.5, from U.S.G.S. topog.

Use--Irrigation.

Depth--

Casing--

---

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1939		1940			
Apr. 11	122.0	Sep. 1 a	124.0		
		Nov. 29	123.4		

---

a Air line.

Measurements from Los Angeles County Flood Control District.

## MAP 11

8N15W124A

CHAS. L. SCHNEIDER

10982

Location--In northwest quarter of northeast quarter of Section 24, 300 feet south of Avenue D, 0.7 mile east of 170th Street W.

Reference point--Top of round concrete collar, one foot above ground.

Elevation of reference point--2666.0, from U.S.G.S. topog.

Use--Domestic. Depth--180 feet. Casing--10 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1932					

July 138.

Measurement from Los Angeles County Flood Control District.

## MAP 11

9N10W14A

U. S. ARMY RESERVATION

12782

Location--In northwest quarter of northwest quarter of Section 14, 0.2 mile east of 120th Street E. extended, four miles north of County line.

Reference point--

Elevation of reference point--2290+, from U.S.G.S. topog.

Use-- Depth-- Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Dec. 6 a

a Water surface in concrete box 1.5 feet above ground with two inch pipe at ground discharging full.

Measurement from Los Angeles County Flood Control District.



## MAP 11

9N10W23A

12784

Location--In northwest quarter of southwest quarter of Section 23, 750 feet east of 120th Street E. produced, and 2.5 miles north of County line.

Reference point--

Elevation of reference point--2290+, from U.S.G.S. topog.

Use--- Depth--2 feet. Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Dec. 6 Flowing

Measurement from Los Angeles County Flood Control District.

## MAP 11

9N12W21A

SOUTHERN PACIFIC LANDS AGENCY

12533A

Location--In northwest quarter of northwest quarter of Section 21, 150 feet north of Center Street, 75 feet west of Sierra Highway.

Reference point--Top of 3" x 6" wooden clamp on top of casing, 0.6 foot above ground.

Elevation of reference point--

Use--Domestic. Depth-- Casing--8 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1932		1933		1935	
Apr. 8	33.3	Apr. 13	34.5	Jan. 8	37.1
Dec. 29	34.7	Dec. 20	36.4	May 1	37.1
				Dec. 13	37.8
		1934			
		Apr. 19	36.7		

## 9N12W21A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1936		1938		1940	
Apr. 16	37.8	May 23	37.7	Mar. 13	36.6
				Dec. 6 a	39.2
1937		1939		1941	
Jan. 8	37.2	Nov. 17 a	39.3		
Apr. 22	35.7			Apr. 4	36.6
Nov. 10	40.4			Dec. 3	38.2

a Measurement from Los Angeles County Flood Control District.

Measurements from United States Geological Survey except as noted.

## MAP 11

9N13W20A

HARRY WHITE

12424

Location--In southeast quarter of northeast quarter of Section 20, 0.2 mile west of 80th Street W., 2000+ feet south of Rosemond-Willow Spring Road.

Reference point--Top of casing at ground.

Elevation of reference point--2420+, from U.S.G.S. topog.

Use--Not used.

Depth--350 feet.

Casing--12 inches.

Other numbers--U.S.G.S. No. 13 (Old).

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1922		1927		1930	
Oct. 17	38.5	May 9	43.1	Apr. 17	45.8
		Oct. 27	43.0		
1924		1928		1931	
Oct. 23	38.7			Dec. 16	48.2
		Apr. 26	43.8		
1925		Nov. 18	43.6	1932	
May 5	40.4	1929		Apr. 7 a	52.2
				Dec. 29	49.5
1926		Apr. 25	44.7		
		Dec. 28	44.5		
May 13	40.6				
Oct. 15	42.3				

## MAP 11

## 9N13W20A Continued

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1933		1937		1940	
Apr. 13	52.6	Jan. 8	53.	Mar. 13	57.4
Dec. 20	50.4	Apr. 22	54.1	Dec. 6 bc	61.8
		Nov. 10	55.1		
1934		1938		1941	
Apr. 19	53.8			Apr. 9 b	58.8
		Mar. 8	55.7	Apr. 25	58.5
1935		May 23	58.8	May 30	59.3
				July 18	60.2
Jan. 8	51.3	1939		Aug. 29	60.4
May 1	52.8			Sep. 27	60.6
Dec. 13	52.6	Nov. 17 b	57.4	Oct. 31 d	
1936				1942	
Apr. 16	53.1			Jan. 31	61.8

a Pumping 300 feet south.

b Measurement from Los Angeles County Flood Control District.

c Adjacent well pumping.

d Obstruction at 61+ feet.

Measurements from United States Geological Survey except as noted.

## MAP 11

9N13W20B

HARRY WHITE

12424A

Location--In southeast quarter of northeast quarter of Section 20, 400+ feet south of Well No. 12424.

Reference point--Hole in north side of pump base at ground.

Elevation of reference point--

Use--

Depth--

Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					
Dec. 3	59.4				

Measurements from United States Geological Survey.

## MAP 11

9N14W20A

ROSENFELT

12314

Location--In northwest quarter of northeast quarter of Section 20, 1000 feet south of Rosamond Avenue (north line Section 20), 1600 feet west of 140th Street W., produced.

Reference point--Top of wooden cover 0.2 foot above casing, 2 feet above ground.

Elevation of reference point--

Use-- Depth--262 feet. Casing--6 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Nov. 22 a

a Dry at 190 feet; probably caved.

Measurement from Los Angeles County Flood Control District.

## MAP 11

9N14W24A

DE FONE

12384

Location--In southwest quarter of southeast quarter of Section 24, 0.2 mile north of south line of Section 24, 0.5 mile west of 100th Street W., produced.

Reference point--Hole in metal pump base, 1.0 foot above average ground.

Elevation of reference point--

Use--Irrigation and domestic. Depth-- Casing--14 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Nov. 22 94.5

Measurement from Los Angeles County Flood Control District.

## MAP 11

9N14W24B

DE FONE

12384A

Location--In northwest quarter of southeast quarter of Section 24, 0.4 mile north of south line of Section 24, 0.5 mile west of 100th Street W., produced.

Reference point--Hole at junction of pump base plates, near one-half inch pipe, 0.5 foot above ground.

Elevation of reference point--

Use--Irrigation. Depth--310 feet. Casing--14 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Nov. 22 93.6

Measurement from Los Angeles County Flood Control District.

## MAP 11

9N14W25B

12385B

Location--In northwest quarter of northeast quarter of Section 25, 0.5 mile west of 100th Street W., produced, one-fourth mile south of north line of Section 25 (one and one-fourth miles south of Rosamond Road).

Reference point--Top of casing at concrete block, 1.0 foot above ground.

Elevation of reference point--

Use-- Depth--400 to 450 feet. Casing--

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1940					

Aug. 90.2

Measurement from Los Angeles County Flood Control District.



## MAP 11

9N14W29A

12306A

Location--In northwest quarter of southwest quarter of Section 29, 500 feet east of 150th Street W. produced, 1500 feet north of south line of Section 29.

Reference point--Top of casing 0.7 foot above ground.

Elevation of reference point--

Use-- Depth-- Casing--6 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					

Nov. 22 176.2

Measurement from Los Angeles County Flood Control District.

## MAP 11

9N14W32A

SEARS

12306

Location--In northwest quarter of northwest quarter of Section 32, 200 feet east of 150th Street W. produced, 375+ feet south of north line of Section 32.

Reference point--Top of casing, 0.5 foot above ground.

Elevation of reference point--

Use-- Depth-- Casing--16 inches.

Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet	Date	Dist.R.P. to water surface, Feet
1941					


Nov. 22 165.3

Measurement from Los Angeles County Flood Control District.

---

PRECIPITATION RECORDS

---



MONTHLY PRECIPITATION RECORDS  
FROM U. S. WEATHER BUREAU

P r e c i p i t a t i o n   i n   I n c h e s

<u>Season and Month</u>	<u>413 Long Beach</u>	<u>2755 Los Angeles</u>	<u>3290 Claremont</u>	<u>4142 Sierra Madre</u>	<u>4832 San Fernando</u>
<u>1940-41</u>					
July	0.00	T	0.00	0.00	T
Aug.	0.00	0.00	0.00	0.00	0.00
Sep.	0.00	0.01	T	0.04	0.02
Oct.	1.20	1.31	1.72	2.35	1.15
Nov.	0.66	0.25	0.94	0.93	0.32
Dec.	7.24	6.59	7.29	7.98	7.89
Jan.	2.86	2.64	2.57	2.75	3.14
Feb.	8.13	13.31	8.54	15.91	12.24
Mar.	6.44	7.86	13.32	12.79	10.48
Apr.	2.56	4.02	3.86	6.69	4.87
May	0.00	0.00	0.03	0.11	0.45
June	0.00	0.00	0.00	0.08	0.01
TOTAL	29.09	35.99	38.27	49.63	40.57

	<u>14552 Santa Ana</u>	<u>15933 Corona</u>	<u>17023 Riverside</u>	<u>17417 Beaumont</u>	<u>18826 San Bernar- dino (near)</u>
<u>1940-41</u>					
July	0.00	0.00	0.00	0.00	0.00
Aug.	0.00	0.00	0.00	0.00	0.00
Sep.	0.00	0.00	0.00	T	0.00
Oct.	1.52	0.85	1.08	1.51	1.89
Nov.	1.12	1.01	0.91	0.58	0.95
Dec.	6.39	6.09	4.97	6.35	7.34
Jan.	2.20	1.81	1.22	2.37	2.57
Feb.	8.56	6.32	4.81	5.33	9.05
Mar.	10.02	6.67	6.61	8.37	9.65
Apr.	3.76	2.55	2.78	4.75	3.82
May	0.72	0.00	0.94	0.72	0.25
June	0.05	0.00	0.05	0.27	0.38
TOTAL	34.34	25.30	25.37	30.25	35.90

T - Less than 0.01 inch.

PRECIPITATION RECORDS FOR SEASON 1940-41  
(Season - July 1 to June 30)

<u>Station</u>	<u>Map Index</u>	<u>Precipitation in inches</u>	<u>Source of Information</u>
185	O-6	25.32	L.A. Co. F.C.D.
212	N-7	31.69	L.A. Co. F.C.D.
327	P-9	25.18	U.S.W.B. (San Pedro)
331	N-9	28.39	L.A. Co. F.C.D.
401	N-10	27.79	L.A. Co. F.C.D.
403	O-10	27.87	L.A. Co. F.C.D.
403A	O-10	24.98*	L.A. Co. F.C.D.
413	O-10	29.09	U.S.W.B. (Long Beach)
452	N-11	27.01	L.A. Co. F.C.D.
452**	O-11	28.39	L.A. Co. F.C.D.
485	O-12	26.53	O. Co. F.C.D.
587	P-14	28.84	O. Co. F.C.D.
596	O-14	29.58	O. Co. F.C.D.
598	P-14	23.80	O. Co. F.C.D.
715	M-7	26.48	L.A. Co. F.C.D.
754	M-8	29.30	U.S.W.B. (Torrance)
794	M-8	29.67	L.A. Co. F.C.D.
864	M-10	28.25	L.A. Co. F.C.D.
985	M-12	31.13	L.A. Co. F.C.D.
1014	M-12	31.46	L.A. Co. F.C.D.
1030	L-13	31.26	L.A. Co. F.C.D.
1081	L-14	33.51	O. Co. F.C.D.
1099	N-14	32.53	O. Co. F.C.D.
1103	L-14	31.42	O. Co. F.C.D.
1137	M-15	31.78	O. Co. F.C.D.
1136	M-15	32.59	O. Co. F.C.D.
1186A	M-16	32.88	O. Co. F.C.D.
1187	M-16	33.58	O. Co. F.C.D.
1199	N-16	33.97	O. Co. F.C.D.
1241	I-5	35.00	L.A. Co. F.C.D.
1288	K-6	29.58	L.A. Co. F.C.D.
1343	J-7	33.11	L.A. Co. F.C.D.
1395	J-8	33.70	L.A. Co. F.C.D.
1409	L-9	28.60	L.A. Co. F.C.D.
1444	J-9	30.99	L.A. Co. F.C.D.
1475	K-10	35.20*	L.A. Co. F.C.D.
1482	J-10	33.83	L.A. Co. F.C.D.
1502	J-10	31.62	L.A. Co. F.C.D.
1546	K-11	32.11	L.A. Co. F.C.D.
1552	J-11	34.80	L.A. Co. F.C.D.
1565	K-12	34.17	U.S.W.B. (Downey)
1593	J-12	33.04	L.A. Co. F.C.D.
1604	J-12	33.89	L.A. Co. F.C.D.
1631	J-13	32.85	U.S.W.B. (Whittier)
1664	J-13	33.73	U.S.W.B. (East Whittier)

\* Partially estimated by comparison with nearby stations.

\*\* Correction to Bulletin No. 39-B: precipitation record for season 1925-26 should be 6.57.



PRECIPITATION RECORDS FOR SEASON 1940-41  
(Season - July 1 to June 30)

<u>Station</u>	<u>Map Index</u>	<u>Precipitation in inches</u>	<u>Source of Information</u>
1700	I-14	35.81	L.A. Co. F.C.D.
1706	K-14	30.50	L.A. Co. F.C.D.
1750	I-15	36.82*	L.A. Co. F.C.D.
1757	K-15	31.65	O. Co. F.C.D.
1768	K-15	29.74*	O. Co. F.C.D.
1774	J-15	32.49	L.A. Co. F.C.D.
1786	K-16	32.09	O. Co. F.C.D.
1853	J-17	37.11	L.A. Co. F.C.D.
1862	J-17	37.20	L.A. Co. F.C.D.
1901	I-18	41.01	O. Co. F.C.D.
1906	K-18	40.27	O. Co. F.C.D.
1933	J-19	39.96	O. Co. F.C.D.
2401	G-3	54.62	L.A. Co. F.C.D.
2443	H-3	47.52	L.A. Co. F.C.D.
2445	H-3	33.12	L.A. Co. F.C.D.
2503	H-5	40.70	L.A. Co. F.C.D.
2508A	I-5	32.49	U.S.W.B. (Santa Monica)
2511	G-5	43.87	L.A. Co. F.C.D.
2544	H-5	34.20	L.A. Co. F.C.D.
2551	G-6	41.21	L.A. Co. F.C.D.
2555	H-5	35.58	L.A. Co. F.C.D.
2592	H-6	37.67	L.A. Co. F.C.D.
2607	I-7	30.45	L.A. Co. F.C.D.
2643	H-7	34.73	L.A. Co. F.C.D.
2686	H-8	32.74	L.A. Co. F.C.D.
2754	H-9	34.59	L.A. Co. F.C.D.
2755	H-9	35.99	U.S.W.B. (Los Angeles)
2870	G-12	41.01	L.A. Co. F.C.D.
2875	H-12	32.16	L.A. Co. F.C.D.
2928	I-13	32.52	L.A. Co. F.C.D.
2962	G-13	37.02	L.A. Co. F.C.D.
3009	I-14	36.80*	L.A. Co. F.C.D.
3041	G-15	35.70	L.A. Co. F.C.D.
3053	H-15	37.80	L.A. Co. F.C.D.
3079	I-15	34.13	L.A. Co. F.C.D.
3111	G-16	36.73	U.S.W.B. (Covina)
3121	G-16	36.14	U.S.W.B. (Covina)
3123	H-16	32.57	L.A. Co. F.C.D.
3129	I-16	37.00*	U.S.W.B. (Walnut)
3149A	I-17	35.82	L.A. Co. F.C.D.
3155	H-17	36.52	L.A. Co. F.C.D.
3160	G-17	36.66	L.A. Co. F.C.D.
3186	H-18	33.72	L.A. Co. F.C.D.
3190	G-18	36.96	L.A. Co. F.C.D.
3223	H-18	37.23	U.S.W.B. (Pomona)
3244	H-19	33.96	L.A. Co. F.C.D.

\* Partially estimated by comparison with nearby stations.

PRECIPITATION RECORDS FOR SEASON 1940-41  
(Season - July 1 to June 30)

<u>Station</u>	<u>Map Index</u>	<u>Precipitation in inches</u>	<u>Source of Information</u>
3256	I-19	37.13	L.A. Co. F.C.D.
3280	G-19	36.88	L.A. Co. F.C.D.
3290	G-20	38.27	U.S.W.B. (Claremont)
3596	F-3	44.95	U.S.W.B. (Summit Topanga)
3602	E-3	36.27	L.A. Co. F.C.D.
3618	G-3	51.97	L.A. Co. F.C.D.
*3673	F-4	42.69	L.A. Co. F.C.D.
3685	F-4	39.72	L.A. Co. F.C.D.
3706	F-5	47.98	L.A. Co. F.C.D.
3742	E-5	39.75	U.S.W.B. (Van Nuys)
3749	G-5	45.69	L.A. Co. F.C.D.
3786	F-6	45.15	L.A. Co. F.C.D.
3810	E-7	35.53**	L.A. Co. F.C.D.
3834	F-7	38.92	L.A. Co. F.C.D.
3848A	G-7	39.21	L.A. Co. F.C.D.
3868	F-8	37.77	L.A. Co. F.C.D.
3891	E-8	41.11	U.S.W.B. (Burbank)
3894	F-8	41.50	L.A. Co. F.C.D.
3897	F-8	40.26	L.A. Co. F.C.D.
3906	F-8	42.87	L.A. Co. F.C.D.
3907	F-8	39.28	L.A. Co. F.C.D.
3917	G-9	36.96	L.A. Co. F.C.D.
3921	E-9	36.05	L.A. Co. F.C.D.
3921A	E-9	43.76	L.A. Co. F.C.D.
3934	F-9	41.62	U.S.W.B. (Glendale)
3939	G-9	34.78	L.A. Co. F.C.D.
3943	E-9	41.92	L.A. Co. F.C.D.
3954	F-9	38.89	L.A. Co. F.C.D.
3993	E-10	47.86	L.A. Co. F.C.D.
4001	E-10	51.01	L.A. Co. F.C.D.
4010	E-10	50.93	L.A. Co. F.C.D.
4023	E-11	48.38	L.A. Co. F.C.D.
4028	G-11	43.90	L.A. Co. F.C.D.
4048	G-11	42.00	L.A. Co. F.C.D.
4050	E-11	48.75	U.S.W.B. (Altadena)
4061	E-11	46.37	L.A. Co. F.C.D.
4073	F-12	46.10	U.S.W.B. (Pasadena)
4076	F-12	44.27	L.A. Co. F.C.D.
4087	F-12	42.60	L.A. Co. F.C.D.
4092	E-12	46.33	L.A. Co. F.C.D.
4099	G-12	39.58	L.A. Co. F.C.D.
4109	G-12	38.45	L.A. Co. F.C.D.
4110	E-12	55.18	L.A. Co. F.C.D.
4135	F-13	41.28	L.A. Co. F.C.D.
4137	F-13	43.67	L.A. Co. F.C.D.

\* Incorrectly shown on map as 3763.

\*\*Partially estimated by comparison with nearby stations.

PRECIPITATION RECORDS FOR SEASON 1940-41  
(Season - July 1 to June 30)

<u>Station</u>	<u>Map Index</u>	<u>Precipitation in inches</u>	<u>Source of Information</u>
4142	E-13	49.63	U.S.W.B. (Sierra Madre)
4142A	E-13	50.13	L.A. Co. F.C.D.
4152	E-13	48.70	L.A. Co. F.C.D.
4153	E-13	48.35	L.A. Co. F.C.D.
4154	F-13	43.46*	L.A. Co. F.C.D.
4163	F-13	42.25	L.A. Co. F.C.D.
4164	F-13	41.65	L.A. Co. F.C.D.
4171	E-14	48.21*	L.A. Co. F.C.D.
4171A	E-14	47.41	L.A. Co. F.C.D.
4194A	F-14	38.36	L.A. Co. F.C.D.
4195	F-14	40.76	L.A. Co. F.C.D.
4211	E-14	52.99	L.A. Co. F.C.D.
4212	E-14	46.75	L.A. Co. F.C.D.
4230	E-15	59.62	L.A. Co. F.C.D.
4231	E-15	54.04	L.A. Co. F.C.D.
4273	E-15	48.03*	L.A. Co. F.C.D.
4285	F-16	39.88	L.A. Co. F.C.D.
4293	F-16	43.89	L.A. Co. F.C.D.
4294	F-16	44.82	U.S.W.B. (San Gabriel Power House)
4296	F-16	38.36*	L.A. Co. F.C.D.
4296A	F-16	40.12	L.A. Co. F.C.D.
4306	F-16	39.29*	L.A. Co. F.C.D.
4309	G-16	35.91	L.A. Co. F.C.D.
4315	F-16	41.37	L.A. Co. F.C.D.
4321	E-16	50.22	L.A. Co. F.C.D.
4336	F-17	38.75	L.A. Co. F.C.D.
4346	F-17	40.54	L.A. Co. F.C.D.
4354	F-17	42.36	L.A. Co. F.C.D.
4383	E-18	46.24	L.A. Co. F.C.D.
4386	F-17	41.22	L.A. Co. F.C.D.
4398	G-18	40.70	L.A. Co. F.C.D.
4399	G-18	37.90	U.S.W.B. (San Dimas)
4407	F-18	40.42	L.A. Co. F.C.D.
4407A	G-18	37.53	L.A. Co. F.C.D.
4408	G-18	38.25	L.A. Co. F.C.D.
4424	F-18	37.71	L.A. Co. F.C.D.
4425	F-18	38.65	L.A. Co. F.C.D.
4433	E-18	41.45	L.A. Co. F.C.D.
4439	G-18	35.23	L.A. Co. F.C.D.
4444	F-19	39.40	L.A. Co. F.C.D.
4457	F-19	39.46*	U.S.W.B. (Live Oak Canyon)
4487	F-19	39.74	L.A. Co. F.C.D.
4505	F-20	43.43	L.A. Co. F.C.D.
4517	G-20	40.85	L.A. Co. F.C.D.
4522	E-20	48.58	U.S.W.B. (Mouth of San Antonio Canyon)

\* Partially estimated by comparison with nearby stations.

PRECIPITATION RECORDS FOR SEASON 1940-41  
(Season - July 1 to June 30)

<u>Station</u>	<u>Map Index</u>	<u>Precipitation in inches</u>	<u>Source of Information</u>
4545	F-21	42.40	U.S.W.B. (Upland)
4566	F-21	39.77	Liberty Groves
4583	F-21	43.48	John S. Ingalls
4658	D-2	37.44	L.A. Co. F.C.D.
4687	D-2	36.62	L.A. Co. F.C.D.
4694	C-2	38.36	U.S.W.B. (Chatsworth)
4747	D-4	38.34	L.A. Co. F.C.D.
4811	C-5	36.52	L.A. Co. F.C.D.
4832	C-5	40.57	U.S.W.B. (San Fernando)
4837	D-5	38.39	L.A. Co. F.C.D.
4864	C-6	35.25	L.A. Co. F.C.D.
4894	C-6	37.54	L.A. Co. F.C.D.
4922	C-7	35.71	L.A. Co. F.C.D.
4946	D-7	35.96	L.A. Co. F.C.D.
5025	D-9	50.62	L.A. Co. F.C.D.
5065	D-10	51.24	U.S.W.B. (La Crescenta)
5067	D-9	47.93	L.A. Co. F.C.D.
5076	D-10	53.03	L.A. Co. F.C.D.
5101	C-10	57.70	U.S.W.B. (Big Tujunga Dam No. 1)
5109	E-10	50.70	L.A. Co. F.C.D.
5115	D-11	55.67	L.A. Co. F.C.D.
5127	D-11	51.46	U.S.W.B. (Arroyo Seco)
5139	E-11	51.38	L.A. Co. F.C.D.
5204	C-12	72.22	U.S.W.B. (Opid's Camp)
5224	C-13	71.07*	U.S.W.B. (Valley Forge Lodge)
5247	D-13	73.92	U.S.W.B. (Mount Wilson)
5267	D-13	63.51	L.A. Co. F.C.D.
5269	D-13	69.85	U.S.W.B. (Winter Creek)
5446	D-17	53.40	L.A. Co. F.C.D.
5549	D-19	48.20	L.A. Co. F.C.D.
5646	D-21	57.21	U.S.W.B. (Camp Baldy)
5696	D-22	94.07	U.S.W.B. (Kelly's Camp)
5861	A-4	44.69	U.S.W.B. (Newhall)
5872	A-4	47.55	L.A. Co. F.C.D.
5908	B-5	42.67	L.A. Co. F.C.D.
5922	A-5	45.54	L.A. Co. F.C.D.
5928	B-5	38.73	L.A. Co. F.C.D.
5988	B-6	40.38	L.A. Co. F.C.D.
5999	B-6	38.49	L.A. Co. F.C.D.
6005	B-7	40.24	U.S.W.B. (Pacoima Dam)
6067	B-8	47.60	L.A. Co. F.C.D.
6249	B-11	51.86	L.A. Co. F.C.D.
6289A	B-12	55.51	L.A. Co. F.C.D.
6355	A-13	40.46	U.S.W.B. (Alder Creek or Loomis Ranch)
6558	B-17	60.54	L.A. Co. F.C.D.
6558A	B-17	67.02	L.A. Co. F.C.D.

\* Partially estimated by comparison with nearby stations.



PRECIPITATION RECORDS FOR SEASON 1940-41  
(Season - July 1 to June 30)

<u>Station</u>	<u>Map Index</u>	<u>Precipitation in inches</u>	<u>Source of Information</u>
6569	B-17	59.82*	L.A. Co. F.C.D.
6702	A-20	47.59	U.S.W.B. (Big Pines County Park)
6711	A-20	21.43	U.S.W.B. (Table Mountain)
6712	A-20	44.73	L.A. Co. F.C.D.
7017	A-3	34.43	L.A. Co. F.C.D.
13193	Q-14	28.48	O. Co. F.C.D.
13266	Q-15	28.24	O. Co. F.C.D.
13309	R-16	28.17	U.S.W.B. (Newport Beach)
13329	R-16	25.75	O. Co. F.C.D.
13363	Q-17	27.40	O. Co. F.C.D.
13402	Q-18	27.31	O. Co. F.C.D.
13406	R-18	30.58	O. Co. F.C.D.
13432	Q-19	28.56	O. Co. F.C.D.
13480	P-19	29.38	O. Co. F.C.D.
13484	Q-19	28.71	O. Co. F.C.D.
13499	R-20	30.27	O. Co. F.C.D.
13633	Q-22	35.70	O. Co. F.C.D.
13645	R-22	39.47	O. Co. F.C.D.
13802	Q-26	36.02	Edwin M. Sherman
13864	Q-27	25.96	U.S.W.B. (Elsinore)
13902	Q-28	23.84	Temescal Water Company
14173	R-17	28.70	O. Co. F.C.D.
14408	P-14	26.69	O. Co. F.C.D.
14439	P-15	26.95	O. Co. F.C.D.
14451	N-15	31.89	O. Co. F.C.D.
14452	O-15	28.91	O. Co. F.C.D.
14535	O-17	31.14	O. Co. F.C.D.
14549	P-17	27.34	O. Co. F.C.D.
14552	O-17	34.34	U.S.W.B. (Santa Ana)
14568	P-17	29.13	O. Co. F.C.D.
14586	O-17	31.41	O. Co. F.C.D.
14617	P-18	28.90	U.S.W.B. (Tustin, near)
14632	N-18	30.38	O. Co. F.C.D.
14649	P-19	30.85	O. Co. F.C.D.
14673	O-19	34.95	O. Co. F.C.D.
14765	O-21	39.71	O. Co. F.C.D.
14835	O-22	48.73	O. Co. F.C.D.
14902	N-24	30.13	Temescal Water Co.
15420	N-34	24.63	U.S.W.B. (San Jacinto)
15602	L-16	37.80	O. Co. F.C.D.
15614	L-16	35.73	O. Co. F.C.D.
15623	L-16	39.20	O. Co. F.C.D.
15678	M-17	34.68	O. Co. F.C.D.
15679	N-17	34.56	O. Co. F.C.D.
15681	L-18	37.65	U.S.W.B. (Yorba Linda)
15733	L-18	28.76	O. Co. F.C.D.

\* Partially estimated by comparison with nearby stations.



PRECIPITATION RECORDS FOR SEASON 1940-41  
(Season - July 1 to June 30)

<u>Station</u>	<u>Map Index</u>	<u>Precipitation in inches</u>	<u>Source of Information</u>
15860	L-21	33.68	U.S.D.A. and O. Co. F.C.D.
15903	L-22	31.27	Corona Foothill Lemon Co.
15925	M-22	31.48	Corona Foothill Lemon Co.
15926	M-22	34.17	Corona Foothill Lemon Co.
15932	L-22	27.14	Temescal Water Co.
15933	L-22	25.30	U.S.W.B. (Corona)
15944	M-23	27.49	Jamison Company
15955	M-23	26.61	American Fruit Growers Ass
16050	L-25	20.53	San Jacinto Land Co.
16240	L-28	21.62	U.S. Army Air Corps
16710	I-20	37.37	Southern Calif. Edison Co., Ltd.
16801	J-22	27.66	John Imbach
16845	K-22	25.72	Capt. C. Gully
17023	J-26	23.37	U.S.W.B. (Riverside)
17062	J-27	23.01	Riverside Citrus Experiment Sta.
17342	J-32	25.83	Moreno Mutual Water Co.
17417	K-34	30.25	U.S.W.B. (Beaumont)
17421	J-34	33.61	U.S.W.B. (Beaumont, near)
17608	I-20	36.79	American Beet Sugar Co.
17610	G-20	35.84*	R. V. Ward
17613	H-20	35.29	West Ontario Citrus Ass'n.
17630	G-20	37.59	Mr. Jordan
17653	H-21	33.47	Southern Pacific Company
17674	H-21	30.69	Braundale Acres
17703	H-22	31.74	Guasti Wine Co.
17860	G-25	31.11	Fontana Farms Co.
17973	H-27	28.56*	Southern Pacific Co.
17973A	H-27	28.79	Colton Police Department
17984	H-27	28.13	Southern Calif. Edison Co., Ltd.
18082	H-29	24.15	Crown Jewel Groves
18114	H-30	24.55	U.S.W.B. (Redlands)
18125	H-30	24.48	D.S.C. Anderson
18163	H-31	27.05	Crafton Orange Growers Ass'n.
18194	H-31	25.93	F. B. King
18256	I-33	29.83	R. H. Arnett
18260	G-32	33.15	U.S.W.B. (Mill Creek No. 2)
18351	G-34	50.58	Southern Calif. Edison Co., Ltd.
18507	F-22	40.66	Alta Loma Heights Citrus Ass'n.
18514	F-22	39.45	Victor Cherbak
18529A	G-22	32.72	Mission Winery
18586	F-23	39.23	W. F. Barnes
18642	F-25	46.46	U.S.W.B. (Bennett Ranch)
18679	G-25	35.24	U.S.W.B. (Fontana)
18704	F-26	34.90	Southern Calif. Edison Co., Ltd.
18782	E-27	37.76	San Bernardino Water Dept.
18809A	G-28	29.65	San Bernardino Water Dept.

\* Partially estimated by comparison with nearby stations.

PRECIPITATION RECORDS FOR SEASON 1940-41  
(Season - July 1 to June 30)

<u>Station</u>	<u>Map Index</u>	<u>Precipitation in inches</u>	<u>Source of Information</u>
18826	F-28	35.90	U.S.W.B. (San Bernardino, near)
18831	E-28	41.34*	Arrowhead Springs Hotel
18886	F-29	29.54	Mrs. E. E. Corwin
18906	F-29	30.77	Thomas A. Ewing
18928	G-30	29.49	Gold Buckle Association
18937	G-30	31.06	East Highland Orange Co.
18999	G-31	31.96	Southern Calif. Edison Co., Ltd.
19045	F-32	36.27	U.S.W.B. (Santa Ana River)
19161	E-35	37.92	U.S.W.B. (Seven Oaks)
19416	D-24	75.49	U.S.W.B. (Lytle Creek Ranger Sta.)
19449	E-25	53.48	Fontana Union Water Co.
19459	E-25	51.50	U.S.W.B. (Lytle Creek)
19569	E-27	42.49	San Bernardino Water Dept.
19578	D-27	53.28	U.S. Forest Experiment Sta.
19656	D-28	66.01	U.S.W.B. (Squirrel Inn)
19723	C-30	70.91	Lake Arrowhead Company
19799	E-31	63.99	California State Highway
19915	D-34	57.95	U.S.W.B. (Big Bear Lake Dam)
19985	D-35	35.28	Jack Preston

\* Partially estimated by comparison with nearby stations.

PRECIPITATION RECORDS FOR SEASON 1939-40  
(Season - July 1 to June 30)

<u>Station</u>	<u>Map Index</u>	<u>Precipitation in inches</u>	<u>Source of Information</u>
4092	E-12	26.04	L.A. Co. F.C.D.
4457	F-19	19.94	U.S.W.B. (Live Oak Canyon)
4922	C-7	17.24*	L.A. Co. F.C.D.
6289A	B-12	25.54*	L.A. Co. F.C.D.
6355	A-13	21.66	U.S.W.B. (Alder Creek or Loomis Ranch)


\* Partially estimated by comparison with nearby stations.

Abbreviations used in "Sources of information" column:


L.A. Co. F.C.D. .... Los Angeles County Flood Control District.  
O. Co. F.C.D. .... Orange County Flood Control District.  
U.S.D.A. .... United States Department of Agriculture.  
U.S.W.B. .... United States Weather Bureau.















# LOCATION OF WELLS

1942



MAP II

- 4500 — LINE OF EQUAL ELEVATION OF GROUND SURFACE - U.S.C.S. DATUM
- A WELL WITH RECORD OF GROUND WATER LEVELS PUBLISHED IN THIS REPORT
- OA WELL WITH RECORD OF GROUND WATER LEVELS NOT PUBLISHED IN THIS REPORT - RECORDS AVAILABLE IN OFFICE OF THE DIVISION OF WATER RESOURCES





THIS BOOK IS DUE ON THE LAST DATE  
STAMPED BELOW

**AN INITIAL FINE OF 25 CENTS**

WILL BE ASSESSED FOR FAILURE TO RETURN  
THIS BOOK ON THE DATE DUE. THE PENALTY  
WILL INCREASE TO 50 CENTS ON THE FOURTH  
DAY AND TO \$1.00 ON THE SEVENTH DAY  
OVERDUE.

Book Slip-25m-7,'53(A8998s4)458



111603

TC824


Calif. Division of

C2

water resources.

A2

UNIVERSITY OF CALIFORNIA DAVIS



3 1175 02037 6763

Calif.

TC824

PHYSICAL  
SCIENCES  
LIBRARY

C2

A2

111.39J

Collate:

3 maps in

Pocket

LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS

111603



